

SPRING WHEAT

AFP 1/2095

5603HR

CHARACTERS IN DETAIL

Ear

Colour	white
Length	short
Density	lax
Shape-side profile	tapering
Awns or scurs - presence	awns present
Awns or scurs - distribution	whole length
Awns or scurs - length	long to very long
Apical rachis segment - convex face hairiness	weak to medium
Anthers - anthocyanin colouration	absent

Lower glume

External surface	smooth
Extent of internal hairs	strong - Group 3
Beak length	medium to long
Beak curvature	moderately curved
Shoulder width	narrow to medium
Shoulder shape	elevated

Lower lemma

Beak curvature	slightly curved
----------------	-----------------

Grain

Colour	red
Colouration with phenol	dark to very dark

Straw

Length	medium
Wall thickness @20cms below ear	absent or very thin

Glaucosity

Flag leaf - sheath	weak
Flag leaf- blade (lower side)	very weak to weak
Culm - neck	weak
Ear	weak to medium

Plant growth characters

Coleoptile - anthocyanin colouration	very strong
Plant - growth habit	erect to semi-erect
Time of ear emergence	medium
Flag leaf - anthocyanin of auricles	

SPRING WHEAT

AFP 1/1591

AC BARRIE

CHARACTERS IN DETAIL

Ear

Colour	white
Length	short to medium
Density	lax to medium
Shape-side profile	parallel sided
Awns or scurs - presence	scurs present
Awns or scurs - distribution	upper 1/2
Awns or scurs - length	long
Apical rachis segment - convex face hairiness	weak to medium
Anthers - anthocyanin colouration	absent

Lower glume

External surface	smooth
Extent of internal hairs	weak to medium (1+)
Beak length	short
Beak curvature	v.slightly curved
Shoulder width	narrow to medium
Shoulder shape	straight to elevated

Lower lemma

Beak curvature	straight to slightly curved
----------------	-----------------------------

Grain

Colour	red
Colouration with phenol	very light to light

Straw

Length	long to very long
Wall thickness @20cms below ear	absent or very thin

Glaucosity

Flag leaf - sheath	medium
Flag leaf- blade (lower side)	weak to medium
Culm - neck	medium
Ear	medium

Plant growth characters

Coleoptile - anthocyanin colouration	medium to strong
Plant - growth habit	erect to semi-erect
Time of ear emergence	very early to early
Flag leaf - anthocyanin of auricles	

SPRING WHEAT

AMARETTO

CHARACTERS IN DETAIL

Ear

Colour:	white
Length:	medium to long
Density:	medium
Shape (side profile)	tapering
Awns or scurs - presence:	scurs present
Awns or scurs - distribution:	
Awns or Scurs - length:	short to medium
Apical rachis segment - convex face hairiness:	medium
Anthers - anthocyanin	

Lower Glume

External surface roughness:	
Extent of internal hairs:	strong - group 3
Beak length:	very short
Beak shape (curvature):	slightly curved
Shoulder width	narrow to medium
Shoulder shape	straight

Lower Lemma

Beak shape:	slightly to moderately curved
-------------	-------------------------------

Grain

Colour	red
Colouration with phenol:	medium

Straw

Length:	medium
Wall thickness @ 20cms below ear:	medium to thick

Glaucosity

Flag leaf - sheath:	strong
Flag leaf - blade (lower side):	strong
Culm neck:	strong
Ear - Glaucosity:	strong

Plant growth characters

Coleoptile-anthocyanin	absent or very weak
Plant - growth habit:	intermediate
Time ear emergence:	medium
Flag leaf - Anthocyanin colouration of auricles:	absent or very weak

Variety Name: **Anabel**

Crop:

Breeder's Reference: SG-S1257-09

AFP No:

Breeder: SELGEN

Translated from: CZECH

Origin:

Date: 20 February 2014

Code: ANAB

Coleoptile-anthocyanin colouration:

Weak

***Plant - growth habit:**

Semi-erect to intermediate

***Time ear emergence:**

Early to medium

Flag leaf - Anthocyanin colouration of auricles:

Frequency of plants with recurved flag leaves:

Medium to high

***Flag leaf - Glaucosity of sheath:**

Strong to very strong

Flag leaf - Glaucosity of leaf blade:

Strong

Anthers - anthocyanin colouration:

Glaucosity of neck:

Strong to very strong

Hairiness of uppermost node:

***Plant - height:**

Short to medium

***Straw - wall thickness @ 20cms below ear:**

Medium

***Ear - Glaucosity:**

Medium to strong

Ear - Supernumerary spikelets - frequency:

***Ear - Colour:**

White

***Ear - Shape (side profile):**

Tapering

Ear - Length:

Medium

***Ear - Density:**

Medium

***Awns or scurs - presence:**

Scurs present

Awns or scurs - distribution:

***Scurs at tip of ear - length:**

Medium

***Awns at tip of ear - length:**

Lower glume - Beak length:

Short

Lower glume - Beak shape (curvature):

Lower glume - Beak tip:

Lower glume - Shoulder width:

Medium to broad

Lower glume - Shoulder type:

Elevated

Lower glume - External surface roughness:

Lower glume - Extent of internal hairs:

Weak

Lower glume - Internal imprint:

Lower lemma - Beak shape:

Lower lemma - Beak length-:

Lower lemma - Beak swelling:

Apical rachis segment - convex face hairiness:

Medium

***Grain - colour:**

Red

Grain - Shape:

Grain - Brush hair length in dorsal view:

Medium

Grain - Colouration with phenol:

***Seasonal type:**

Spring

Extra characters:

* = Characteristics which should always be included in the description of the variety.

08 March 2016

SPRING WHEAT

AFP 1/1244

ASHBY

CHARACTERS IN DETAIL

Ear

Colour	white
Length	medium
Density	lax to medium
Shape-side profile	tapering
Awns or scurs - presence	scurs present
Awns or scurs - distribution	upper 1/2
Awns or scurs - length	short to medium
Apical rachis segment - convex face hairiness	medium to strong
Anthers - anthocyanin colouration	absent

Lower glume

External surface	smooth
Extent of internal hairs	strong - Group 3
Beak length	medium
Beak curvature	moderately curved
Shoulder width	narrow to medium
Shoulder shape	straight

Lower lemma

Beak curvature	slightly to moderately curved
----------------	-------------------------------

Grain

Colour	red
Colouration with phenol	medium

Straw

Length	short to medium
Wall thickness @20cms below ear	very thick or filled

Glaucosity

Flag leaf - sheath	very strong
Flag leaf- blade (lower side)	
Culm - neck	strong to very strong
Ear	strong to very strong

Plant growth characters

Coleoptile - anthocyanin colouration	weak
Plant - growth habit	intermediate
Time of ear emergence	late
Flag leaf - anthocyanin of auricles	very weak

SPRING WHEAT

AFP 1/1660

AZURITE

CHARACTERS IN DETAIL

Ear

Colour	white
Length	short to medium
Density	medium
Shape-side profile	parallel sided
Awns or scurs - presence	scurs present
Awns or scurs - distribution	upper 1/4
Awns or scurs - length	medium
Apical rachis segment - convex face hairiness	medium to strong
Anthers - anthocyanin colouration	absent

Lower glume

External surface	
Extent of internal hairs	strong - Group 3
Beak length	short
Beak curvature	v.slightly curved
Shoulder width	narrow
Shoulder shape	straight

Lower lemma

Beak curvature	slightly curved
----------------	-----------------

Grain

Colour	red
Colouration with phenol	light to medium

Straw

Length	short
Wall thickness @20cms below ear	medium

Glaucosity

Flag leaf - sheath	medium to strong
Flag leaf- blade (lower side)	medium to strong
Culm - neck	strong
Ear	strong

Plant growth characters

Coleoptile - anthocyanin colouration	weak
Plant - growth habit	semi-erect
Time of ear emergence	medium
Flag leaf - anthocyanin of auricles	

SPRING WHEAT

AFP 1/1387

BELVOIR

CHARACTERS IN DETAIL

Ear

Colour	white
Length	medium
Density	lax
Shape-side profile	tapering
Awns or scurs - presence	scurs present
Awns or scurs - distribution	upper 1/4
Awns or scurs - length	long to very long
Apical rachis segment - convex face hairiness	medium
Anthers - anthocyanin colouration	absent

Lower glume

External surface	smooth
Extent of internal hairs	strong - Group 3
Beak length	short to medium
Beak curvature	slightly curved
Shoulder width	narrow
Shoulder shape	straight

Lower lemma

Beak curvature	slightly to moderately curved
----------------	-------------------------------

Grain

Colour	red
Colouration with phenol	very dark

Straw

Length	medium
Wall thickness @20cms below ear	thin

Glaucosity

Flag leaf - sheath	strong to very strong
Flag leaf- blade (lower side)	
Culm - neck	strong to very strong
Ear	strong to very strong

Plant growth characters

Coleoptile - anthocyanin colouration	weak
Plant - growth habit	semi-erect to intermediate
Time of ear emergence	medium
Flag leaf - anthocyanin of auricles	weak

SPRING WHEAT

AFP 1/2091

BONZER

CHARACTERS IN DETAIL

Ear

Colour	white
Length	short to medium
Density	medium
Shape-side profile	parallel sided
Awns or scurs - presence	scurs present
Awns or scurs - distribution	upper 1/4
Awns or scurs - length	long
Apical rachis segment - convex face hairiness	medium to strong
Anthers - anthocyanin colouration	

Lower glume

External surface	smooth
Extent of internal hairs	strong - Group 3
Beak length	medium
Beak curvature	slightly curved
Shoulder width	narrow
Shoulder shape	straight

Lower lemma

Beak curvature	slightly curved
----------------	-----------------

Grain

Colour	red
Colouration with phenol	medium to dark

Straw

Length	short to medium
Wall thickness @20cms below ear	very thick or filled

Glaucosity

Flag leaf - sheath	very weak to weak
Flag leaf- blade (lower side)	very weak to weak
Culm - neck	medium
Ear	medium

Plant growth characters

Coleoptile - anthocyanin colouration	medium
Plant - growth habit	semi-erect to intermediate
Time of ear emergence	medium to late
Flag leaf - anthocyanin of auricles	

SPRING WHEAT

AFP 1/2358

CALIXO

CHARACTERS IN DETAIL

Ear

Colour	white
Length	medium
Density	very lax to lax
Shape-side profile	tapering
Awns or scurs - presence	scurs present
Awns or scurs - distribution	upper 3/4
Awns or scurs - length	long
Apical rachis segment - convex face hairiness	weak to medium
Anthers - anthocyanin colouration	

Lower glume

External surface	smooth
Extent of internal hairs	strong (3)
Beak length	short
Beak curvature	straight
Shoulder width	narrow to medium
Shoulder shape	elevated

Lower lemma

Beak curvature	slightly curved
----------------	-----------------

Grain

Colour	red
Colouration with phenol	dark

Straw

Length	long
Wall thickness @20cms below ear	medium

Glaucosity

Flag leaf - sheath	weak
Flag leaf- blade (lower side)	very weak to weak
Culm - neck	weak
Ear	weak to medium

Plant growth characters

Coleoptile - anthocyanin colouration	weak
Plant - growth habit	semi-erect
Time of ear emergence	early to medium
Flag leaf - anthocyanin of auricles	

SPRING WHEAT

AFP 1/2092

COBBER

CHARACTERS IN DETAIL

Ear

Colour	white
Length	short to medium
Density	lax to medium
Shape-side profile	parallel sided
Awns or scurs - presence	scurs present
Awns or scurs - distribution	upper 1/4
Awns or scurs - length	medium to long
Apical rachis segment - convex face hairiness	strong
Anthers - anthocyanin colouration	

Lower glume

External surface	smooth
Extent of internal hairs	strong - Group 3
Beak length	short
Beak curvature	straight
Shoulder width	narrow
Shoulder shape	straight

Lower lemma

Beak curvature	slightly curved
----------------	-----------------

Grain

Colour	red
Colouration with phenol	medium to dark

Straw

Length	short to medium
Wall thickness @20cms below ear	very thick or filled

Glaucosity

Flag leaf - sheath	strong
Flag leaf- blade (lower side)	strong
Culm - neck	medium to strong
Ear	medium to strong

Plant growth characters

Coleoptile - anthocyanin colouration	medium
Plant - growth habit	intermediate
Time of ear emergence	medium to late
Flag leaf - anthocyanin of auricles	

SPRING WHEAT

AFP 1/2359

CORNETTO

CHARACTERS IN DETAIL

Ear

Colour	white
Length	medium
Density	lax to medium
Shape-side profile	tapering
Awns or scurs - presence	awns present
Awns or scurs - distribution	whole length
Awns or scurs - length	long to very long
Apical rachis segment - convex face hairiness	medium
Anthers - anthocyanin colouration	

Lower glume

External surface	smooth
Extent of internal hairs	strong (3)
Beak length	long to very long
Beak curvature	slightly curved
Shoulder width	very narrow to narrow
Shoulder shape	elevated

Lower lemma

Beak curvature	straight to slightly curved
----------------	-----------------------------

Grain

Colour	red
Colouration with phenol	dark to very dark

Straw

Length	long
Wall thickness @20cms below ear	absent or very thin

Glaucosity

Flag leaf - sheath	medium to strong
Flag leaf- blade (lower side)	weak to medium
Culm - neck	medium
Ear	medium to strong

Plant growth characters

Coleoptile - anthocyanin colouration	absent to weak
Plant - growth habit	semi-erect
Time of ear emergence	medium
Flag leaf - anthocyanin of auricles	

SPRING WHEAT

DAFNE

CHARACTERS IN DETAIL

Ear

Colour:	white
Length:	medium to long
Density:	lax to medium
Shape (side profile)	parallel sided
Awns or scurs - presence:	scurs present
Awns or scurs - distribution:	
Awns or Scurs - length:	short to medium short to medium
Apical rachis segment - convex face hairiness:	medium
Anthers - anthocyanin	

Lower Glume

External surface roughness:	
Extent of internal hairs:	medium to strong
Beak length:	very short to short
Beak shape (curvature):	straight to slightly curved
Shoulder width	medium to broad
Shoulder shape	slightly sloping to straight

Lower Lemma

Beak shape:

Grain

Colour	red
Colouration with phenol:	dark

Straw

Length:	medium to long
Wall thickness @ 20cms below ear:	thin

Glaucosity

Flag leaf - sheath:	strong
Flag leaf - blade (lower side):	medium to strong
Culm neck:	strong
Ear - Glaucosity:	strong

Plant growth characters

Coleoptile-anthocyanin	weak
Plant - growth habit:	semi-erect to intermediate
Time ear emergence:	medium
Flag leaf - Anthocyanin colouration of auricles:	

SPRING WHEAT

AFP 1/2257

EQUITY

CHARACTERS IN DETAIL

Ear

Colour	white
Length	short to medium
Density	medium
Shape-side profile	parallel sided
Awns or scurs - presence	scurs present
Awns or scurs - distribution	upper 1/2
Awns or scurs - length	short to medium
Apical rachis segment - convex face hairiness	weak to medium
Anthers - anthocyanin colouration	absent

Lower glume

External surface	smooth
Extent of internal hairs	strong
Beak length	short to medium
Beak curvature	slightly curved
Shoulder width	narrow
Shoulder shape	straight

Lower lemma

Beak curvature	slightly curved
----------------	-----------------

Grain

Colour	white
Colouration with phenol	medium to dark

Straw

Length	very short to short
Wall thickness @20cms below ear	medium

Glaucosity

Flag leaf - sheath	strong
Flag leaf- blade (lower side)	medium
Culm - neck	medium to strong
Ear	strong

Plant growth characters

Coleoptile - anthocyanin colouration	absent to weak
Plant - growth habit	semi-erect
Time of ear emergence	medium
Flag leaf - anthocyanin of auricles	

SPRING WHEAT

AFP 1/2089

ETHOS

CHARACTERS IN DETAIL

Ear

Colour	white
Length	medium
Density	lax
Shape-side profile	tapering
Awns or scurs - presence	scurs present
Awns or scurs - distribution	upper 1/4
Awns or scurs - length	medium to long
Apical rachis segment - convex face hairiness	weak to medium
Anthers - anthocyanin colouration	

Lower glume

External surface	smooth
Extent of internal hairs	medium (2)
Beak length	short to medium
Beak curvature	slightly curved
Shoulder width	narrow
Shoulder shape	elevated

Lower lemma

Beak curvature	slightly curved
----------------	-----------------

Grain

Colour	red
Colouration with phenol	medium to dark

Straw

Length	short to medium
Wall thickness @20cms below ear	absent or very thin

Glaucosity

Flag leaf - sheath	weak to medium
Flag leaf- blade (lower side)	weak
Culm - neck	weak to medium
Ear	weak

Plant growth characters

Coleoptile - anthocyanin colouration	weak to medium
Plant - growth habit	intermed. to semi-prostrate
Time of ear emergence	medium
Flag leaf - anthocyanin of auricles	

SPRING WHEAT

AFP 1/1959

GRAFFITI

CHARACTERS IN DETAIL

Ear

Colour	white
Length	medium
Density	lax to medium
Shape-side profile	parallel sided
Awns or scurs - presence	scurs present
Awns or scurs - distribution	upper 1/4
Awns or scurs - length	medium
Apical rachis segment - convex face hairiness	medium
Anthers - anthocyanin colouration	absent

Lower glume

External surface	smooth
Extent of internal hairs	strong - Group 3
Beak length	medium
Beak curvature	moderate to strongly curved
Shoulder width	narrow
Shoulder shape	elevated

Lower lemma

Beak curvature	slightly curved
----------------	-----------------

Grain

Colour	red
Colouration with phenol	dark

Straw

Length	medium to long
Wall thickness @20cms below ear	very thick or filled

Glaucosity

Flag leaf - sheath	very weak to weak
Flag leaf- blade (lower side)	very weak to weak
Culm - neck	very weak to weak
Ear	weak

Plant growth characters

Coleoptile - anthocyanin colouration	medium
Plant - growth habit	semi-erect
Time of ear emergence	medium
Flag leaf - anthocyanin of auricles	

SPRING WHEAT

AFP 1/1740

GRANARY

CHARACTERS IN DETAIL

Ear

Colour	white
Length	medium
Density	medium
Shape-side profile	parallel sided
Awns or scurs - presence	scurs present
Awns or scurs - distribution	upper 1/4
Awns or scurs - length	long
Apical rachis segment - convex face hairiness	medium
Anthers - anthocyanin colouration	

Lower glume

External surface	smooth
Extent of internal hairs	strong - Group 3
Beak length	short to medium
Beak curvature	slightly curved
Shoulder width	narrow to medium
Shoulder shape	sl. sloping to straight

Lower lemma

Beak curvature	slightly curved
----------------	-----------------

Grain

Colour	red
Colouration with phenol	dark

Straw

Length	short to medium
Wall thickness @20cms below ear	very thick or filled

Glaucosity

Flag leaf - sheath	weak to medium
Flag leaf- blade (lower side)	weak to medium
Culm - neck	medium
Ear	medium

Plant growth characters

Coleoptile - anthocyanin colouration	weak to medium
Plant - growth habit	semi-erect
Time of ear emergence	medium
Flag leaf - anthocyanin of auricles	

SPRING WHEAT

AFP 1/2481

HEALEY

CHARACTERS IN DETAIL

Ear

Colour	white
Length	medium
Density	lax
Shape-side profile	tapering
Awns or scurs - presence	scurs present
Awns or scurs - distribution	upper 1/2
Awns or scurs - length	long to very long
Apical rachis segment - convex face hairiness	medium to strong
Anthers - anthocyanin colouration	

Lower glume

External surface	smooth
Extent of internal hairs	strong (group 3)
Beak length	short
Beak curvature	slightly curved
Shoulder width	narrow
Shoulder shape	straight

Lower lemma

Beak curvature	slightly to moderately curved
----------------	-------------------------------

Grain

Colour	red
Colouration with phenol	light

Straw

Length	very long
Wall thickness @20cms below ear	absent or very thin

Glaucosity

Flag leaf - sheath	medium to strong
Flag leaf- blade (lower side)	medium
Culm - neck	medium to strong
Ear	medium to strong

Plant growth characters

Coleoptile - anthocyanin colouration	absent or very weak
Plant - growth habit	semi-erect
Time of ear emergence	medium
Flag leaf - anthocyanin of auricles	

SPRING WHEAT

AFP 1/2350

INFINITY

CHARACTERS IN DETAIL

Ear

Colour	white
Length	medium
Density	lax
Shape-side profile	tapering
Awns or scurs - presence	scurs present
Awns or scurs - distribution	upper 1/4
Awns or scurs - length	medium to long
Apical rachis segment - convex face hairiness	weak to medium
Anthers - anthocyanin colouration	

Lower glume

External surface	smooth
Extent of internal hairs	weak (1)
Beak length	short to medium
Beak curvature	slightly curved
Shoulder width	medium
Shoulder shape	elevated

Lower lemma

Beak curvature	slightly curved
----------------	-----------------

Grain

Colour	red
Colouration with phenol	dark

Straw

Length	long to very long
Wall thickness @20cms below ear	absent or very thin

Glaucosity

Flag leaf - sheath	medium
Flag leaf- blade (lower side)	weak
Culm - neck	medium
Ear	medium

Plant growth characters

Coleoptile - anthocyanin colouration	strong
Plant - growth habit	semi-erect
Time of ear emergence	very early to early
Flag leaf - anthocyanin of auricles	

SPRING WHEAT

AFP 1/2480

INSIGNIA

CHARACTERS IN DETAIL

Ear

Colour	white
Length	short to medium
Density	lax
Shape-side profile	tapering
Awns or scurs - presence	scurs present
Awns or scurs - distribution	upper 1/2
Awns or scurs - length	medium to long
Apical rachis segment - convex face hairiness	medium to strong
Anthers - anthocyanin colouration	

Lower glume

External surface	smooth
Extent of internal hairs	strong (group 3)
Beak length	medium
Beak curvature	slightly curved
Shoulder width	narrow
Shoulder shape	straight

Lower lemma

Beak curvature	slightly to moderately curved
----------------	-------------------------------

Grain

Colour	red
Colouration with phenol	medium to dark

Straw

Length	short
Wall thickness @20cms below ear	absent or very thin

Glaucosity

Flag leaf - sheath	medium to strong
Flag leaf- blade (lower side)	medium to strong
Culm - neck	medium to strong
Ear	medium to strong

Plant growth characters

Coleoptile - anthocyanin colouration	absent or very weak
Plant - growth habit	semi-erect
Time of ear emergence	medium
Flag leaf - anthocyanin of auricles	

SPRING WHEAT

AFP 1/1962

IVORY

CHARACTERS IN DETAIL

Ear

Colour	white
Length	long
Density	lax
Shape-side profile	tapering
Awns or scurs - presence	scurs present
Awns or scurs - distribution	upper 1/2
Awns or scurs - length	long
Apical rachis segment - convex face hairiness	weak to medium
Anthers - anthocyanin colouration	absent

Lower glume

External surface	smooth
Extent of internal hairs	strong (group 3)
Beak length	medium
Beak curvature	strongly curved
Shoulder width	narrow
Shoulder shape	elevated

Lower lemma

Beak curvature	strongly curved
----------------	-----------------

Grain

Colour	white
Colouration with phenol	medium

Straw

Length	short
Wall thickness @20cms below ear	absent or very thin

Glaucosity

Flag leaf - sheath	strong to very strong
Flag leaf- blade (lower side)	strong
Culm - neck	strong
Ear	strong

Plant growth characters

Coleoptile - anthocyanin colouration	medium
Plant - growth habit	intermediate
Time of ear emergence	late
Flag leaf - anthocyanin of auricles	

SPRING WHEAT

AFP 1/2024

KWS ALDERON

CHARACTERS IN DETAIL

Ear

Colour	white
Length	short
Density	lax
Shape-side profile	parallel sided
Awns or scurs - presence	scurs present
Awns or scurs - distribution	upper 1/2
Awns or scurs - length	medium
Apical rachis segment - convex face hairiness	strong
Anthers - anthocyanin colouration	

Lower glume

External surface	smooth
Extent of internal hairs	strong - Group 3
Beak length	short
Beak curvature	slight to moderately curved
Shoulder width	narrow
Shoulder shape	straight

Lower lemma

Beak curvature	slightly curved
----------------	-----------------

Grain

Colour	red
Colouration with phenol	dark to very dark

Straw

Length	short
Wall thickness @20cms below ear	medium

Glaucosity

Flag leaf - sheath	strong
Flag leaf- blade (lower side)	strong
Culm - neck	strong
Ear	strong to very strong

Plant growth characters

Coleoptile - anthocyanin colouration	absent or very weak
Plant - growth habit	semi-erect
Time of ear emergence	medium
Flag leaf - anthocyanin of auricles	

SPRING WHEAT

AFP 1/2479

KWS BEWLEY

CHARACTERS IN DETAIL

Ear

Colour	white
Length	medium
Density	lax
Shape-side profile	tapering
Awns or scurs - presence	scurs present
Awns or scurs - distribution	upper 1/4
Awns or scurs - length	medium to long
Apical rachis segment - convex face hairiness	weak to medium
Anthers - anthocyanin colouration	

Lower glume

External surface	smooth
Extent of internal hairs	strong (group 3)
Beak length	very short to short
Beak curvature	straight
Shoulder width	narrow
Shoulder shape	elevated

Lower lemma

Beak curvature	slightly curved
----------------	-----------------

Grain

Colour	white
Colouration with phenol	medium

Straw

Length	medium
Wall thickness @20cms below ear	absent or very thin

Glaucosity

Flag leaf - sheath	medium to strong
Flag leaf- blade (lower side)	medium to strong
Culm - neck	medium to strong
Ear	medium to strong

Plant growth characters

Coleoptile - anthocyanin colouration	absent to weak
Plant - growth habit	semi-erect
Time of ear emergence	medium to late
Flag leaf - anthocyanin of auricles	

SPRING WHEAT

AFP 1/2026

KWS BITTERN

CHARACTERS IN DETAIL

Ear

Colour	white
Length	medium
Density	lax to medium
Shape-side profile	parallel sided
Awns or scurs - presence	scurs present
Awns or scurs - distribution	upper 1/2
Awns or scurs - length	medium to long
Apical rachis segment - convex face hairiness	medium to strong
Anthers - anthocyanin colouration	

Lower glume

External surface	smooth
Extent of internal hairs	strong - Group 3
Beak length	medium to long
Beak curvature	slight to moderately curved
Shoulder width	narrow
Shoulder shape	sl. sloping to straight

Lower lemma

Beak curvature	slightly curved
----------------	-----------------

Grain

Colour	red
Colouration with phenol	medium

Straw

Length	medium to long
Wall thickness @20cms below ear	thin

Glaucosity

Flag leaf - sheath	strong
Flag leaf- blade (lower side)	strong
Culm - neck	strong
Ear	medium to strong

Plant growth characters

Coleoptile - anthocyanin colouration	strong
Plant - growth habit	semi-erect to intermediate
Time of ear emergence	late
Flag leaf - anthocyanin of auricles	

SPRING WHEAT

AFP 1/2254

KWS CHARING

CHARACTERS IN DETAIL

Ear

Colour	white
Length	short
Density	lax
Shape-side profile	parallel sided
Awns or scurs - presence	scurs present
Awns or scurs - distribution	upper 1/2
Awns or scurs - length	long
Apical rachis segment - convex face hairiness	medium to strong
Anthers - anthocyanin colouration	absent

Lower glume

External surface	smooth
Extent of internal hairs	strong
Beak length	short to medium
Beak curvature	slightly curved
Shoulder width	narrow
Shoulder shape	elevated

Lower lemma

Beak curvature	slightly curved
----------------	-----------------

Grain

Colour	white
Colouration with phenol	dark to very dark

Straw

Length	medium
Wall thickness @20cms below ear	medium

Glaucosity

Flag leaf - sheath	weak
Flag leaf- blade (lower side)	very weak to weak
Culm - neck	very weak to weak
Ear	weak

Plant growth characters

Coleoptile - anthocyanin colouration	medium
Plant - growth habit	semi-erect
Time of ear emergence	medium
Flag leaf - anthocyanin of auricles	

SPRING WHEAT

AFP 1/2477

KWS CHILHAM

CHARACTERS IN DETAIL

Ear

Colour	white
Length	medium
Density	lax
Shape-side profile	tapering
Awns or scurs - presence	scurs present
Awns or scurs - distribution	upper 1/4
Awns or scurs - length	long
Apical rachis segment - convex face hairiness	strong
Anthers - anthocyanin colouration	

Lower glume

External surface	smooth
Extent of internal hairs	strong (group 3)
Beak length	short to medium
Beak curvature	slight to moderately curved
Shoulder width	narrow to medium
Shoulder shape	elevated

Lower lemma

Beak curvature	moderately curved
----------------	-------------------

Grain

Colour	red
Colouration with phenol	medium

Straw

Length	medium to long
Wall thickness @20cms below ear	absent or very thin

Glaucosity

Flag leaf - sheath	medium to strong
Flag leaf- blade (lower side)	medium
Culm - neck	medium to strong
Ear	medium to strong

Plant growth characters

Coleoptile - anthocyanin colouration	absent or very weak
Plant - growth habit	intermediate
Time of ear emergence	late
Flag leaf - anthocyanin of auricles	

SPRING WHEAT

AFP 1/2476

KWS COCHISE

CHARACTERS IN DETAIL

Ear

Colour	white
Length	medium
Density	lax
Shape-side profile	tapering
Awns or scurs - presence	scurs present
Awns or scurs - distribution	upper 3/4
Awns or scurs - length	very long
Apical rachis segment - convex face hairiness	medium to strong
Anthers - anthocyanin colouration	

Lower glume

External surface	smooth
Extent of internal hairs	strong (group 3)
Beak length	short to medium
Beak curvature	slightly curved
Shoulder width	medium
Shoulder shape	elevated

Lower lemma

Beak curvature	slightly to moderately curved
----------------	-------------------------------

Grain

Colour	red
Colouration with phenol	medium to dark

Straw

Length	very long
Wall thickness @20cms below ear	absent or very thin

Glaucosity

Flag leaf - sheath	strong
Flag leaf- blade (lower side)	medium
Culm - neck	medium to strong
Ear	medium to strong

Plant growth characters

Coleoptile - anthocyanin colouration	absent or very weak
Plant - growth habit	semi-erect to intermediate
Time of ear emergence	late
Flag leaf - anthocyanin of auricles	

SPRING WHEAT

AFP 1/2253

KWS COLLIER

CHARACTERS IN DETAIL

Ear

Colour	white
Length	medium
Density	lax to medium
Shape-side profile	tapering
Awns or scurs - presence	scurs present
Awns or scurs - distribution	upper 1/2
Awns or scurs - length	medium to long
Apical rachis segment - convex face hairiness	weak to medium
Anthers - anthocyanin colouration	absent

Lower glume

External surface	smooth
Extent of internal hairs	strong
Beak length	short
Beak curvature	slightly curved
Shoulder width	narrow
Shoulder shape	straight to elevated

Lower lemma

Beak curvature	slightly curved
----------------	-----------------

Grain

Colour	white
Colouration with phenol	dark to very dark

Straw

Length	short to medium
Wall thickness @20cms below ear	absent or very thin

Glaucosity

Flag leaf - sheath	strong
Flag leaf- blade (lower side)	medium to strong
Culm - neck	strong
Ear	strong

Plant growth characters

Coleoptile - anthocyanin colouration	weak
Plant - growth habit	semi-erect
Time of ear emergence	early to medium
Flag leaf - anthocyanin of auricles	

SPRING WHEAT

AFP 1/2094

KWS FLINT

CHARACTERS IN DETAIL

Ear

Colour	white
Length	medium
Density	medium
Shape-side profile	parallel sided
Awns or scurs - presence	scurs present
Awns or scurs - distribution	upper 1/4
Awns or scurs - length	medium
Apical rachis segment - convex face hairiness	strong
Anthers - anthocyanin colouration	

Lower glume

External surface	smooth
Extent of internal hairs	strong - Group 3
Beak length	short to medium
Beak curvature	v.slightly curved
Shoulder width	narrow
Shoulder shape	elevated

Lower lemma

Beak curvature	moderately curved
----------------	-------------------

Grain

Colour	red
Colouration with phenol	dark to very dark

Straw

Length	short
Wall thickness @20cms below ear	medium

Glaucosity

Flag leaf - sheath	strong
Flag leaf- blade (lower side)	strong
Culm - neck	strong
Ear	strong

Plant growth characters

Coleoptile - anthocyanin colouration	medium
Plant - growth habit	intermediate
Time of ear emergence	medium
Flag leaf - anthocyanin of auricles	

SPRING WHEAT

AFP 1/2474

KWS HATTON

CHARACTERS IN DETAIL

Ear

Colour	white
Length	medium
Density	lax
Shape-side profile	parallel sided
Awns or scurs - presence	scurs present
Awns or scurs - distribution	upper 1/4
Awns or scurs - length	medium
Apical rachis segment - convex face hairiness	strong
Anthers - anthocyanin colouration	

Lower glume

External surface	smooth
Extent of internal hairs	strong (group 3)
Beak length	medium
Beak curvature	slight to moderately curved
Shoulder width	narrow
Shoulder shape	elevated

Lower lemma

Beak curvature	slightly to moderately curved
----------------	-------------------------------

Grain

Colour	red
Colouration with phenol	medium to dark

Straw

Length	long to very long
Wall thickness @20cms below ear	medium

Glaucosity

Flag leaf - sheath	medium to strong
Flag leaf- blade (lower side)	medium to strong
Culm - neck	medium
Ear	medium

Plant growth characters

Coleoptile - anthocyanin colouration	absent or very weak
Plant - growth habit	semi-erect to intermediate
Time of ear emergence	late
Flag leaf - anthocyanin of auricles	

SPRING WHEAT

AFP 1/2166

KWS KILBURN

CHARACTERS IN DETAIL

Ear

Colour	white
Length	medium
Density	very lax to lax
Shape-side profile	tapering
Awns or scurs - presence	scurs present
Awns or scurs - distribution	upper 1/2
Awns or scurs - length	very long
Apical rachis segment - convex face hairiness	medium
Anthers - anthocyanin colouration	absent

Lower glume

External surface	smooth
Extent of internal hairs	strong - Group 3
Beak length	short to medium
Beak curvature	slightly curved
Shoulder width	narrow to medium
Shoulder shape	elevated

Lower lemma

Beak curvature	slightly curved
----------------	-----------------

Grain

Colour	red
Colouration with phenol	medium to dark

Straw

Length	medium
Wall thickness @20cms below ear	thin

Glaucosity

Flag leaf - sheath	medium to strong
Flag leaf- blade (lower side)	medium
Culm - neck	medium
Ear	medium to strong

Plant growth characters

Coleoptile - anthocyanin colouration	absent or very weak
Plant - growth habit	semi-erect to intermediate
Time of ear emergence	medium to late
Flag leaf - anthocyanin of auricles	

SPRING WHEAT

AFP 1/2353

KWS MULLINS

CHARACTERS IN DETAIL

Ear

Colour	white
Length	short to medium
Density	medium
Shape-side profile	parallel sided
Awns or scurs - presence	scurs present
Awns or scurs - distribution	upper 1/4
Awns or scurs - length	short to medium
Apical rachis segment - convex face hairiness	medium to strong
Anthers - anthocyanin colouration	

Lower glume

External surface	smooth
Extent of internal hairs	strong (3)
Beak length	short to medium
Beak curvature	v.slightly curved
Shoulder width	narrow to medium
Shoulder shape	elevated

Lower lemma

Beak curvature	slightly curved
----------------	-----------------

Grain

Colour	red
Colouration with phenol	dark

Straw

Length	very short
Wall thickness @20cms below ear	medium

Glaucosity

Flag leaf - sheath	medium to strong
Flag leaf- blade (lower side)	medium
Culm - neck	medium
Ear	medium

Plant growth characters

Coleoptile - anthocyanin colouration	absent to weak
Plant - growth habit	semi-erect to intermediate
Time of ear emergence	late
Flag leaf - anthocyanin of auricles	

SPRING WHEAT

AFP 1/2093

KWS RECOLETA

CHARACTERS IN DETAIL

Ear

Colour	white
Length	short to medium
Density	lax
Shape-side profile	tapering
Awns or scurs - presence	scurs present
Awns or scurs - distribution	upper 1/2
Awns or scurs - length	long
Apical rachis segment - convex face hairiness	strong
Anthers - anthocyanin colouration	

Lower glume

External surface	smooth
Extent of internal hairs	strong - Group 3
Beak length	short
Beak curvature	v.slightly curved
Shoulder width	narrow to medium
Shoulder shape	straight

Lower lemma

Beak curvature	slightly curved
----------------	-----------------

Grain

Colour	red
Colouration with phenol	dark to very dark

Straw

Length	short to medium
Wall thickness @20cms below ear	thin

Glaucosity

Flag leaf - sheath	strong
Flag leaf- blade (lower side)	medium to strong
Culm - neck	strong
Ear	medium to strong

Plant growth characters

Coleoptile - anthocyanin colouration	medium
Plant - growth habit	semi-erect to intermediate
Time of ear emergence	medium
Flag leaf - anthocyanin of auricles	

Variety Name: **KWS SCIROCCO**

Crop: **SPRING WHEAT**

Breeder's Reference:

AFP No: 1/

Breeder: KWS LOCHOW GMBH

Translated from:

Origin: GERMANY

Date: 22 March 2013

Code: KWSC

Coleoptile-anthocyanin colouration:

ABSENT TO VERY WEAK

***Plant - growth habit:**

SEMI-ERECT TO INTERMEDIATE

***Time ear emergence:**

EARLY TO MEDIUM

Flag leaf - Anthocyanin colouration of auricles:

Frequency of plants with recurved flag leaves:

LOW

***Flag leaf - Glaucosity of sheath:**

WEAK TO MEDIUM

Flag leaf - Glaucosity of leaf blade:

VERY WEAK TO WEAK

Anthers - anthocyanin colouration:

Glaucosity of neck:

WEAK TO MEDIUM

Hairiness of uppermost node:

***Plant - height:**

MEDIUM TO LONG

***Straw - wall thickness @ 20cms below ear:**

VERY THIN

***Ear - Glaucosity:**

WEAK

Ear - Supernumerary spikelets - frequency:

***Ear - Colour:**

WHITE

***Ear - Shape (side profile):**

PARELLEL SIDED

Ear - Length:

SHORT TO MEDIUM

***Ear - Density:**

LAX TO MEDIUM

***Awns or scurs - presence:**

SCURS PRESENT

Awns or scurs - distribution:

***Scurs at tip of ear - length:**

SHORT

***Awns at tip of ear - length:**

Lower glume - Beak length:

Lower glume - Beak shape (curvature):

Lower glume - Beak tip:

NARROW TO MEDIUM

Lower glume - Shoulder width:

SLIGHTLY SLOPING TO STRAIGHT

Lower glume - Shoulder type:

Lower glume - External surface roughness:

Lower glume - Extent of internal hairs:

WEAK

Lower glume - Internal imprint:

Lower lemma - Beak shape:

SLIGHTLY CIRVED TO MODERATELY

Lower lemma - Beak length-:

VERY SHORT TO SHORT

Lower lemma - Beak swelling:

Apical rachis segment - convex face hairiness:

STRONG

***Grain - colour:**

RED

Grain - Shape:

Grain - Brush hair length in dorsal view:

LIGHT TO MEDIUM

Grain - Colouration with phenol:

***Seasonal type:**

SPRING

Extra characters:

* = Characteristics which should always be included in the description of the variety.

30 March 2015

SPRING WHEAT

AFP 1/2478

KWS SYWELL

CHARACTERS IN DETAIL

Ear

Colour	white
Length	medium
Density	lax
Shape-side profile	tapering
Awns or scurs - presence	scurs present
Awns or scurs - distribution	upper 1/4
Awns or scurs - length	medium to long
Apical rachis segment - convex face hairiness	strong
Anthers - anthocyanin colouration	

Lower glume

External surface	smooth
Extent of internal hairs	strong (group 3)
Beak length	short
Beak curvature	slightly curved
Shoulder width	narrow to medium
Shoulder shape	straight

Lower lemma

Beak curvature	slightly curved
----------------	-----------------

Grain

Colour	red
Colouration with phenol	medium

Straw

Length	medium
Wall thickness @20cms below ear	absent or very thin

Glaucosity

Flag leaf - sheath	weak
Flag leaf- blade (lower side)	weak
Culm - neck	weak
Ear	weak

Plant growth characters

Coleoptile - anthocyanin colouration	absent to weak
Plant - growth habit	semi-erect
Time of ear emergence	medium to late
Flag leaf - anthocyanin of auricles	



SPRING WHEAT

AFP 1/2354

KWS TALLAND

CHARACTERS IN DETAIL

Ear

Colour	white
Length	medium to long
Density	lax
Shape-side profile	tapering
Awns or scurs - presence	scurs present
Awns or scurs - distribution	upper 1/2
Awns or scurs - length	medium
Apical rachis segment - convex face hairiness	medium to strong
Anthers - anthocyanin colouration	

Lower glume

External surface	smooth
Extent of internal hairs	strong (3)
Beak length	short to medium
Beak curvature	v.slightly curved
Shoulder width	narrow to medium
Shoulder shape	elevated

Lower lemma

Beak curvature	slightly to moderately curved
----------------	-------------------------------

Grain

Colour	red
Colouration with phenol	dark

Straw

Length	short
Wall thickness @20cms below ear	absent or very thin

Glaucosity

Flag leaf - sheath	strong
Flag leaf- blade (lower side)	medium
Culm - neck	medium to strong
Ear	strong

Plant growth characters

Coleoptile - anthocyanin colouration	absent to weak
Plant - growth habit	semi-erect
Time of ear emergence	medium
Flag leaf - anthocyanin of auricles	

SPRING WHEAT

AFP 1/1965

KWS TORRIDON

CHARACTERS IN DETAIL

Ear

Colour	white
Length	medium
Density	medium
Shape-side profile	parallel sided
Awns or scurs - presence	scurs present
Awns or scurs - distribution	upper 1/4
Awns or scurs - length	short to medium
Apical rachis segment - convex face hairiness	medium to strong
Anthers - anthocyanin colouration	absent

Lower glume

External surface	smooth
Extent of internal hairs	strong - Group 3
Beak length	short to medium
Beak curvature	slight to moderately curved
Shoulder width	narrow to medium
Shoulder shape	elevated

Lower lemma

Beak curvature	moderately curved
----------------	-------------------

Grain

Colour	red
Colouration with phenol	dark

Straw

Length	short
Wall thickness @20cms below ear	thin

Glaucosity

Flag leaf - sheath	strong to very strong
Flag leaf- blade (lower side)	medium to strong
Culm - neck	strong
Ear	medium to strong

Plant growth characters

Coleoptile - anthocyanin colouration	medium
Plant - growth habit	semi-erect
Time of ear emergence	early
Flag leaf - anthocyanin of auricles	

SPRING WHEAT

AFP 1/2165

KWS VALE

CHARACTERS IN DETAIL

Ear

Colour	white
Length	short to medium
Density	lax to medium
Shape-side profile	tapering
Awns or scurs - presence	scurs present
Awns or scurs - distribution	upper 1/4
Awns or scurs - length	short to medium
Apical rachis segment - convex face hairiness	medium to strong
Anthers - anthocyanin colouration	absent

Lower glume

External surface	smooth
Extent of internal hairs	strong - Group 3
Beak length	medium
Beak curvature	moderately curved
Shoulder width	narrow
Shoulder shape	elevated

Lower lemma

Beak curvature	moderately curved
----------------	-------------------

Grain

Colour	red
Colouration with phenol	dark

Straw

Length	medium
Wall thickness @20cms below ear	thin

Glaucosity

Flag leaf - sheath	medium to strong
Flag leaf- blade (lower side)	medium
Culm - neck	medium
Ear	medium to strong

Plant growth characters

Coleoptile - anthocyanin colouration	strong
Plant - growth habit	semi-erect to intermediate
Time of ear emergence	medium to late
Flag leaf - anthocyanin of auricles	

SPRING WHEAT

AFP 1/2167

KWS WESTFIELD

CHARACTERS IN DETAIL

Ear

Colour	white
Length	medium
Density	lax to medium
Shape-side profile	parallel sided
Awns or scurs - presence	scurs present
Awns or scurs - distribution	upper 3/4
Awns or scurs - length	long
Apical rachis segment - convex face hairiness	medium
Anthers - anthocyanin colouration	absent

Lower glume

External surface	smooth
Extent of internal hairs	strong - Group 3
Beak length	short to medium
Beak curvature	slightly curved
Shoulder width	narrow
Shoulder shape	elevated

Lower lemma

Beak curvature	moderately curved
----------------	-------------------

Grain

Colour	red
Colouration with phenol	medium to dark

Straw

Length	medium
Wall thickness @20cms below ear	thin

Glaucosity

Flag leaf - sheath	medium to strong
Flag leaf- blade (lower side)	medium
Culm - neck	medium
Ear	medium to strong

Plant growth characters

Coleoptile - anthocyanin colouration	absent to weak
Plant - growth habit	semi-erect
Time of ear emergence	medium to late
Flag leaf - anthocyanin of auricles	

SPRING WHEAT

AFP 1/1964

KWS WILLOW

CHARACTERS IN DETAIL

Ear

Colour	white
Length	medium
Density	lax to medium
Shape-side profile	tapering
Awns or scurs - presence	scurs present
Awns or scurs - distribution	upper 1/4
Awns or scurs - length	short to medium
Apical rachis segment - convex face hairiness	medium to strong
Anthers - anthocyanin colouration	

Lower glume

External surface	smooth
Extent of internal hairs	strong - Group 3
Beak length	short
Beak curvature	slight to moderately curved
Shoulder width	narrow
Shoulder shape	sl. sloping to straight

Lower lemma

Beak curvature	strongly curved
----------------	-----------------

Grain

Colour	red
Colouration with phenol	medium

Straw

Length	medium
Wall thickness @20cms below ear	thin

Glaucosity

Flag leaf - sheath	strong
Flag leaf- blade (lower side)	weak to medium
Culm - neck	medium to strong
Ear	medium to strong

Plant growth characters

Coleoptile - anthocyanin colouration	medium
Plant - growth habit	intermed. to semi-prostrate
Time of ear emergence	medium
Flag leaf - anthocyanin of auricles	

SPRING WHEAT

AFP 1/2090

LENNOX

CHARACTERS IN DETAIL

Ear

Colour	white
Length	medium
Density	lax
Shape-side profile	tapering
Awns or scurs - presence	scurs present
Awns or scurs - distribution	upper 1/4
Awns or scurs - length	medium
Apical rachis segment - convex face hairiness	weak to medium
Anthers - anthocyanin colouration	

Lower glume

External surface	smooth
Extent of internal hairs	strong - Group 3
Beak length	short
Beak curvature	straight
Shoulder width	narrow
Shoulder shape	elevated

Lower lemma

Beak curvature	slightly curved
----------------	-----------------

Grain

Colour	red
Colouration with phenol	very dark

Straw

Length	short to medium
Wall thickness @20cms below ear	thin

Glaucosity

Flag leaf - sheath	strong
Flag leaf- blade (lower side)	strong
Culm - neck	strong
Ear	strong

Plant growth characters

Coleoptile - anthocyanin colouration	medium
Plant - growth habit	semi-erect to intermediate
Time of ear emergence	medium
Flag leaf - anthocyanin of auricles	

SPRING WHEAT

AFP 1/2361

LINTON

CHARACTERS IN DETAIL

Ear

Colour	white
Length	short to medium
Density	medium to dense
Shape-side profile	parallel sided
Awns or scurs - presence	scurs present
Awns or scurs - distribution	upper 1/2
Awns or scurs - length	medium
Apical rachis segment - convex face hairiness	medium to strong
Anthers - anthocyanin colouration	

Lower glume

External surface	smooth
Extent of internal hairs	strong (3)
Beak length	short to medium
Beak curvature	slightly curved
Shoulder width	very narrow to narrow
Shoulder shape	straight

Lower lemma

Beak curvature	slightly to moderately curved
----------------	-------------------------------

Grain

Colour	red
Colouration with phenol	medium to dark

Straw

Length	short to medium
Wall thickness @20cms below ear	medium

Glaucosity

Flag leaf - sheath	weak
Flag leaf- blade (lower side)	weak
Culm - neck	weak
Ear	weak

Plant growth characters

Coleoptile - anthocyanin colouration	absent to weak
Plant - growth habit	semi-erect to intermediate
Time of ear emergence	late
Flag leaf - anthocyanin of auricles	

SPRING WHEAT

AFP 1/1960

MULIKA

CHARACTERS IN DETAIL

Ear

Colour	white
Length	medium
Density	medium
Shape-side profile	parallel sided
Awns or scurs - presence	scurs present
Awns or scurs - distribution	upper 1/4
Awns or scurs - length	medium
Apical rachis segment - convex face hairiness	strong
Anthers - anthocyanin colouration	

Lower glume

External surface	smooth
Extent of internal hairs	strong - Group 3
Beak length	medium
Beak curvature	moderately curved
Shoulder width	narrow to medium
Shoulder shape	straight to elevated

Lower lemma

Beak curvature	strongly curved
----------------	-----------------

Grain

Colour	red
Colouration with phenol	dark

Straw

Length	short to medium
Wall thickness @20cms below ear	medium

Glaucosity

Flag leaf - sheath	weak
Flag leaf- blade (lower side)	weak
Culm - neck	weak
Ear	weak to medium

Plant growth characters

Coleoptile - anthocyanin colouration	weak
Plant - growth habit	semi-erect to intermediate
Time of ear emergence	medium
Flag leaf - anthocyanin of auricles	

Variety Name: **MV KARIZMA**

Crop: **SPRING WHEAT**

Breeder's Reference:

AFP No: 1/

Breeder: MTA MEZOGAZDASAGI

Translated from:

Origin: HUNGREY

Date: 22 March 2013

Code: KRZM

Coleoptile-anthocyanin colouration:

ABSENT OR VERY WEAK

***Plant - growth habit:**

SEMI ERECT TO INTERMEDIATE

***Time ear emergence:**

EARLY

Flag leaf - Anthocyanin colouration of auricles:

Frequency of plants with recurved flag leaves:

LOW TO MEDIUM

***Flag leaf - Glaucosity of sheath:**

STRONG

Flag leaf - Glaucosity of leaf blade:

MEDIUM

Anthers - anthocyanin colouration:

Glaucosity of neck:

STRONG

Hairiness of uppermost node:

***Plant - height:**

MEDIUM

***Straw - wall thickness @ 20cms below ear:**

THIN TO MEDIUM

***Ear - Glaucosity:**

WEAK

Ear - Supernumerary spikelets - frequency:

***Ear - Colour:**

WHITE

***Ear - Shape (side profile):**

TAPERING

Ear - Length:

LONG

***Ear - Density:**

VERY LAX TO LAX

***Awns or scurs - presence:**

AWNS PRESENT

Awns or scurs - distribution:

***Scurs at tip of ear - length:**

MEDIUM

***Awns at tip of ear - length:**

Lower glume - Beak length:

MEDIUM

Lower glume - Beak shape (curvature):

SLIGHTLY CURVED

Lower glume - Beak tip:

Lower glume - Shoulder width:

NARROW TO MEDIUM

Lower glume - Shoulder type:

STRAIGHT TO ELEVATED

Lower glume - External surface roughness:

Lower glume - Extent of internal hairs:

WEAK

Lower glume - Internal imprint:

Lower lemma - Beak shape:

Lower lemma - Beak length-:

Lower lemma - Beak swelling:

Apical rachis segment - convex face hairiness:

MEDIUM

***Grain - colour:**

RED

Grain - Shape:

Grain - Brush hair length in dorsal view:

Grain - Colouration with phenol:

DARK

***Seasonal type:**

SPRING

Extra characters:

* = Characteristics which should always be included in the description of the variety.

30 March 2015

SPRING WHEAT

AFP 1/1059

PARAGON

CHARACTERS IN DETAIL

Ear

Colour	white
Length	long
Density	lax to medium
Shape-side profile	parallel sided
Awns or scurs - presence	scurs present
Awns or scurs - distribution	upper 1/4
Awns or scurs - length	short
Apical rachis segment - convex face hairiness	medium
Anthers - anthocyanin colouration	absent

Lower glume

External surface	smooth
Extent of internal hairs	medium to strong - Group 2+
Beak length	short
Beak curvature	v.slightly curved
Shoulder width	medium
Shoulder shape	sl. sloping to straight

Lower lemma

Beak curvature	straight to slightly curved
----------------	-----------------------------

Grain

Colour	red
Colouration with phenol	medium to dark

Straw

Length	medium
Wall thickness @20cms below ear	thin

Glaucosity

Flag leaf - sheath	medium to strong
Flag leaf- blade (lower side)	
Culm - neck	medium to strong
Ear	medium to strong

Plant growth characters

Coleoptile - anthocyanin colouration	very strong
Plant - growth habit	semi-erect
Time of ear emergence	late to very late
Flag leaf - anthocyanin of auricles	absent or very weak

SPRING WHEAT

AFP 1/1117

RAFFLES

CHARACTERS IN DETAIL

Ear

Colour	white
Length	short to medium
Density	lax to medium
Shape-side profile	parallel sided
Awns or scurs - presence	scurs present
Awns or scurs - distribution	upper 1/2
Awns or scurs - length	medium
Apical rachis segment - convex face hairiness	medium
Anthers - anthocyanin colouration	absent

Lower glume

External surface	smooth
Extent of internal hairs	strong - Group 3
Beak length	short to medium
Beak curvature	slightly curved
Shoulder width	narrow
Shoulder shape	straight to elevated

Lower lemma

Beak curvature	slightly curved
----------------	-----------------

Grain

Colour	red
Colouration with phenol	dark

Straw

Length	short
Wall thickness @20cms below ear	medium

Glaucosity

Flag leaf - sheath	medium
Flag leaf- blade (lower side)	
Culm - neck	weak to medium
Ear	medium

Plant growth characters

Coleoptile - anthocyanin colouration	medium
Plant - growth habit	semi-erect
Time of ear emergence	medium to late
Flag leaf - anthocyanin of auricles	very weak

SPRING WHEAT

AFP 1/2352

RGT DOUBLESHOT

CHARACTERS IN DETAIL

Ear

Colour	white
Length	medium
Density	lax to medium
Shape-side profile	tapering
Awns or scurs - presence	scurs present
Awns or scurs - distribution	upper 3/4
Awns or scurs - length	long
Apical rachis segment - convex face hairiness	medium to strong
Anthers - anthocyanin colouration	

Lower glume

External surface	slightly rough
Extent of internal hairs	strong (3)
Beak length	short
Beak curvature	slightly curved
Shoulder width	medium to broad
Shoulder shape	straight

Lower lemma

Beak curvature	moderately curved
----------------	-------------------

Grain

Colour	red
Colouration with phenol	light

Straw

Length	medium
Wall thickness @20cms below ear	absent or very thin

Glaucosity

Flag leaf - sheath	medium
Flag leaf- blade (lower side)	medium
Culm - neck	medium
Ear	medium

Plant growth characters

Coleoptile - anthocyanin colouration	weak to medium
Plant - growth habit	semi-erect
Time of ear emergence	medium to late
Flag leaf - anthocyanin of auricles	

SPRING WHEAT

AFP 1/2256

SLINKI

CHARACTERS IN DETAIL

Ear

Colour	white
Length	short to medium
Density	medium to dense
Shape-side profile	parallel sided
Awns or scurs - presence	scurs present
Awns or scurs - distribution	upper 1/2
Awns or scurs - length	medium to long
Apical rachis segment - convex face hairiness	weak to medium
Anthers - anthocyanin colouration	absent

Lower glume

External surface	smooth
Extent of internal hairs	strong
Beak length	medium
Beak curvature	slight to moderately curved
Shoulder width	very narrow to narrow
Shoulder shape	straight

Lower lemma

Beak curvature	moderately curved
----------------	-------------------

Grain

Colour	white
Colouration with phenol	dark

Straw

Length	short
Wall thickness @20cms below ear	very thick or filled

Glaucosity

Flag leaf - sheath	weak
Flag leaf- blade (lower side)	weak
Culm - neck	weak to medium
Ear	medium

Plant growth characters

Coleoptile - anthocyanin colouration	weak
Plant - growth habit	semi-erect to intermediate
Time of ear emergence	medium to late
Flag leaf - anthocyanin of auricles	

Variety Name: **SONETT**

Crop: **SPRING WHEAT**

Breeder's Reference:

AFP No: 1

Breeder: LANTMANNEN SW SEED

Translated from:

Origin: GERMANY

Date: 16 April 2013

Code: SONE

Coleoptile-anthocyanin colouration:

STRONG

***Plant - growth habit:**

SEMI-ERECT TO INTERMEDIATE

***Time ear emergence:**

EARLY TO MEDIUM

Flag leaf - Anthocyanin colouration of auricles:

Frequency of plants with recurved flag leaves:

HIGH TO VERY HIGH

***Flag leaf - Glaucosity of sheath:**

MEDIUM TO STRONG

Flag leaf - Glaucosity of leaf blade:

WEAK TO MEDIUM

Anthers - anthocyanin colouration:

Glaucosity of neck:

MEDIUM

Hairiness of uppermost node:

***Plant - height:**

MEDIUM

***Straw - wall thickness @ 20cms below ear:**

VERY THIN

***Ear - Glaucosity:**

WEAK TO MEDIUM

Ear - Supernumerary spikelets - frequency:

***Ear - Colour:**

WHITE

***Ear - Shape (side profile):**

TAPERING

Ear - Length:

MEDIUM TO LONG

***Ear - Density:**

LAX

***Awns or scurs - presence:**

SCURS PRESENT

Awns or scurs - distribution:

***Scurs at tip of ear - length:**

SHORT TO MEDIUM

***Awns at tip of ear - length:**

Lower glume - Beak length:

Lower glume - Beak shape (curvature):

Lower glume - Beak tip:

NARROW TO MEDIUM

Lower glume - Shoulder width:

SLIGHTLY SLOPING

Lower glume - Shoulder type:

Lower glume - External surface roughness:

STRONG TO VERY STRONG

Lower glume - Extent of internal hairs:

Lower glume - Internal imprint:

Lower lemma - Beak shape:

STRAIGHT

Lower lemma - Beak length-:

VERY SHORT

Lower lemma - Beak swelling:

Apical rachis segment - convex face hairiness:

STRONG

***Grain - colour:**

RED

Grain - Shape:

Grain - Brush hair length in dorsal view:

LIGHT TO MEDIUM

Grain - Colouration with phenol:

SPRING

***Seasonal type:**

Extra characters:

* = Characteristics which should always be included in the description of the variety.

30 March 2015

SPRING WHEAT

AFP 1/1818

SPARROW

CHARACTERS IN DETAIL

Ear

Colour	white
Length	medium
Density	lax to medium
Shape-side profile	parallel sided
Awns or scurs - presence	scurs present
Awns or scurs - distribution	upper 1/2
Awns or scurs - length	long
Apical rachis segment - convex face hairiness	strong
Anthers - anthocyanin colouration	absent

Lower glume

External surface	slightly rough
Extent of internal hairs	strong - Group 3
Beak length	medium
Beak curvature	slightly curved
Shoulder width	narrow
Shoulder shape	elevated

Lower lemma

Beak curvature	straight
----------------	----------

Grain

Colour	
Colouration with phenol	medium to dark

Straw

Length	long
Wall thickness @20cms below ear	thin

Glaucosity

Flag leaf - sheath	weak
Flag leaf- blade (lower side)	weak
Culm - neck	medium
Ear	medium

Plant growth characters

Coleoptile - anthocyanin colouration	
Plant - growth habit	semi-erect
Time of ear emergence	medium
Flag leaf - anthocyanin of auricles	

SPRING WHEAT

AFP 1/2360

STRAVINSKY

CHARACTERS IN DETAIL

Ear

Colour	white
Length	medium
Density	lax to medium
Shape-side profile	tapering
Awns or scurs - presence	scurs present
Awns or scurs - distribution	upper 1/2
Awns or scurs - length	medium to long
Apical rachis segment - convex face hairiness	medium
Anthers - anthocyanin colouration	

Lower glume

External surface	smooth
Extent of internal hairs	strong (3)
Beak length	medium
Beak curvature	moderately curved
Shoulder width	medium
Shoulder shape	elevated

Lower lemma

Beak curvature	moderately to strongly curved
----------------	-------------------------------

Grain

Colour	red
Colouration with phenol	medium

Straw

Length	medium
Wall thickness @20cms below ear	absent or very thin

Glaucosity

Flag leaf - sheath	strong
Flag leaf- blade (lower side)	medium to strong
Culm - neck	medium to strong
Ear	strong

Plant growth characters

Coleoptile - anthocyanin colouration	absent to weak
Plant - growth habit	semi-erect to intermediate
Time of ear emergence	late
Flag leaf - anthocyanin of auricles	

SPRING WHEAT

AFP 1/2170

THURIO

CHARACTERS IN DETAIL

Ear

Colour	white
Length	medium to long
Density	lax
Shape-side profile	parallel sided
Awns or scurs - presence	awns present
Awns or scurs - distribution	whole length
Awns or scurs - length	very long
Apical rachis segment - convex face hairiness	medium
Anthers - anthocyanin colouration	absent

Lower glume

External surface	slightly rough
Extent of internal hairs	strong (3)
Beak length	long to very long
Beak curvature	moderately curved
Shoulder width	absent or very narrow
Shoulder shape	elevated

Lower lemma

Beak curvature	slightly curved
----------------	-----------------

Grain

Colour	red
Colouration with phenol	medium

Straw

Length	medium
Wall thickness @20cms below ear	very thick or filled

Glaucosity

Flag leaf - sheath	medium to strong
Flag leaf- blade (lower side)	medium
Culm - neck	medium to strong
Ear	medium to strong

Plant growth characters

Coleoptile - anthocyanin colouration	weak to medium
Plant - growth habit	semi-erect
Time of ear emergence	medium
Flag leaf - anthocyanin of auricles	

SPRING WHEAT

AFP 1/1386

TYBALT

CHARACTERS IN DETAIL

Ear

Colour	white
Length	medium
Density	medium
Shape-side profile	tapering
Awns or scurs - presence	scurs present
Awns or scurs - distribution	
Awns or scurs - length	short
Apical rachis segment - convex face hairiness	absent or very weak
Anthers - anthocyanin colouration	

Lower glume

External surface	
Extent of internal hairs	strong - Group 3
Beak length	short
Beak curvature	slightly curved
Shoulder width	medium
Shoulder shape	sl. sloping to straight

Lower lemma

Beak curvature	straight
----------------	----------

Grain

Colour	red
Colouration with phenol	medium

Straw

Length	short
Wall thickness @20cms below ear	medium

Glaucosity

Flag leaf - sheath	strong
Flag leaf- blade (lower side)	
Culm - neck	medium to strong
Ear	medium to strong

Plant growth characters

Coleoptile - anthocyanin colouration	weak
Plant - growth habit	semi-erect
Time of ear emergence	medium to late
Flag leaf - anthocyanin of auricles	

SPRING WHEAT

AFP 1/2362

VARSIITY

CHARACTERS IN DETAIL

Ear

Colour	white
Length	medium to long
Density	lax
Shape-side profile	parallel sided
Awns or scurs - presence	scurs present
Awns or scurs - distribution	upper 1/2
Awns or scurs - length	medium to long
Apical rachis segment - convex face hairiness	strong
Anthers - anthocyanin colouration	

Lower glume

External surface	slightly rough
Extent of internal hairs	strong (3)
Beak length	medium
Beak curvature	moderately curved
Shoulder width	narrow to medium
Shoulder shape	elevated

Lower lemma

Beak curvature	moderately curved
----------------	-------------------

Grain

Colour	red
Colouration with phenol	medium to dark

Straw

Length	very short to short
Wall thickness @20cms below ear	medium

Glaucosity

Flag leaf - sheath	medium to strong
Flag leaf- blade (lower side)	medium to strong
Culm - neck	medium to strong
Ear	medium to strong

Plant growth characters

Coleoptile - anthocyanin colouration	absent to weak
Plant - growth habit	semi-erect
Time of ear emergence	medium to late
Flag leaf - anthocyanin of auricles	

SPRING WHEAT

AFP 1/1587

ZIRCON

CHARACTERS IN DETAIL

Ear

Colour	white
Length	medium
Density	lax to medium
Shape-side profile	parallel sided
Awns or scurs - presence	scurs present
Awns or scurs - distribution	upper 1/4
Awns or scurs - length	medium
Apical rachis segment - convex face hairiness	weak to medium
Anthers - anthocyanin colouration	absent

Lower glume

External surface	smooth
Extent of internal hairs	medium - Group 2
Beak length	short
Beak curvature	slightly curved
Shoulder width	medium
Shoulder shape	straight to elevated

Lower lemma

Beak curvature	slightly curved
----------------	-----------------

Grain

Colour	red
Colouration with phenol	medium

Straw

Length	short to medium
Wall thickness @20cms below ear	medium

Glaucosity

Flag leaf - sheath	strong
Flag leaf- blade (lower side)	
Culm - neck	strong
Ear	strong

Plant growth characters

Coleoptile - anthocyanin colouration	
Plant - growth habit	intermediate
Time of ear emergence	medium to late
Flag leaf - anthocyanin of auricles	absent or very weak

SPRING WHEAT

AFP 1/1963

ZOLA

CHARACTERS IN DETAIL

Ear

Colour	white
Length	medium
Density	lax
Shape-side profile	tapering
Awns or scurs - presence	scurs present
Awns or scurs - distribution	upper 1/2
Awns or scurs - length	medium
Apical rachis segment - convex face hairiness	medium
Anthers - anthocyanin colouration	absent

Lower glume

External surface	smooth
Extent of internal hairs	strong - Group 3
Beak length	medium
Beak curvature	strongly curved
Shoulder width	medium
Shoulder shape	straight to elevated

Lower lemma

Beak curvature	slightly curved
----------------	-----------------

Grain

Colour	red
Colouration with phenol	dark to very dark

Straw

Length	short
Wall thickness @20cms below ear	thin

Glaucosity

Flag leaf - sheath	strong
Flag leaf- blade (lower side)	strong
Culm - neck	medium
Ear	medium

Plant growth characters

Coleoptile - anthocyanin colouration	medium
Plant - growth habit	semi-erect to intermediate
Time of ear emergence	medium
Flag leaf - anthocyanin of auricles	