

## WINTER OATS

AFP 3/321

# BALADO

### CHARACTERS IN DETAIL

#### Panicle

Type equilateral  
Branch Attitude horizontal

#### Spikelets

Attitude pendulous  
Frequency of 3-grain spikelets absent

#### Awns

Abundance absent or very weak

#### Glumes

Length medium  
Glaucosity absent or very weak

#### Primary Grain

Husk present  
Lemma - glaucosity - intensity absent or very weak  
Lemma - colour white  
Lemma - length medium to long  
Lemma - hairiness of back n/a  
Basal hairs - length medium  
Rachilla - length medium

#### Culm

Upper culm node hairs - presence absent  
Upper culm node hairs - intensity n/a

#### Plant growth characters

Plant - growth habit semi-erect  
Lower leaves - hairiness of sheaths medium to strong  
Leaf blade - hairiness of leaf margin below flag medium  
Plant - height (stem and panicle) medium  
Time of panicle emergence medium

## WINTER OATS

AFP 3/330

# BASTION

### CHARACTERS IN DETAIL

#### Panicle

Type	equilateral
Branch Attitude	semi-erect to horizontal

#### Spikelets

Attitude	
Frequency of 3-grain spikelets	

#### Awns

Abundance	medium
-----------	--------

#### Glumes

Length	medium
Glaucosity	weak

#### Primary Grain

Husk	absent (naked type)
Lemma - glaucosity - intensity	n/a
Lemma - colour	n/a
Lemma - length	n/a
Lemma - hairiness of back	n/a
Basal hairs - length	n/a
Rachilla - length	medium

#### Culm

Upper culm node hairs - presence	absent
Upper culm node hairs - intensity	n/a

#### Plant growth characters

Plant - growth habit	semi-erect
Lower leaves - hairiness of sheaths	weak
Leaf blade - hairiness of leaf margin below flag	weak to medium
Plant - height (stem and panicle)	medium
Time of panicle emergence	early to medium

## WINTER OATS

AFP 3/345

# BEACON

### CHARACTERS IN DETAIL

#### Panicle

Type equilateral  
Branch Attitude semi-erect

#### Spikelets

Attitude  
Frequency of 3-grain spikelets

#### Awns

Abundance medium

#### Glumes

Length medium to long  
Glaucosity weak

#### Primary Grain

Husk absent (naked type)  
Lemma - glaucosity - intensity n/a  
Lemma - colour n/a  
Lemma - length n/a  
Lemma - hairiness of back n/a  
Basal hairs - length n/a  
Rachilla - length medium to long

#### Culm

Upper culm node hairs - presence present  
Upper culm node hairs - intensity strong

#### Plant growth characters

Plant - growth habit semi-erect  
Lower leaves - hairiness of sheaths weak to medium  
Leaf blade - hairiness of leaf margin below flag weak to medium  
Plant - height (stem and panicle) medium to long  
Time of panicle emergence medium

## WINTER OATS

AFP 3/305

# BROCHAN

### CHARACTERS IN DETAIL

#### Panicle

Type equilateral  
Branch Attitude horizontal

#### Spikelets

Attitude  
Frequency of 3-grain spikelets absent

#### Awns

Abundance very weak

#### Glumes

Length medium to long  
Glaucosity strong

#### Primary Grain

Husk present  
Lemma - glaucosity - intensity very weak  
Lemma - colour white  
Lemma - length short to medium  
Lemma - hairiness of back absent  
Basal hairs - length short-medium  
Rachilla - length short to medium

#### Culm

Upper culm node hairs - presence present  
Upper culm node hairs - intensity strong

#### Plant growth characters

Plant - growth habit semi-erect to intermediate  
Lower leaves - hairiness of sheaths medium  
Leaf blade - hairiness of leaf margin below flag medium  
Plant - height (stem and panicle) very short  
Time of panicle emergence late to very late

**CORACLE****CHARACTERS IN DETAIL****Panicle**

Type	
Branch Attitude	semi-erect

**Spikelets**

Attitude	
Frequency of 3-grain spikelets	

**Awns**

Abundance	weak
-----------	------

**Glumes**

Length	medium to long
Glaucosity	weak to medium

**Primary Grain**

Husk	present
Lemma - glaucosity - intensity	absent or very weak
Lemma - colour	yellow
Lemma - length	medium to long
Lemma - hairiness of back	n/a
Basal hairs - length	medium
Rachilla - length	medium

**Culm**

Upper culm node hairs - presence	present
Upper culm node hairs - intensity	medium

**Plant growth characters**

Plant - growth habit	semi-erect
Lower leaves - hairiness of sheaths	very weak
Leaf blade - hairiness of leaf margin below flag	weak
Plant - height (stem and panicle)	medium
Time of panicle emergence	late

## WINTER OATS

AFP 3/283

# DALGUISE

### CHARACTERS IN DETAIL

#### Panicle

Type equilateral  
Branch Attitude horizontal

#### Spikelets

Attitude  
Frequency of 3-grain spikelets absent to few

#### Awns

Abundance weak

#### Glumes

Length medium  
Glaucosity medium to strong

#### Primary Grain

Husk present  
Lemma - glaucosity - intensity absent or very weak  
Lemma - colour white  
Lemma - length medium  
Lemma - hairiness of back absent  
Basal hairs - length short  
Rachilla - length medium to long

#### Culm

Upper culm node hairs - presence absent  
Upper culm node hairs - intensity

#### Plant growth characters

Plant - growth habit semi-erect  
Lower leaves - hairiness of sheaths weak to medium  
Leaf blade - hairiness of leaf margin below flag weak to medium  
Plant - height (stem and panicle) medium  
Time of panicle emergence early to medium

**EAGLE****CHARACTERS IN DETAIL****Panicle**

Type	
Branch Attitude	semi-erect

**Spikelets**

Attitude	
Frequency of 3-grain spikelets	

**Awns**

Abundance	weak
-----------	------

**Glumes**

Length	medium
Glaucosity	medium

**Primary Grain**

Husk	present
Lemma - glaucosity - intensity	absent or very weak
Lemma - colour	white
Lemma - length	short to medium
Lemma - hairiness of back	n/a
Basal hairs - length	short-medium
Rachilla - length	medium

**Culm**

Upper culm node hairs - presence	absent
Upper culm node hairs - intensity	n/a

**Plant growth characters**

Plant - growth habit	semi-erect
Lower leaves - hairiness of sheaths	absent
Leaf blade - hairiness of leaf margin below flag	absent or very weak
Plant - height (stem and panicle)	short to medium
Time of panicle emergence	medium

## WINTER OATS

AFP 3/354

# ELGAR

### CHARACTERS IN DETAIL

#### Panicle

Type  
Branch Attitude semi-erect

#### Spikelets

Attitude  
Frequency of 3-grain spikelets

#### Awns

Abundance very weak

#### Glumes

Length medium  
Glaucosity medium to strong

#### Primary Grain

Husk present  
Lemma - glaucosity - intensity absent or very weak  
Lemma - colour yellow  
Lemma - length medium  
Lemma - hairiness of back absent  
Basal hairs - length n/a  
Rachilla - length medium

#### Culm

Upper culm node hairs - presence present  
Upper culm node hairs - intensity medium

#### Plant growth characters

Plant - growth habit semi-erect to intermediate  
Lower leaves - hairiness of sheaths weak to medium  
Leaf blade - hairiness of leaf margin below flag absent or very weak  
Plant - height (stem and panicle) medium to long  
Time of panicle emergence early to medium



## WINTER OATS

AFP 3/292

# EXPRESSION

### CHARACTERS IN DETAIL

#### Panicle

Type	equilateral
Branch Attitude	drooping

#### Spikelets

Attitude	
Frequency of 3-grain spikelets	medium

#### Awns

Abundance	very weak
-----------	-----------

#### Glumes

Length	long
Glaucosity	weak to medium

#### Primary Grain

Husk	
Lemma - glaucosity - intensity	
Lemma - colour	
Lemma - length	long
Lemma - hairiness of back	absent
Basal hairs - length	
Rachilla - length	long

#### Culm

Upper culm node hairs - presence	absent
Upper culm node hairs - intensity	

#### Plant growth characters

Plant - growth habit	intermediate
Lower leaves - hairiness of sheaths	absent
Leaf blade - hairiness of leaf margin below flag	medium
Plant - height (stem and panicle)	medium
Time of panicle emergence	early

## WINTER OATS

AFP 3/365

# FERGUS

### CHARACTERS IN DETAIL

#### Panicle

Type	equilateral
Branch Attitude	semi-erect

#### Spikelets

Attitude	
Frequency of 3-grain spikelets	

#### Awns

Abundance	very weak
-----------	-----------

#### Glumes

Length	medium
Glaucosity	medium to strong

#### Primary Grain

Husk	present
Lemma - glaucosity - intensity	absent or very weak
Lemma - colour	yellow
Lemma - length	medium
Lemma - hairiness of back	absent
Basal hairs - length	medium-long
Rachilla - length	medium

#### Culm

Upper culm node hairs - presence	present
Upper culm node hairs - intensity	medium

#### Plant growth characters

Plant - growth habit	semi-erect to intermediate
Lower leaves - hairiness of sheaths	medium
Leaf blade - hairiness of leaf margin below flag	absent or very weak
Plant - height (stem and panicle)	short
Time of panicle emergence	medium

**FUSION****CHARACTERS IN DETAIL****Panicle**

Type	equilateral
Branch Attitude	horizontal

**Spikelets**

Attitude	pendulous
Frequency of 3-grain spikelets	occasional

**Awns**

Abundance	absent or very weak
-----------	---------------------

**Glumes**

Length	medium to long
Glaucosity	absent or very weak

**Primary Grain**

Husk	absent (naked type)
Lemma - glaucosity - intensity	n/a
Lemma - colour	n/a
Lemma - length	n/a
Lemma - hairiness of back	n/a
Basal hairs - length	n/a
Rachilla - length	long

**Culm**

Upper culm node hairs - presence	absent
Upper culm node hairs - intensity	n/a

**Plant growth characters**

Plant - growth habit	semi-erect to intermediate
Lower leaves - hairiness of sheaths	medium
Leaf blade - hairiness of leaf margin below flag	medium
Plant - height (stem and panicle)	short
Time of panicle emergence	medium

## WINTER OATS

AFP 3/188

# GERALD

### CHARACTERS IN DETAIL

#### Panicle

Type	equilateral
Branch Attitude	horizontal to drooping

#### Spikelets

Attitude	
Frequency of 3-grain spikelets	absent or very few

#### Awns

Abundance	weak
-----------	------

#### Glumes

Length	medium
Glaucosity	absent or very weak

#### Primary Grain

Husk	present
Lemma - glaucosity – intensity	absent
Lemma - colour	white
Lemma - length	medium to long
Lemma - hairiness of back	absent
Basal hairs - length	short-medium
Rachilla - length	medium

#### Culm

Upper culm node hairs - presence	absent
Upper culm node hairs - intensity	

#### Plant growth characters

Plant - growth habit	intermediate
Lower leaves - hairiness of sheaths	medium
Leaf blade - hairiness of leaf margin below flag	strong
Plant - height (stem and panicle)	short to medium
Time of panicle emergence	late to very late

## WINTER OATS

AFP 3/257

# GRAFTON

### CHARACTERS IN DETAIL

#### Panicle

Type equilateral  
Branch Attitude drooping

#### Spikelets

Attitude  
Frequency of 3-grain spikelets numerous

#### Awns

Abundance weak

#### Glumes

Length short to medium  
Glaucosity very weak

#### Primary Grain

Husk absent (naked type)  
Lemma - glaucosity - intensity absent or very weak  
Lemma - colour white  
Lemma - length medium  
Lemma - hairiness of back absent  
Basal hairs - length  
Rachilla - length short

#### Culm

Upper culm node hairs - presence absent  
Upper culm node hairs – intensity n/a

#### Plant growth characters

Plant - growth habit semi-erect to intermediate  
Lower leaves - hairiness of sheaths medium  
Leaf blade - hairiness of leaf margin below flag medium  
Plant - height (stem and panicle) short to medium  
Time of panicle emergence early to medium

## WINTER OATS

AFP 3/374

# GRIFFIN

### CHARACTERS IN DETAIL

#### Panicle

Type  
Branch Attitude semi-erect to horizontal

#### Spikelets

Attitude  
Frequency of 3-grain spikelets

#### Awns

Abundance weak

#### Glumes

Length medium  
Glaucosity weak to medium

#### Primary Grain

Husk present  
Lemma - glaucosity - intensity absent or very weak  
Lemma - colour yellow  
Lemma - length medium to long  
Lemma - hairiness of back n/a  
Basal hairs - length medium-long  
Rachilla - length medium

#### Culm

Upper culm node hairs - presence present  
Upper culm node hairs - intensity medium to strong

#### Plant growth characters

Plant - growth habit semi-erect to intermediate  
Lower leaves - hairiness of sheaths very weak  
Leaf blade - hairiness of leaf margin below flag very weak to weak  
Plant - height (stem and panicle) medium to long  
Time of panicle emergence late

## WINTER OATS

AFP 3/280

# HENDON

### CHARACTERS IN DETAIL

#### Panicle

Type	equilateral
Branch Attitude	horizontal to drooping

#### Spikelets

Attitude	
Frequency of 3-grain spikelets	very numerous

#### Awns

Abundance	very weak
-----------	-----------

#### Glumes

Length	medium
Glaucosity	very weak

#### Primary Grain

Husk	absent (naked type)
Lemma - glaucosity - intensity	medium
Lemma - colour	white
Lemma - length	long
Lemma - hairiness of back	absent
Basal hairs - length	n/a
Rachilla - length	long

#### Culm

Upper culm node hairs - presence	absent
Upper culm node hairs - intensity	n/a

#### Plant growth characters

Plant - growth habit	intermediate
Lower leaves - hairiness of sheaths	very weak
Leaf blade - hairiness of leaf margin below flag	medium to strong
Plant - height (stem and panicle)	very short
Time of panicle emergence	medium to late

## WINTER OATS

AFP 3/231

# JALNA

### CHARACTERS IN DETAIL

#### Panicle

Type equilateral  
Branch Attitude drooping

#### Spikelets

Attitude  
Frequency of 3-grain spikelets

#### Awns

Abundance medium to strong

#### Glumes

Length medium  
Glaucosity absent or very weak

#### Primary Grain

Husk present  
Lemma - glaucosity - intensity  
Lemma - colour white  
Lemma - length medium  
Lemma - hairiness of back absent  
Basal hairs - length short-medium  
Rachilla - length medium

#### Culm

Upper culm node hairs - presence absent  
Upper culm node hairs - intensity

#### Plant growth characters

Plant - growth habit intermediate to semi-prostrate  
Lower leaves - hairiness of sheaths medium  
Leaf blade - hairiness of leaf margin below flag medium  
Plant - height (stem and panicle) short  
Time of panicle emergence medium to late



## WINTER OATS

AFP 3/319

# KINGFISHER

### CHARACTERS IN DETAIL

#### Panicle

Type	equilateral
Branch Attitude	horizontal to drooping

#### Spikelets

Attitude	
Frequency of 3-grain spikelets	

#### Awns

Abundance	absent or very weak
-----------	---------------------

#### Glumes

Length	medium to long
Glaucosity	weak to medium

#### Primary Grain

Husk	present
Lemma - glaucosity - intensity	medium to strong
Lemma - colour	white
Lemma - length	medium to long
Lemma - hairiness of back	absent
Basal hairs - length	short-medium
Rachilla - length	short to medium

#### Culm

Upper culm node hairs - presence	absent
Upper culm node hairs - intensity	

#### Plant growth characters

Plant - growth habit	semi-erect to intermediate
Lower leaves - hairiness of sheaths	medium to strong
Leaf blade - hairiness of leaf margin below flag	medium
Plant - height (stem and panicle)	medium
Time of panicle emergence	medium to late

## WINTER OATS

AFP 3/291

# KINROSS

### CHARACTERS IN DETAIL

#### Panicle

Type	equilateral
Branch Attitude	horizontal to drooping

#### Spikelets

Attitude	
Frequency of 3-grain spikelets	absent to few

#### Awns

Abundance	weak to medium
-----------	----------------

#### Glumes

Length	medium
Glaucosity	weak to medium

#### Primary Grain

Husk	present
Lemma - glaucosity - intensity	absent or very weak
Lemma - colour	white
Lemma - length	medium to long
Lemma - hairiness of back	absent
Basal hairs - length	short
Rachilla - length	short to medium

#### Culm

Upper culm node hairs - presence	absent
Upper culm node hairs - intensity	n/a

#### Plant growth characters

Plant - growth habit	intermediate
Lower leaves - hairiness of sheaths	weak
Leaf blade - hairiness of leaf margin below flag	medium to strong
Plant - height (stem and panicle)	long
Time of panicle emergence	medium

**MAESTRO****CHARACTERS IN DETAIL****Panicle**

Type	equilateral
Branch Attitude	semi-erect

**Spikelets**

Attitude	
Frequency of 3-grain spikelets	

**Awns**

Abundance	very weak
-----------	-----------

**Glumes**

Length	short to medium
Glaucosity	weak to medium

**Primary Grain**

Husk	present
Lemma - glaucosity - intensity	absent or very weak
Lemma - colour	white
Lemma - length	short
Lemma - hairiness of back	absent
Basal hairs - length	short-medium
Rachilla - length	medium

**Culm**

Upper culm node hairs - presence	present
Upper culm node hairs - intensity	medium

**Plant growth characters**

Plant - growth habit	semi-erect to intermediate
Lower leaves - hairiness of sheaths	weak to medium
Leaf blade - hairiness of leaf margin below flag	absent or very weak
Plant - height (stem and panicle)	short
Time of panicle emergence	early to medium

## WINTER OATS

AFP 3/293

# MASCANI

### CHARACTERS IN DETAIL

#### Panicle

Type	equilateral
Branch Attitude	horizontal to drooping

#### Spikelets

Attitude	
Frequency of 3-grain spikelets	absent or very few

#### Awns

Abundance	weak
-----------	------

#### Glumes

Length	medium
Glaucosity	weak to medium

#### Primary Grain

Husk	present
Lemma - glaucosity - intensity	absent or very weak
Lemma - colour	yellow
Lemma - length	medium to long
Lemma - hairiness of back	absent
Basal hairs - length	
Rachilla - length	medium

#### Culm

Upper culm node hairs - presence	present
Upper culm node hairs - intensity	medium

#### Plant growth characters

Plant - growth habit	intermediate
Lower leaves - hairiness of sheaths	weak
Leaf blade - hairiness of leaf margin below flag	weak
Plant - height (stem and panicle)	medium
Time of panicle emergence	medium

## WINTER OATS

AFP 3/339

# MASON

### CHARACTERS IN DETAIL

#### Panicle

Type equilateral  
Branch Attitude semi-erect to horizontal

#### Spikelets

Attitude  
Frequency of 3-grain spikelets

#### Awns

Abundance strong

#### Glumes

Length medium to long  
Glaucosity medium

#### Primary Grain

Husk absent (naked type)  
Lemma - glaucosity - intensity n/a  
Lemma - colour n/a  
Lemma - length n/a  
Lemma - hairiness of back n/a  
Basal hairs - length n/a  
Rachilla - length medium to long

#### Culm

Upper culm node hairs - presence absent  
Upper culm node hairs - intensity n/a

#### Plant growth characters

Plant - growth habit semi-erect  
Lower leaves - hairiness of sheaths medium  
Leaf blade - hairiness of leaf margin below flag weak to medium  
Plant - height (stem and panicle) short to medium  
Time of panicle emergence late

## WINTER OATS

AFP 3/258

# MILLENNIUM

### CHARACTERS IN DETAIL

#### Panicle

Type equilateral  
Branch Attitude drooping

#### Spikelets

Attitude  
Frequency of 3-grain spikelets few

#### Awns

Abundance weak

#### Glumes

Length long  
Glaucosity medium

#### Primary Grain

Husk present  
Lemma - glaucosity - intensity absent or very weak  
Lemma - colour yellow  
Lemma - length medium  
Lemma - hairiness of back absent  
Basal hairs - length medium  
Rachilla - length short to medium

#### Culm

Upper culm node hairs - presence present  
Upper culm node hairs - intensity medium to strong

#### Plant growth characters

Plant - growth habit semi-erect to intermediate  
Lower leaves - hairiness of sheaths weak  
Leaf blade - hairiness of leaf margin below flag weak  
Plant - height (stem and panicle) short to medium  
Time of panicle emergence medium to late

**PELTON****CHARACTERS IN DETAIL****Panicle**

Type  
Branch Attitude semi-erect

**Spikelets**

Attitude  
Frequency of 3-grain spikelets

**Awns**

Abundance weak to medium

**Glumes**

Length medium  
Glaucosity weak to medium

**Primary Grain**

Husk absent (naked type)  
Lemma - glaucosity - intensity n/a  
Lemma - colour n/a  
Lemma - length n/a  
Lemma - hairiness of back absent  
Basal hairs - length n/a  
Rachilla - length short

**Culm**

Upper culm node hairs - presence present  
Upper culm node hairs - intensity medium

**Plant growth characters**

Plant - growth habit semi-erect to intermediate  
Lower leaves - hairiness of sheaths medium  
Leaf blade - hairiness of leaf margin below flag absent or very weak  
Plant - height (stem and panicle) medium  
Time of panicle emergence late

## WINTER OATS

AFP 3/307

# RACOON

### CHARACTERS IN DETAIL

#### Panicle

Type equilateral  
Branch Attitude horizontal

#### Spikelets

Attitude  
Frequency of 3-grain spikelets

#### Awns

Abundance very weak

#### Glumes

Length medium  
Glaucosity weak to medium

#### Primary Grain

Husk absent (naked type)  
Lemma - glaucosity - intensity absent or very weak  
Lemma - colour white  
Lemma - length medium  
Lemma - hairiness of back absent  
Basal hairs - length  
Rachilla - length long

#### Culm

Upper culm node hairs - presence absent  
Upper culm node hairs - intensity very weak

#### Plant growth characters

Plant - growth habit semi-erect to intermediate  
Lower leaves - hairiness of sheaths absent  
Leaf blade - hairiness of leaf margin below flag absent or very weak  
Plant - height (stem and panicle) long  
Time of panicle emergence late



**RGT LINEOUT****CHARACTERS IN DETAIL****Panicle**

Type	equilateral
Branch Attitude	semi-erect

**Spikelets**

Attitude	
Frequency of 3-grain spikelets	

**Awns**

Abundance	weak to medium
-----------	----------------

**Glumes**

Length	medium
Glaucosity	medium to strong

**Primary Grain**

Husk	present
Lemma - glaucosity - intensity	absent or very weak
Lemma - colour	white
Lemma - length	medium
Lemma - hairiness of back	absent
Basal hairs - length	medium
Rachilla - length	medium

**Culm**

Upper culm node hairs - presence	absent
Upper culm node hairs - intensity	n/a

**Plant growth characters**

Plant - growth habit	semi-erect
Lower leaves - hairiness of sheaths	strong
Leaf blade - hairiness of leaf margin below flag	absent or very weak
Plant - height (stem and panicle)	short to medium
Time of panicle emergence	early to medium

**RGT SOUTHWARK****CHARACTERS IN DETAIL****Panicle**

Type	
Branch Attitude	semi-erect

**Spikelets**

Attitude	
Frequency of 3-grain spikelets	

**Awns**

Abundance	weak
-----------	------

**Glumes**

Length	short to medium
Glaucosity	weak to medium

**Primary Grain**

Husk	present
Lemma - glaucosity - intensity	absent or very weak
Lemma - colour	white
Lemma - length	short to medium
Lemma - hairiness of back	n/a
Basal hairs - length	medium
Rachilla - length	medium

**Culm**

Upper culm node hairs - presence	present
Upper culm node hairs - intensity	medium

**Plant growth characters**

Plant - growth habit	semi-erect
Lower leaves - hairiness of sheaths	weak
Leaf blade - hairiness of leaf margin below flag	very weak to weak
Plant - height (stem and panicle)	medium
Time of panicle emergence	early to medium

**RGT VICTORIOUS****CHARACTERS IN DETAIL****Panicle**

Type	
Branch Attitude	semi-erect

**Spikelets**

Attitude	
Frequency of 3-grain spikelets	

**Awns**

Abundance	very weak
-----------	-----------

**Glumes**

Length	short to medium
Glaucosity	weak to medium

**Primary Grain**

Husk	present
Lemma - glaucosity - intensity	absent or very weak
Lemma - colour	white
Lemma - length	short
Lemma - hairiness of back	n/a
Basal hairs - length	short-medium
Rachilla - length	medium

**Culm**

Upper culm node hairs - presence	absent
Upper culm node hairs - intensity	n/a

**Plant growth characters**

Plant - growth habit	semi-erect
Lower leaves - hairiness of sheaths	absent
Leaf blade - hairiness of leaf margin below flag	absent or very weak
Plant - height (stem and panicle)	medium
Time of panicle emergence	medium

## WINTER OATS

AFP 3/344

# RHAPSODY

### CHARACTERS IN DETAIL

#### Panicle

Type equilateral  
Branch Attitude semi-erect

#### Spikelets

Attitude  
Frequency of 3-grain spikelets

#### Awns

Abundance weak

#### Glumes

Length medium  
Glaucosity weak to medium

#### Primary Grain

Husk present  
Lemma - glaucosity - intensity absent or very weak  
Lemma - colour yellow  
Lemma - length medium to long  
Lemma - hairiness of back absent  
Basal hairs - length n/a  
Rachilla - length medium

#### Culm

Upper culm node hairs - presence absent  
Upper culm node hairs - intensity n/a

#### Plant growth characters

Plant - growth habit semi-erect  
Lower leaves - hairiness of sheaths weak  
Leaf blade - hairiness of leaf margin below flag very weak to weak  
Plant - height (stem and panicle) medium to long  
Time of panicle emergence medium to late

## WINTER OATS

AFP 3/353

# SELWYN

### CHARACTERS IN DETAIL

#### Panicle

Type  
Branch Attitude semi-erect

#### Spikelets

Attitude  
Frequency of 3-grain spikelets

#### Awns

Abundance weak to medium

#### Glumes

Length medium  
Glaucosity medium to strong

#### Primary Grain

Husk present  
Lemma - glaucosity - intensity weak  
Lemma - colour white  
Lemma - length medium  
Lemma - hairiness of back absent  
Basal hairs - length medium  
Rachilla - length medium

#### Culm

Upper culm node hairs - presence present  
Upper culm node hairs - intensity weak

#### Plant growth characters

Plant - growth habit semi-erect  
Lower leaves - hairiness of sheaths weak to medium  
Leaf blade - hairiness of leaf margin below flag absent or very weak  
Plant - height (stem and panicle) medium to long  
Time of panicle emergence medium

**TARDIS****CHARACTERS IN DETAIL****Panicle**

Type	equilateral
Branch Attitude	semi-erect

**Spikelets**

Attitude	
Frequency of 3-grain spikelets	

**Awns**

Abundance	very weak
-----------	-----------

**Glumes**

Length	short to medium
Glaucosity	medium

**Primary Grain**

Husk	present
Lemma - glaucosity - intensity	weak
Lemma - colour	white
Lemma - length	medium
Lemma - hairiness of back	absent
Basal hairs - length	medium
Rachilla - length	short to medium

**Culm**

Upper culm node hairs - presence	absent
Upper culm node hairs - intensity	very weak

**Plant growth characters**

Plant - growth habit	intermediate
Lower leaves - hairiness of sheaths	weak to medium
Leaf blade - hairiness of leaf margin below flag	medium
Plant - height (stem and panicle)	short to medium
Time of panicle emergence	early to medium

Variety Name: **Vodka**

Crop :

Breeder's Reference: mh05hq11.2

AFP No: 3/384

Breeder: SARL Adrien Momont et fils

Translated from: French

Origin:

Date: 23 March 2017

Code: VODK

*Plant - growth habit:	Semi erect to intermediate
Lower leaves - hairiness of sheaths:	Absent or very weak
*Leaf blade - hairiness of leaf margins below flag leaf:	Very weak
*Time of panicle emergence:	Early to medium
*Plant - height (stem and panicle):	Medium
Frequency of plants with recurved flag leaves:	Very low
Flag leaf - glaucosity of sheath:	
*Culm - hairiness of uppermost node:	Absent
Culm - intensity of hairiness of uppermost node:	
Panicle - type:	
Panicle - branch attitude:	Horizontal
Panicle - length:	Medium
Spikelets - attitude:	
Spikelets - frequency 3- grained spikelets:	
Glumes - glaucosity:	Weak to medium
Glumes - fluorescence:	Medium
Glumes - length:	Medium
*Primary grain - husk:	
Primary grain - tip acuteness:	
*Primary grain - lemma glaucosity:	Absent or very weak
Primary grain - tendency to be awned:	Weak to medium
Primary grain - lemma length:	Short to medium
*Primary grain - lemma colour:	White
Primary grain - lemma hairiness of back (not white or	Absent
Primary grain - basal hairs abundance:	Weak to medium
Primary grain - basal hairs length:	Medium
Primary grain - rachilla length:	Medium
Primary grain - rachilla width:	
Primary grain - rachilla grooves:	
Primary grain - rachilla hairs:	
Seasonal type:	Winter
Extra characters:	

\* = Characteristics which should always be included in the description of the variety.

28 March 2017

## WINTER OATS

AFP 3/372

# WENLOCK

### CHARACTERS IN DETAIL

#### Panicle

Type  
Branch Attitude semi-erect to horizontal

#### Spikelets

Attitude  
Frequency of 3-grain spikelets

#### Awns

Abundance weak to medium

#### Glumes

Length medium  
Glaucosity medium

#### Primary Grain

Husk present  
Lemma - glaucosity - intensity absent or very weak  
Lemma - colour white  
Lemma - length short to medium  
Lemma - hairiness of back n/a  
Basal hairs - length medium-long  
Rachilla - length medium

#### Culm

Upper culm node hairs - presence absent  
Upper culm node hairs - intensity n/a

#### Plant growth characters

Plant - growth habit semi-erect  
Lower leaves - hairiness of sheaths medium  
Leaf blade - hairiness of leaf margin below flag very weak to weak  
Plant - height (stem and panicle) very short to short  
Time of panicle emergence late to very late