Breeder's Reference: SUR 97271/10	AFP No: 1/1573	
Breeder: Saaten Union Recherche SARL	Translated from: German	
Origin:	<b>Date:</b> 19 November 2003	
Code: ARDN		
Coleoptile-anthocyanin colouration:	medium	
*Plant - growth habit:	semi-prostrate to prostrate	
*Time ear emergence:	medium	
Flag leaf - Anthocyanin colouration of auricles:		
Frequency of plants with recurved flag leaves:	absent or very low	
*Flag leaf - Glaucosity of sheath:	strong	
Flag leaf - Glaucosity of leaf blade:	strong	
Anthers - anthocyanin colouration:		
Glaucosity of neck:	strong to very strong	
Hairiness of uppermost node:		
*Plant - height:	short	
*Straw - wall thickness @ 20cms below ear:	very thin	
*Ear - Glaucosity:	strong	
Ear - Supernumerary spikelets - frequency:		
*Ear - Colour:	white	
*Ear - Shape (side profile):	tapering	
Ear - Length:	medium	
*Ear - Density:	medium	
*Awns or scurs - presence:	scurs present	
Awns or scurs - distibution:		
*Scurs at tip of ear - length:	short	
*Awns at tip of ear - length:		
Lower glume - Beak length:		
Lower glume - Beak shape (curvature):		
Lower glume - Beak tip:		
Lower glume - Shoulder width:		
Lower glume - Shoulder type:		
Lower glume - External surface roughness:		
Lower glume - Extent of internal hairs:		
Lower glume - Internal imprint:		
Lower lemma - Beak shape:		
Lower lemma - Beak length-:		
Lower lemma - Beak swelling:		
Apical rachis segement - convex face hairiness:	1	
*Grain - colour:	red	
Grain - Shape:		
Grain - Brush hair length in dorsal view:	and Paras	
Grain - Colouration with phenol:	medium	
*Seasonal type:	winter	
Extra characters:		
* = Characteristics which should always be included in th	ne description of the variety.	06 May 2020

\* = Characteristics which should always be included in the description of the variety.

(NIAB 12/05/2021 V1

## AEROBIC

## CHARACTERS IN DETAIL

Ear Colour: Length: Density: Shape (side profile) Awns or scurs - presence: Awns or scurs - distribution: Awns or Scurs - length: Apical rachis segment - convex face hairiness: Anthers - anthocyanin Lower Glume External surface roughness: Extent of internal hairs: Beak length: Beak shape (curvature): Shoulder Shoulder Lower Lemma Beak shape: Grain Colour red Colouration with phenol: Straw Length: Wall thickness @ 20cms below ear: Glaucosity Flag leaf - sheath: Flag leaf - blade (lower side): Culm neck: Ear - Glaucosity: Plant growth characters Coleoptile-anthocyanin Plant - growth habit: Time ear emergence: Flag leaf - Anthocyanin colouration of auricles:

white medium to long dense parallel sided awns present

very long weak

weak to medium - group 1 to 2 medium to long slightly curved narrow slightly sloping

red medium

short very thick

weak to medium very weak to weak

weak absent or very weak

absent or very weak semi-prostrate early



## AFP 1/1564 ALCHEMY

## **CHARACTERS IN DETAIL**

#### Ear

Colour Length Density Shape-side profile Awns or scurs - presence Awns of scurs - distribution Awns or scurs - length: Apical rachis segment - convex face hairiness Anthers - anthocyanin colouration

#### Lower glume

External surface Extent of internal hairs Beak length Beak curvature Shoulder width Shoulder shape

Lower lemma Beak curvature

#### Grain

Colour Colouration with phenol

#### Straw

Length Wall thickness @20cms below ear

#### Glaucosity

Flag leaf - sheath Flag leaf- blade (lower side) Culm - neck Ear

#### Plant growth characters

Coleoptile - anthocyanin colouration Plant - growth habit Time of ear emergence Flag leaf - anthocyanin of auricles white medium lax to medium parallel sided scurs present upper ¼ short weak to medium absent

smooth medium - Group 2 medium moderately curved narrow elevated

moderately curved

red light to medium

medium thin

strong to very strong

strong strong

absent or very weak intermed. to semi-prostrate late to very late absent or very weak



# AFP 1/2533 **AMBOISE**

#### **CHARACTERS IN DETAIL**

#### Ear

Colour Length Density Shape-side profile Awns or scurs - presence Awns or scurs - distribution Awns or scurs - length Apical rachis segment - convex face hairiness Anthers - anthocyanin colouration

#### Lower glume

External surface Extent of internal hairs Beak length Beak curvature Shoulder width Shoulder shape

#### Lower lemma

Beak curvature

#### Grain

Colour Colouration with phenol

#### Straw

Length Wall thickness @20cms below ear

#### Glaucosity

Flag leaf - sheath Flag leaf- blade (lower side) Culm - neck Ear

#### Plant growth characters

Coleoptile - anthocyanin colouration Plant - growth habit Time of ear emergence Flag leaf - anthocyanin of auricles white medium medium to dense parallel sided scurs present upper 1/4 medium absent or very weak absent

smooth medium (group 2) medium slight to moderately curved narrow elevated

slightly to moderately curved

red dark to very dark

very short very thick or filled

medium to strong medium medium medium

weak to medium intermediate medium



## AFP 1/1462 AMBROSIA

#### **CHARACTERS IN DETAIL**

#### Ear

Colour Length Density Shape-side profile Awns or scurs - presence Awns or scurs - distribution Awns or scurs - length Apical rachis segment - convex face hairiness Anthers - anthocyanin colouration

#### Lower glume

External surface Extent of internal hairs Beak length Beak curvature Shoulder width Shoulder shape

#### Lower lemma

Beak curvature

#### Grain

Colour Colouration with phenol

#### Straw

Length Wall thickness @20cms below ear

#### Glaucosity

Flag leaf - sheath Flag leaf- blade (lower side) Culm - neck Ear

#### Plant growth characters

Coleoptile - anthocyanin colouration Plant - growth habit Time of ear emergence Flag leaf - anthocyanin of auricles white medium parallel sided scurs present upper 1/2 medium to long weak absent

smooth weak to medium (1+) medium to long moderately curved narrow straight

moderately curved

red medium

short to medium absent or very thin

strong medium to strong strong medium

strong intermediate medium to late absent or very weak



## AFP 1/2278 AMPLIFY

#### **CHARACTERS IN DETAIL**

#### Ear

Colour Length Density Shape-side profile Awns or scurs - presence Awns or scurs - distribution Awns or scurs - length Apical rachis segment - convex face hairiness Anthers - anthocyanin colouration

#### Lower glume

External surface Extent of internal hairs Beak length Beak curvature Shoulder width Shoulder shape

#### Lower lemma

Beak curvature

#### Grain

Colour Colouration with phenol

#### Straw

Length Wall thickness @20cms below ear

#### Glaucosity

Flag leaf - sheath Flag leaf- blade (lower side) Culm - neck Ear

#### Plant growth characters

Coleoptile - anthocyanin colouration Plant - growth habit Time of ear emergence Flag leaf - anthocyanin of auricles white medium medium to dense tapering scurs present upper 1/2 short to medium weak to medium

smooth medium to strong (2+) short to medium slightly curved narrow to medium elevated

moderately curved

red dark to very dark

short absent or very thin

strong medium to strong medium to strong medium to strong

weak to medium semi-erect to intermediate late



## Variety Name: ANAPOLIS

Crop: Winter wheat

Breeder's Reference:	<b>AFP No:</b> 1/2148	
Breeder: NORDSAAT	Translated from: German	
Origin:	Date:	23 July 2013
Code: ANAP		
Coleoptile-anthocyanin colouration:	Medium to	
*Plant - growth habit:	Semi prost	trate
*Time ear emergence:	Medium to	o late
Flag leaf - Anthocyanin colouration of auricles:		
Frequency of plants with recurved flag leaves:	Very low to low	
*Flag leaf - Glaucosity of sheath:	Strong to v	very strong
Flag leaf - Glaucosity of leaf blade:	Strong	
Anthers - anthocyanin colouration:		
Glaucosity of neck:	Strong to v	very strong
Hairiness of uppermost node:	-	
*Plant - height:	Short to medium	
*Straw - wall thickness @ 20cms below ear:	Absent or very thin.	
*Ear - Glaucosity:	Strong to v	very strong
Ear - Supernumerary spikelets - frequency:	C	
*Ear - Colour:	White	
*Ear - Shape (side profile):	Tapering	
Ear - Length:	Medium	
*Ear - Density:	Lax to medium	
*Awns or scurs - presence:	Present	
Awns or scurs - distibution:		
*Scurs at tip of ear - length:	Very short	t to short
*Awns at tip of ear - length:	,	
Lower glume - Beak length:	Very short	t to short
Lower glume - Beak shape (curvature):	Slightly curved	
Lower glume - Beak tip:	8 9	
Lower glume - Shoulder width:	Narrow	
Lower glume - Shoulder type:	Straight	
Lower glume - External surface roughness:		
Lower glume - Extent of internal hairs:	Medium	
Lower glume - Internal imprint:		
Lower lemma - Beak shape:	Slightly cu	irved
Lower lemma - Beak length-:	8 9	
Lower lemma - Beak swelling:		
Apical rachis segement - convex face hairiness:	Strong	
*Grain - colour:	Red	
Grain - Shape:		
Grain - Brush hair length in dorsal view:		
Grain - Colouration with phenol:	Medium to	o dark
*Seasonal type:	Winter	- unin
Extra characters:	,, 11101	
LAU U UIUI UUUI DI		

\* = Characteristics which should always be included in the description of the variety.

31 March 2015



#### AFP 1/1928

## ARARAT

### **CHARACTERS IN DETAIL**

Ear Colour: white Length: medium to long Density: lax Shape (side profile) tapering Awns or scurs - presence: scurs present Awns or scurs - distribution: Awns or scurs - length: short Apical rachis segment - convex face hairiness: very weak to weak Anthers - anthocyanin colouration Lower Glume External surface roughness: Extent of internal hairs: medium - group 2 Beak length: medium Beak shape (curvature): moderately curved Shoulder medium Shoulder elevated Lower Lemma Beak shape: slightly curved Grain Colour red Colouration with phenol: medium Straw medium Length: Wall thickness @ 20cms below ear: thin Glaucosity Flag leaf - sheath: medium to strong Flag leaf - blade (lower side): medium to strong Culm neck: strong Ear - Glaucosity: strong to very strong Plant growth characters Coleoptile-anthocyanin medium Plant - growth habit: intermediate to semi-prostrate medium Time ear emergence: Flag leaf - Anthocyanin colouration of auricles: absent or very weak



Crop:

Breeder's Reference:	AFP No:	
Breeder: Nickerson International Research	Translated from:	
Origin:	<b>Date:</b> 26 January 2015	
Code: ARKE		
Coleoptile-anthocyanin colouration:	Medium	
*Plant - growth habit:	Semi- prostrate to prostrate	
*Time ear emergence:	Early	
Flag leaf - Anthocyanin colouration of auricles:		
Frequency of plants with recurved flag leaves:		
*Flag leaf - Glaucosity of sheath:	Strong to very strong	
Flag leaf - Glaucosity of leaf blade:	Strong to very strong	
Anthers - anthocyanin colouration:		
Glaucosity of neck:		
Hairiness of uppermost node:		
*Plant - height:	Short to medium	
*Straw - wall thickness @ 20cms below ear:	Very thin	
*Ear - Glaucosity:	Medium	
Ear - Supernumerary spikelets - frequency:		
*Ear - Colour:	White	
*Ear - Shape (side profile):		
Ear - Length:	Long	
*Ear - Density:	Lax to medium	
*Awns or scurs - presence:	Present	
Awns or scurs - distibution:		
*Scurs at tip of ear - length:	Short to medium	
*Awns at tip of ear - length:		
Lower glume - Beak length:	Short to medium	
Lower glume - Beak shape (curvature):		
Lower glume - Beak tip:		
Lower glume - Shoulder width:	Narrow	
Lower glume - Shoulder type:	Straight to slightly sloping	
Lower glume - External surface roughness:		
Lower glume - Extent of internal hairs:		
Lower glume - Internal imprint:	Medium to strong	
Lower lemma - Beak shape:	Slightly curved	
Lower lemma - Beak length-:	Short to medium	
Lower lemma - Beak swelling:		
Apical rachis segement - convex face hairiness:	Medium	
*Grain - colour:	Red	
Grain - Shape:		
Grain - Brush hair length in dorsal view:		
Grain - Colouration with phenol:	Mdium to dark	
*Seasonal type:	Winter	
Extra characters:		

\* = Characteristics which should always be included in the description of the variety.

30 March 2015



## AFP 1/2796 ASTOUND

#### **CHARACTERS IN DETAIL**

#### Ear

Colour Length Density Shape-side profile Awns or scurs - presence Awns or scurs - distribution Awns or scurs - length Apical rachis segment - convex face hairiness Anthers - anthocyanin colouration

#### Lower glume

External surface Extent of internal hairs Beak length Beak curvature Shoulder width Shoulder shape

#### Lower lemma

Beak curvature

#### Grain

Colour Colouration with phenol

#### Straw

Length Wall thickness @20cms below ear

#### Glaucosity

Flag leaf - sheath Flag leaf- blade (lower side) Culm - neck Ear

#### Plant growth characters

Coleoptile - anthocyanin colouration Plant - growth habit Time of ear emergence Flag leaf - anthocyanin of auricles

- white medium to long dense parallel sided scurs present upper 1/4 long medium to strong absent
- entire external surface rough medium to strong (group 2+) long strongly curved medium elev. to strongly elevated

#### geniculate

red very dark

medium absent or very thin

very strong very strong strong to very strong medium to strong

weak intermed. to semi-prostrate late absent or very weak



## AFP 1/2016 AVATAR

#### **CHARACTERS IN DETAIL**

Ear Colour Length Density Shape-side profile Awns or scurs - presence Awns of scurs - distribution Awns or scurs - length: Apical rachis segment - convex face hairiness Anthers - anthocyanin colouration

#### Lower glume

External surface Extent of internal hairs Beak length Beak curvature Shoulder width Shoulder shape

#### Lower lemma

Beak curvature

#### Grain

Colour Colouration with phenol

#### Straw

Length Wall thickness @20cms below ear

#### Glaucosity

Flag leaf - sheath Flag leaf- blade (lower side) Culm - neck Ear

#### Plant growth characters

Coleoptile - anthocyanin colouration Plant - growth habit Time of ear emergence Flag leaf - anthocyanin of auricles white medium dense parallel sided scurs present upper <sup>1</sup>/<sub>4</sub> medium to long weak

slightly rough medium - Group 2 medium moderately curved narrow elevated

#### moderately to strongly curved

red dark to very dark

short to medium thin

strong strong strong strong

weak semi-erect medium to late



Crop: Wheat

Breeder's Reference: SEC 228-02-4	AFP No:	
Breeder: Secobra Rechereches	Translated from: German	
Origin:	<b>Date:</b> 19 November 2018	
Code: Axio		
Coleoptile-anthocyanin colouration:	Medium	
*Plant - growth habit:	Intermediate	
*Time ear emergence:	Medium to late	
Flag leaf - Anthocyanin colouration of auricles:		
Frequency of plants with recurved flag leaves:	Very low to low	
*Flag leaf - Glaucosity of sheath:	Srong	
Flag leaf - Glaucosity of leaf blade:	Strong	
Anthers - anthocyanin colouration:		
Glaucosity of neck:	Strong	
Hairiness of uppermost node:		
*Plant - height:	Short to medium	
*Straw - wall thickness @ 20cms below ear:	Medium	
*Ear - Glaucosity:	Strong	
Ear - Supernumerary spikelets - frequency:	C	
*Ear - Colour:		
*Ear - Shape (side profile):	Tapering	
Ear - Length:	Short to medium	
*Ear - Density:	Dense	
*Awns or scurs - presence:	Scurs present	
Awns or scurs - distibution:	•	
*Scurs at tip of ear - length:	Very short to short	
*Awns at tip of ear - length:	•	
Lower glume - Beak length:	Short	
Lower glume - Beak shape (curvature):	Moderately curved	
Lower glume - Beak tip:	,	
Lower glume - Shoulder width:	Narrow to medium	
Lower glume - Shoulder type:	Straight	
Lower glume - External surface roughness:	e	
Lower glume - Extent of internal hairs:		
Lower glume - Internal imprint:		
Lower lemma - Beak shape:		
Lower lemma - Beak length-:		
Lower lemma - Beak swelling:		
Apical rachis segement - convex face hairiness:	Weak	
*Grain - colour:	Red	
Grain - Shape:		
Grain - Brush hair length in dorsal view:		
Grain - Colouration with phenol:	Very dark	
*Seasonal type:	Winter	
Extra characters:	******	

\* = Characteristics which should always be included in the description of the variety.

20 March 2019



## AFP 1/2487 BAHAMAS CS

#### **CHARACTERS IN DETAIL**

#### Ear

Colour Length Density Shape-side profile Awns or scurs - presence Awns or scurs - distribution Awns or scurs - length Apical rachis segment - convex face hairiness Anthers - anthocyanin colouration

#### Lower glume

External surface Extent of internal hairs Beak length Beak curvature Shoulder width Shoulder shape

#### Lower lemma

Beak curvature

#### Grain

Colour Colouration with phenol

#### Straw

Length Wall thickness @20cms below ear

#### Glaucosity

Flag leaf - sheath Flag leaf- blade (lower side) Culm - neck Ear

#### **Plant growth characters**

Coleoptile - anthocyanin colouration Plant - growth habit Time of ear emergence Flag leaf - anthocyanin of auricles white medium lax to medium tapering scurs present upper 1/2 medium to long medium to strong absent

smooth medium to strong (group 2+) medium slightly curved narrow straight to elevated

slightly curved

red medium to dark

short absent or very thin

medium to strong medium to strong strong strong

absent to weak semi-erect to intermediate medium



## AFP 1/2825 BANQUO

#### **CHARACTERS IN DETAIL**

#### Ear

Colour Length Density Shape-side profile Awns or scurs - presence Awns or scurs - distribution Awns or scurs - length Apical rachis segment - convex face hairiness Anthers - anthocyanin colouration

#### Lower glume

External surface Extent of internal hairs Beak length Beak curvature Shoulder width Shoulder shape

Lower lemma

Beak curvature

#### Grain

Colour Colouration with phenol

#### Straw

Length Wall thickness @20cms below ear

#### Glaucosity

Flag leaf - sheath Flag leaf- blade (lower side) Culm - neck Ear

#### Plant growth characters

Coleoptile - anthocyanin colouration Plant - growth habit Time of ear emergence Flag leaf - anthocyanin of auricles

- white medium to long medium parallel sided scurs present upper 1/4 long to very long medium to strong absent
- smooth medium (group 2) medium moderately curved medium straight to elevated

moderately curved

red medium to dark

short absent or very thin

strong to very strong strong to very strong strong to very strong medium

weak to medium intermed. to semi-prostrate late absent or very weak



## AFP 1/2387 BARKSTON

#### **CHARACTERS IN DETAIL**

#### Ear

Colour Length Density Shape-side profile Awns or scurs - presence Awns or scurs - distribution Awns or scurs - length Apical rachis segment - convex face hairiness Anthers - anthocyanin colouration

#### Lower glume

External surface Extent of internal hairs Beak length Beak curvature Shoulder width Shoulder shape

#### Lower lemma

Beak curvature

#### Grain

Colour Colouration with phenol

#### Straw

Length Wall thickness @20cms below ear

#### Glaucosity

Flag leaf - sheath Flag leaf- blade (lower side) Culm - neck Ear

#### Plant growth characters

Coleoptile - anthocyanin colouration Plant - growth habit Time of ear emergence Flag leaf - anthocyanin of auricles white medium to long medium tapering scurs present upper 1/2 long to very long strong

smooth strong (group 3) medium slightly curved narrow elevated

slightly to moderately curved

red dark to very dark

short absent or very thin

medium medium to strong medium medium

absent or very weak intermed. to semi-prostrate very late



## AFP 1/1753 BATSMAN

#### **CHARACTERS IN DETAIL**

#### Ear

Colour Length Density Shape-side profile Awns or scurs - presence Awns or scurs - distribution Awns or scurs - length Apical rachis segment - convex face hairiness Anthers - anthocyanin colouration

#### Lower glume

External surface Extent of internal hairs Beak length Beak curvature Shoulder width Shoulder shape

#### Lower lemma

Beak curvature

#### Grain

Colour Colouration with phenol

#### Straw

Length Wall thickness @20cms below ear

#### Glaucosity

Flag leaf - sheath Flag leaf- blade (lower side) Culm - neck Ear

#### Plant growth characters

Coleoptile - anthocyanin colouration Plant - growth habit Time of ear emergence Flag leaf - anthocyanin of auricles

- white medium parallel sided scurs present upper 1/4 short to medium strong absent
- smooth medium (group 2) medium slightly curved narrow elevated

moderately curved

red dark

medium absent or very thin

strong medium medium to strong medium to strong

absent or very weak intermediate late to very late



## AFP 1/1599 BATTALION

#### **CHARACTERS IN DETAIL**

Ear Colour Length Density Shape-side profile Awns or scurs - presence Awns of scurs - distribution Awns or scurs - length: Apical rachis segment - convex face hairiness Anthers - anthocyanin colouration

#### Lower glume

External surface Extent of internal hairs Beak length Beak curvature Shoulder width Shoulder shape

#### Lower lemma

Beak curvature

## **Grain** Colour

Colouration with phenol

### Straw

Length Wall thickness @20cms below ear

#### Glaucosity

Flag leaf - sheath Flag leaf- blade (lower side) Culm - neck Ear

#### Plant growth characters

Coleoptile - anthocyanin colouration Plant - growth habit Time of ear emergence Flag leaf - anthocyanin of auricles white medium lax to medium tapering scurs present upper <sup>1</sup>/<sub>4</sub> medium medium to strong absent

rough medium - Group 2 medium to long slight to moderately curved medium elevated

#### moderately to strongly curved

red medium

medium thin

strong to very strong medium to strong strong strong

weak to medium intermediate early to medium



#### WINTER WHEAT

## **BELENUS**

## **CHARACTERS IN DETAIL**

Ear	
Colour:	coloured
Length:	short
Density:	medium
Shape (side profile)	parallel sided
Awns or scurs - presence:	scurs present
Awns or scurs - distribution:	
Awns or scurs - length:	medium
Apical rachis segment - convex face hairiness:	weak
Anthers - anthocyanin colouration Lower Glume	
External surface roughness:	
Extent of internal hairs:	weak - group 1
Beak length:	very short
Beak shape (curvature):	slightly curved
Shoulder	narrow
Shoulder	slightly sloping
Lower Lemma	
Beak shape:	slightly curved
Grain	
Colour	red
Colouration with phenol:	medium
Straw	
Length:	short
Wall thickness @ 20cms below ear:	very thin
Glaucosity	
Flag leaf - sheath:	weak
Flag leaf - blade (lower side):	absent or very weak
Culm neck:	absent or very weak
Ear - Glaucosity:	absent or very weak
Plant growth characters	
Coleoptile-anthocyanin Plant - growth habit: Time ear emergence:	absent or very weak intermediate medium to late
Flag leaf - Anthocyanin colouration of auricles:	absent or very weak



#### WINTER WHEAT

## BELEPI

#### CHARACTERS IN DETAIL Ear

Eur	
Colour:	white
Length:	long to very long
Density:	medium
Shape (side profile)	parallel
Awns or scurs - presence:	scurs present
Awns or scurs - distribution:	
Awns or scurs - length:	medium
Apical rachis segment - convex face hairiness:	weak
Anthers - anthocyanin colouration Lower Glume External surface roughness:	
Extent of internal hairs:	strong - group 3
Beak length:	
Beak shape (curvature):	
Shoulder	straight
Shoulder	
Lower Lemma	
Beak shape:	straight to slightly curved
Grain	
Colour	red
Colouration with phenol:	dark to very dark
Straw	
Length:	medium thin
Wall thickness @ 20cms below ear: Glaucosity	unn
•	strong to your strong
Flag leaf - sheath: Flag leaf - blade (lower side):	strong to very strong strong to very strong
-	
Culm neck:	strong to very strong
Ear - Glaucosity:	strong to very strong
Plant growth characters	
Coleoptile-anthocyanin	weak
Plant - growth habit:	intermediate to semi-prostrate
Time ear emergence:	medium
Flag leaf - Anthocyanin colouration of auricles:	



## AFP 1/2293 BELGRADE

## **CHARACTERS IN DETAIL**

#### Ear

Colour Length Density Shape-side profile Awns or scurs - presence Awns or scurs - distribution Awns or scurs - length Apical rachis segment - convex face hairiness Anthers - anthocyanin colouration

#### Lower glume

External surface Extent of internal hairs Beak length Beak curvature Shoulder width Shoulder shape

#### Lower lemma

Beak curvature

#### Grain

Colour Colouration with phenol

#### Straw

Length Wall thickness @20cms below ear

#### Glaucosity

Flag leaf - sheath Flag leaf- blade (lower side) Culm - neck Ear

#### Plant growth characters

Coleoptile - anthocyanin colouration Plant - growth habit Time of ear emergence Flag leaf - anthocyanin of auricles white medium medium to dense parallel sided scurs present upper 3/4 long to very long medium to strong

rough strong (3) medium to long moderately curved narrow elevated

moderately to strongly curved

red medium

short to medium absent or very thin

medium to strong medium to strong medium medium

weak to medium semi-erect to intermediate late



## AFP 1/1885 BELUGA

#### **CHARACTERS IN DETAIL**

Ear Colour Length Density Shape-side profile Awns or scurs - presence Awns of scurs - distribution Awns or scurs - length: Apical rachis segment - convex face hairiness Anthers - anthocyanin colouration

#### Lower glume

External surface Extent of internal hairs Beak length Beak curvature Shoulder width Shoulder shape

## Lower lemma

Beak curvature

### Grain

Colour Colouration with phenol

#### Straw

Length Wall thickness @20cms below ear

#### Glaucosity

Flag leaf - sheath Flag leaf- blade (lower side) Culm - neck Ear

#### Plant growth characters

Coleoptile - anthocyanin colouration Plant - growth habit Time of ear emergence Flag leaf - anthocyanin of auricles white medium lax to medium parallel sided scurs present upper <sup>1</sup>/<sub>2</sub> short to medium medium to strong absent

rough medium - Group 2 medium moderately curved narrow elevated

moderately curved

red medium

very short thin

strong medium to strong strong strong

weak semi-erect medium



## AFP 1/2386 BENNINGTON

#### **CHARACTERS IN DETAIL**

#### Ear

Colour Length Density Shape-side profile Awns or scurs - presence Awns or scurs - distribution Awns or scurs - length Apical rachis segment - convex face hairiness Anthers - anthocyanin colouration

#### Lower glume

External surface Extent of internal hairs Beak length Beak curvature Shoulder width Shoulder shape

#### Lower lemma

Beak curvature

#### Grain

Colour Colouration with phenol

#### Straw

Length Wall thickness @20cms below ear

#### Glaucosity

Flag leaf - sheath Flag leaf- blade (lower side) Culm - neck Ear

#### Plant growth characters

Coleoptile - anthocyanin colouration Plant - growth habit Time of ear emergence Flag leaf - anthocyanin of auricles white medium to long lax to medium tapering scurs present upper 1/4 long strong

smooth strong (group 3) medium moderately curved medium elevated

moderately to strongly curved

red dark to very dark

short to medium absent or very thin

medium medium medium

absent or very weak intermediate very late



## AFP 1/1227 BISCAY

#### **CHARACTERS IN DETAIL**

Ear Colour Length Density Shape-side profile Awns or scurs - presence Awns of scurs - distribution Awns or scurs - length: Apical rachis segment - convex face hairiness Anthers - anthocyanin colouration

#### Lower glume

External surface Extent of internal hairs Beak length Beak curvature Shoulder width Shoulder shape

## Lower lemma

Beak curvature

#### Grain

Colour Colouration with phenol

#### Straw

Length Wall thickness @20cms below ear

#### Glaucosity

Flag leaf - sheath Flag leaf- blade (lower side) Culm - neck Ear

#### Plant growth characters

Coleoptile - anthocyanin colouration Plant - growth habit Time of ear emergence Flag leaf - anthocyanin of auricles white medium lax tapering scurs present upper <sup>1</sup>/<sub>4</sub> medium weak absent

rough weak to medium - Group 1+ medium moderately curved narrow elevated

#### moderately to strongly curved

red light to medium

short thin

strong to very strong

strong to very strong strong

strong semi-prostrate late very weak



## BOOMER

## **CHARACTERS IN DETAIL**

Ear	
Colour:	white
Length:	medium
Density:	medium
Shape (side profile)	tapering
Awns or scurs - presence:	scurs present
Awns or scurs - distribution:	
Awns or scurs - length:	short
Apical rachis segment - convex face hairiness:	medium
Anthers - anthocyanin colouration	
Lower Glume	
External surface roughness:	
Extent of internal hairs:	strong -group 3
Beak length:	short
Beak shape (curvature):	moderately curved
Shoulder	narrow
Shoulder	elevated
Lower Lemma	
Beak shape:	
Grain	
Colour	red
Colouration with phenol:	dark
Straw	
Length:	short
Wall thickness @ 20cms below ear:	very thin
Glaucosity	
Flag leaf - sheath:	strong
Flag leaf - blade (lower side):	strong
Culm neck:	strong
Ear - Glaucosity:	medium to strong
Plant growth characters	
Coleoptile-anthocyanin	strong
Plant - growth habit:	semi-prostrate
Time ear emergence:	medium
Flag leaf - Anthocyanin colouration of auricles:	



## AFP 1/2325 BRIDGEHEAD

## **CHARACTERS IN DETAIL**

#### Ear

Colour Length Density Shape-side profile Awns or scurs - presence Awns or scurs - distribution Awns or scurs - length Apical rachis segment - convex face hairiness Anthers - anthocyanin colouration

#### Lower glume

External surface Extent of internal hairs Beak length Beak curvature Shoulder width Shoulder shape

#### Lower lemma

Beak curvature

#### Grain

Colour Colouration with phenol

#### Straw

Length Wall thickness @20cms below ear

#### Glaucosity

Flag leaf - sheath Flag leaf- blade (lower side) Culm - neck Ear

#### Plant growth characters

Coleoptile - anthocyanin colouration Plant - growth habit Time of ear emergence Flag leaf - anthocyanin of auricles

- white short to medium lax to medium tapering scurs present upper 3/4 long weak to medium
- smooth strong (3) medium moderately curved narrow to medium elevated

moderately curved

red dark

short to medium absent or very thin

medium to strong medium medium medium

weak intermediate late to very late



## AFP 1/2200 BRITANNIA

#### **CHARACTERS IN DETAIL**

#### Ear

Colour Length Density Shape-side profile Awns or scurs - presence Awns or scurs - distribution Awns or scurs - length Apical rachis segment - convex face hairiness Anthers - anthocyanin colouration

#### Lower glume

External surface Extent of internal hairs Beak length Beak curvature Shoulder width Shoulder shape

#### Lower lemma

Beak curvature

#### Grain

Colour Colouration with phenol

#### Straw

Length Wall thickness @20cms below ear

#### Glaucosity

Flag leaf - sheath Flag leaf- blade (lower side) Culm - neck Ear

#### Plant growth characters

Coleoptile - anthocyanin colouration Plant - growth habit Time of ear emergence Flag leaf - anthocyanin of auricles white medium to long lax parallel sided scurs present upper 3/4 very long strong absent

slightly rough weak to medium (1+) medium to long strongly curved narrow to medium elevated

strongly curved

red dark to very dark

medium absent or very thin

medium to strong medium to strong medium medium

weak intermediate late to very late



## AFP 1/1502 BROMPTON

#### **CHARACTERS IN DETAIL**

Ear Colour Length Density Shape-side profile Awns or scurs - presence Awns of scurs - distribution Awns or scurs - length: Apical rachis segment - convex face hairiness Anthers - anthocyanin colouration

#### Lower glume

External surface Extent of internal hairs Beak length Beak curvature Shoulder width Shoulder shape

### Lower lemma

Beak curvature

#### Grain

Colour Colouration with phenol

#### Straw

Length Wall thickness @20cms below ear

#### Glaucosity

Flag leaf - sheath Flag leaf- blade (lower side) Culm - neck Ear

#### Plant growth characters

Coleoptile - anthocyanin colouration Plant - growth habit Time of ear emergence Flag leaf - anthocyanin of auricles white medium lax to medium parallel sided scurs present upper <sup>1</sup>/<sub>4</sub> medium weak to medium absent

smooth weak to medium - Group 1+ short to medium slightly curved narrow to medium elevated

#### moderately curved

red dark

short thin

medium to strong medium medium to strong medium to strong

absent to weak intermed. to semi-prostrate late absent or very weak



## AFP 1/2284 BUTLER

#### **CHARACTERS IN DETAIL**

#### Ear

Colour Length Density Shape-side profile Awns or scurs - presence Awns or scurs - distribution Awns or scurs - length Apical rachis segment - convex face hairiness Anthers - anthocyanin colouration

#### Lower glume

External surface Extent of internal hairs Beak length Beak curvature Shoulder width Shoulder shape

#### Lower lemma

Beak curvature

#### Grain

Colour Colouration with phenol

#### Straw

Length Wall thickness @20cms below ear

#### Glaucosity

Flag leaf - sheath Flag leaf- blade (lower side) Culm - neck Ear

#### Plant growth characters

Coleoptile - anthocyanin colouration Plant - growth habit Time of ear emergence Flag leaf - anthocyanin of auricles

- white medium to long medium tapering scurs present upper 1/2 medium strong
- smooth strong (3) short slightly curved medium elevated

moderately curved

red medium to dark

short absent or very thin

absent or very weak absent or very weak absent or very weak absent or very weak


weak to medium semi-erect to intermediate late



## **BYSTRA**

## **CHARACTERS IN DETAIL**

Ear	
Colour:	white
Length:	short to medium
Density:	medium to dense
Shape (side profile)	parallel sided
Awns or scurs - presence:	scurs present
Awns or scurs - distribution:	
Awns or scurs - length:	short to medium
Apical rachis segment - convex face hairiness:	strong
Anthers - anthocyanin colouration	
Lower Glume	
External surface roughness:	
Extent of internal hairs:	weak - group 1
Beak length:	very short
Beak shape (curvature):	slightly curved
Shoulder	narrow
Shoulder	slightly sloping
Lower Lemma	
Beak shape:	slightly curved
Grain	
Colour	red
Colouration with phenol:	light to medium
Straw	
Length:	short
Wall thickness @ 20cms below ear:	thin
Glaucosity	
Flag leaf - sheath:	strong
Flag leaf - blade (lower side):	strong
Culm neck:	strong
Ear - Glaucosity:	medium to stror
Plant growth characters	
Coleoptile-anthocyanin	weak
Plant - growth habit:	semi-erect
Time ear emergence:	medium to late
Flag leaf - Anthocyanin colouration of auricles:	absent or very w



veak



## AFP 1/2160 CAMBRIDGE

## **CHARACTERS IN DETAIL**

#### Ear

Colour Length Density Shape-side profile Awns or scurs - presence Awns of scurs - distribution Awns or scurs - length: Apical rachis segment - convex face hairiness Anthers - anthocyanin colouration

#### Lower glume

External surface Extent of internal hairs Beak length Beak curvature Shoulder width Shoulder shape

Lower lemma Beak curvature

#### Grain

Colour Colouration with phenol

#### Straw

Length Wall thickness @20cms below ear

#### Glaucosity

Flag leaf - sheath Flag leaf- blade (lower side) Culm - neck Ear

#### Plant growth characters

Coleoptile - anthocyanin colouration Plant - growth habit Time of ear emergence Flag leaf - anthocyanin of auricles white short to medium lax to medium parallel sided scurs present upper <sup>3</sup>/<sub>4</sub> medium to long medium to strong absent

smooth medium - Group 2 short to medium moderately curved narrow elevated

strongly curved

red very dark

short to medium thin

medium to strong medium medium medium

weak to medium intermediate medium



## AFP 1/1798 CASSIUS

#### **CHARACTERS IN DETAIL**

Ear Colour Length Density Shape-side profile Awns or scurs - presence Awns of scurs - distribution Awns or scurs - length: Apical rachis segment - convex face hairiness Anthers - anthocyanin colouration

#### Lower glume

External surface Extent of internal hairs Beak length Beak curvature Shoulder width Shoulder shape

## Lower lemma

Beak curvature

#### **Grain** Colour Colouration with phenol

#### Straw

Length Wall thickness @20cms below ear

#### Glaucosity

Flag leaf - sheath Flag leaf- blade (lower side) Culm - neck Ear

#### Plant growth characters

Coleoptile - anthocyanin colouration Plant - growth habit Time of ear emergence Flag leaf - anthocyanin of auricles

- white medium parallel sided scurs present upper <sup>1</sup>/<sub>4</sub> long to very long medium to strong absent
- smooth weak to medium - Group 1+ medium to long moderate to strongly curved narrow elevated

#### moderately curved

red medium

medium thin

medium to strong medium medium to strong medium

medium intermediate late to very late



## AFP 1/2795 CATALYST

## **CHARACTERS IN DETAIL**

#### Ear

Colour Length Density Shape-side profile Awns or scurs - presence Awns or scurs - distribution Awns or scurs - length Apical rachis segment - convex face hairiness Anthers - anthocyanin colouration

#### Lower glume

External surface Extent of internal hairs Beak length Beak curvature Shoulder width Shoulder shape

#### Lower lemma

Beak curvature

#### Grain

Colour Colouration with phenol

Straw

Length Wall thickness @20cms below ear

#### Glaucosity

Flag leaf - sheath Flag leaf- blade (lower side) Culm - neck Ear

#### Plant growth characters

Coleoptile - anthocyanin colouration Plant - growth habit Time of ear emergence Flag leaf - anthocyanin of auricles white medium to long medium parallel sided scurs present upper 1/4 long to very long medium to strong absent

rough medium (group 2) medium moderately curved narrow elevated

strongly curved to geniculate

red dark to very dark

medium absent or very thin

very strong very strong strong to very strong strong

very weak to weak intermed. to semi-prostrate late absent or very weak



## Variety Name: CELLULE

Breeder's Reference: fd08114/Cellule	AFP No:	
Breeder: Florimond Desprez Veuve et Fils	Translated from:	
Origin:	Date:	15 May 2018
Code: CELL		
Coleoptile-anthocyanin colouration:	Very str	ong
*Plant - growth habit:		diate to semi prostrate
*Time ear emergence:	Early	L.
Flag leaf - Anthocyanin colouration of auricles:	•	
Frequency of plants with recurved flag leaves:	Low	
*Flag leaf - Glaucosity of sheath:	Very str	ong
Flag leaf - Glaucosity of leaf blade:	•	ot very strong
Anthers - anthocyanin colouration:	U	, ,
Glaucosity of neck:	Strong t	o very strong
Hairiness of uppermost node:	~	
*Plant - height:	Short to	medium
*Straw - wall thickness @ 20cms below ear:	Very thin	
*Ear - Glaucosity:	•	o very strong
Ear - Supernumerary spikelets - frequency:	Strong t	o very strong
*Ear - Colour:	White	
*Ear - Shape (side profile):	Parallel sided	
Ear - Length:	Medium to long	
*Ear - Density:	Dense	to long
*Awns or scurs - presence:	Delise	
Awns or scurs - distibution:	Awns pi	recent
*Scurs at tip of ear - length:	Very loi	
*Awns at tip of ear - length:	very lor	ig
Lower glume - Beak length:	Short to	madium
	Short to medium Slightly curved	
Lower glume - Beak shape (curvature):	Slightly	cuiveu
Lower glume - Beak tip: Lower glume - Shoulder width:	Nomory	ot modium
	Narrow ot medium Slightly sloping or straight	
Lower glume - Shoulder type:	Slightly	sloping of straight
Lower glume - External surface roughness:	W/s sls to	
Lower glume - Extent of internal hairs:	weak to	medium
Lower glume - Internal imprint:		
Lower lemma - Beak shape:		
Lower lemma - Beak length-:		
Lower lemma - Beak swelling:	*** 1	
Apical rachis segement - convex face hairiness:	Weak	
*Grain - colour:	Red	
Grain - Shape:		
Grain - Brush hair length in dorsal view:		
Grain - Colouration with phenol:	Medium	
*Seasonal type:	Alternat	ive
Extra characters:		

\* = Characteristics which should always be included in the description of the variety.

16 May 2018



## AFP 1/2895 CHAMPION

#### **CHARACTERS IN DETAIL**

#### Ear

Colour Length Density Shape-side profile Awns or scurs - presence Awns or scurs - distribution Awns or scurs - length Apical rachis segment - convex face hairiness Anthers - anthocyanin colouration

#### Lower glume

External surface Extent of internal hairs Beak length Beak curvature Shoulder width Shoulder shape

#### Lower lemma

Beak curvature

#### Grain

Colour Colouration with phenol

#### Straw

Length Wall thickness @20cms below ear

#### Glaucosity

Flag leaf - sheath Flag leaf- blade (lower side) Culm - neck Ear

#### Plant growth characters

Coleoptile - anthocyanin colouration Plant - growth habit Time of ear emergence Flag leaf - anthocyanin of auricles

- white medium to long medium tapering scurs present upper 1/4 long very weak to weak absent
- smooth strong to whole surface medium to long moderate to strongly curved narrow to medium straight to elevated

moderately to strongly curved

red dark to very dark

very short to short absent or very thin

strong to very strong strong to very strong strong

weak intermediate late absent or very weak



## AFP 1/1827 CHEVRON

### **CHARACTERS IN DETAIL**

#### Ear

Colour Length Density Shape-side profile Awns or scurs - presence Awns or scurs - distribution Awns or scurs - length Apical rachis segment - convex face hairiness Anthers - anthocyanin colouration

#### Lower glume

External surface Extent of internal hairs Beak length Beak curvature Shoulder width Shoulder shape

#### Lower lemma

Beak curvature

#### Grain

Colour Colouration with phenol

Straw

Length Wall thickness @20cms below ear

#### Glaucosity

Flag leaf - sheath Flag leaf- blade (lower side) Culm - neck Ear

#### Plant growth characters

Coleoptile - anthocyanin colouration Plant - growth habit Time of ear emergence Flag leaf - anthocyanin of auricles white medium parallel sided scurs present upper 1/4 short to medium strong absent

smooth weak to medium (group 1+) medium slightly curved narrow to medium elevated

slightly to moderately curved

red medium to dark

short to medium absent or very thin

strong to very strong strong medium to strong strong

absent or very weak semi-erect to intermediate early to medium



## AFP 1/1980 CHILTON

#### **CHARACTERS IN DETAIL**

Ear Colour Length Density Shape-side profile Awns or scurs - presence Awns of scurs - distribution Awns or scurs - length: Apical rachis segment - convex face hairiness Anthers - anthocyanin colouration

#### Lower glume

External surface Extent of internal hairs Beak length Beak curvature Shoulder width Shoulder shape

## Lower lemma

Beak curvature

#### Grain

Colour Colouration with phenol

#### Straw

Length Wall thickness @20cms below ear

#### Glaucosity

Flag leaf - sheath Flag leaf- blade (lower side) Culm - neck Ear

#### Plant growth characters

Coleoptile - anthocyanin colouration Plant - growth habit Time of ear emergence Flag leaf - anthocyanin of auricles white short to medium medium parallel sided scurs present tip only long medium

slightly rough medium - Group 2 medium to long moderately curved medium elevated

strongly curved

red dark to very dark

short thin

strong medium to strong medium

medium to strong intermediate medium



# AFP 1/2036 CHRONICLE

# **CHARACTERS IN DETAIL**

Ear Colour Length Density Shape-side profile Awns or scurs - presence Awns of scurs - distribution Awns or scurs - length: Apical rachis segment - convex face hairiness Anthers - anthocyanin colouration

## Lower glume

External surface Extent of internal hairs Beak length Beak curvature Shoulder width Shoulder shape

# Lower lemma

Beak curvature

## Grain

Colour Colouration with phenol

# Straw

Length Wall thickness @20cms below ear

## Glaucosity

Flag leaf - sheath Flag leaf- blade (lower side) Culm - neck Ear

## Plant growth characters

Coleoptile - anthocyanin colouration Plant - growth habit Time of ear emergence Flag leaf - anthocyanin of auricles white medium parallel sided scurs present upper <sup>1</sup>/<sub>4</sub> medium strong

slightly rough medium - Group 2 medium to long slightly curved very narrow to narrow strongly elevated with 2nd pt.

moderately curved

red very dark

short thin

strong strong strong strong

medium to strong intermediate medium



# AFP 1/1070 CLAIRE

# **CHARACTERS IN DETAIL**

Ear Colour Length Density Shape-side profile Awns or scurs - presence Awns of scurs - distribution Awns or scurs - length: Apical rachis segment - convex face hairiness Anthers - anthocyanin colouration

## Lower glume

External surface Extent of internal hairs Beak length Beak curvature Shoulder width Shoulder shape

# Lower lemma

Beak curvature

# Grain

Colour Colouration with phenol

# Straw

Length Wall thickness @20cms below ear

# Glaucosity

Flag leaf - sheath Flag leaf- blade (lower side) Culm - neck Ear

## Plant growth characters

Coleoptile - anthocyanin colouration Plant - growth habit Time of ear emergence Flag leaf - anthocyanin of auricles white medium lax tapering scurs present upper <sup>1</sup>/<sub>2</sub> short medium to strong absent

slightly rough medium - Group 2 medium slightly curved narrow straight to elevated

## slightly to moderately curved

red very dark

medium thin

## strong to very strong

strong to very strong strong

medium intermed. to semi-prostrate medium to late absent or very weak



# AFP 1/1922

# **CHARACTERS IN DETAIL**

Ear Colour Length Density Shape-side profile Awns or scurs - presence Awns or scurs - distribution Awns or scurs - length Apical rachis segment - convex face hairiness Anthers - anthocyanin colouration

## Lower glume

External surface Extent of internal hairs Beak length Beak curvature Shoulder width Shoulder shape

#### Lower lemma Beak curvature

#### Grain Colour Colouration with phenol

# Straw

Length Wall thickness @20cms below ear

# Glaucosity

Flag leaf - sheath Flag leaf- blade (lower side) Culm - neck Ear

## Plant growth characters

Coleoptile - anthocyanin colouration Plant - growth habit Time of ear emergence Flag leaf - anthocyanin of auricles white medium medium to dense parallel sided scurs present upper 1/4 medium medium absent

slightly rough strong - Group 3 medium moderately curved narrow elevated

moderately curved

red dark to very dark

medium thin

strong strong to very strong medium to strong medium to strong

medium semi-erect to intermediate late



# AFP 1/2486 COMOROS CS

# **CHARACTERS IN DETAIL**

# Ear

Colour Length Density Shape-side profile Awns or scurs - presence Awns or scurs - distribution Awns or scurs - length Apical rachis segment - convex face hairiness Anthers - anthocyanin colouration

#### Lower glume

External surface Extent of internal hairs Beak length Beak curvature Shoulder width Shoulder shape

# Lower lemma

Beak curvature

#### Grain

Colour Colouration with phenol

Straw Length Wall thickness @20cms below ear

#### Glaucosity

Flag leaf - sheath Flag leaf- blade (lower side) Culm - neck Ear

#### Plant growth characters

Coleoptile - anthocyanin colouration Plant - growth habit Time of ear emergence Flag leaf - anthocyanin of auricles

- white medium to long medium tapering scurs present upper 3/4 long to very long weak to medium absent
- smooth medium (group 2) medium slight to moderately curved narrow elevated

moderately curved

red medium to dark

short absent or very thin

medium to strong medium to strong medium to strong medium to strong

weak to medium intermed. to semi-prostrate medium to late



# AFP 1/1813 CONQUEROR

# **CHARACTERS IN DETAIL**

Ear Colour Length Density Shape-side profile Awns or scurs - presence Awns of scurs - distribution Awns or scurs - length: Apical rachis segment - convex face hairiness Anthers - anthocyanin colouration

## Lower glume

External surface Extent of internal hairs Beak length Beak curvature Shoulder width Shoulder shape

# Lower lemma

Beak curvature

# Grain

Colour Colouration with phenol

# Straw

Length Wall thickness @20cms below ear

# Glaucosity

Flag leaf - sheath Flag leaf- blade (lower side) Culm - neck Ear

# Plant growth characters

Coleoptile - anthocyanin colouration Plant - growth habit Time of ear emergence Flag leaf - anthocyanin of auricles white medium parallel sided scurs present upper <sup>1</sup>/<sub>4</sub> short to medium weak absent

smooth medium - Group 2 medium moderate to strongly curved medium elevated

strongly curved

red medium to dark

short to medium thin

strong medium medium medium

medium semi-erect to intermediate medium



# AFP 1/882 CONSORT

# **CHARACTERS IN DETAIL**

Ear Colour Length Density Shape-side profile Awns or scurs - presence Awns of scurs - distribution Awns or scurs - length: Apical rachis segment - convex face hairiness Anthers - anthocyanin colouration

## Lower glume

External surface Extent of internal hairs Beak length Beak curvature Shoulder width Shoulder shape

#### Lower lemma Beak curvature

Deak cui vatu

#### Grain Colour Colouration with phenol

# Straw

Length Wall thickness @20cms below ear

# Glaucosity

Flag leaf - sheath Flag leaf- blade (lower side) Culm - neck Ear

## Plant growth characters

Coleoptile - anthocyanin colouration Plant - growth habit Time of ear emergence Flag leaf - anthocyanin of auricles white medium parallel sided scurs present upper <sup>1</sup>/<sub>4</sub> short to medium weak absent

smooth weak to medium - Group 1+ short to medium slight to moderately curved narrow to medium elevated

strongly curved

red very dark

short to medium thin

medium to strong medium medium to strong strong

absent or very weak intermediate medium to late absent or very weak



# AFP 1/1388 CORDIALE

## **CHARACTERS IN DETAIL**

# Ear

Colour Length Density Shape-side profile Awns or scurs - presence Awns or scurs - distribution Awns or scurs - length Apical rachis segment - convex face hairiness Anthers - anthocyanin colouration

## Lower glume

External surface Extent of internal hairs Beak length Beak curvature Shoulder width Shoulder shape

#### Lower lemma

Beak curvature

#### Grain

Colour Colouration with phenol

#### Straw

Length Wall thickness @20cms below ear

## Glaucosity

Flag leaf - sheath Flag leaf- blade (lower side) Culm - neck Ear

# Plant growth characters

Coleoptile - anthocyanin colouration Plant - growth habit Time of ear emergence Flag leaf - anthocyanin of auricles white short to medium medium parallel sided scurs present upper 1/4 medium weak to medium absent

smooth medium (group 2) short slight to moderately curved medium elevated

slightly to moderately curved

red medium

very short to short absent or very thin

strong

strong medium

medium semi-erect very early to early absent or very weak



# AFP 1/2058

# **CHARACTERS IN DETAIL**

Ear Colour Length Density Shape-side profile Awns or scurs - presence Awns of scurs - distribution Awns or scurs - length: Apical rachis segment - convex face hairiness Anthers - anthocyanin colouration

## Lower glume

External surface Extent of internal hairs Beak length Beak curvature Shoulder width Shoulder shape

#### Lower lemma Beak curvature

#### Grain Colour Colouration with phenol

# Straw

Length Wall thickness @20cms below ear

# Glaucosity

Flag leaf - sheath Flag leaf- blade (lower side) Culm - neck Ear

# Plant growth characters

Coleoptile - anthocyanin colouration Plant - growth habit Time of ear emergence Flag leaf - anthocyanin of auricles white medium to long medium to dense parallel sided scurs present upper <sup>1</sup>/<sub>4</sub> long medium absent

slightly rough medium to strong - Group 2+ medium slight to moderately curved medium elevated

# moderately to strongly curved

red medium to dark

short to medium thin

strong medium to strong medium to strong medium

absent to weak intermediate medium to late



# AFP 1/2363 COSTELLO

# **CHARACTERS IN DETAIL**

# Ear

Colour Length Density Shape-side profile Awns or scurs - presence Awns or scurs - distribution Awns or scurs - length Apical rachis segment - convex face hairiness Anthers - anthocyanin colouration

## Lower glume

External surface Extent of internal hairs Beak length Beak curvature Shoulder width Shoulder shape

#### Lower lemma

Beak curvature

#### Grain

Colour Colouration with phenol

#### Straw

Length Wall thickness @20cms below ear

#### Glaucosity

Flag leaf - sheath Flag leaf- blade (lower side) Culm - neck Ear

# Plant growth characters

Coleoptile - anthocyanin colouration Plant - growth habit Time of ear emergence Flag leaf - anthocyanin of auricles white medium medium tapering scurs present upper 1/4 short to medium weak

slightly rough weak to medium (1+) short strongly curved very narrow to narrow elevated

#### strongly curved

red light to medium

very short to short absent or very thin

strong medium to strong medium medium to strong

medium semi-erect to intermediate late to very late



# AFP 1/2040 COUGAR

# **CHARACTERS IN DETAIL**

Ear Colour Length Density Shape-side profile Awns or scurs - presence Awns of scurs - distribution Awns or scurs - length: Apical rachis segment - convex face hairiness Anthers - anthocyanin colouration

## Lower glume

External surface Extent of internal hairs Beak length Beak curvature Shoulder width Shoulder shape

# Lower lemma

Beak curvature

## Grain

Colour Colouration with phenol

# Straw

Length Wall thickness @20cms below ear

## Glaucosity

Flag leaf - sheath Flag leaf- blade (lower side) Culm - neck Ear

## Plant growth characters

Coleoptile - anthocyanin colouration Plant - growth habit Time of ear emergence Flag leaf - anthocyanin of auricles

- white short dense parallel sided scurs present upper <sup>1</sup>/<sub>2</sub> long to very long weak to medium
- smooth weak to medium - Group 1+ medium strongly curved narrow elevated

strongly curved

red very dark

short thin

strong to very strong strong to very strong strong to very strong strong

medium semi-erect to intermediate medium to late



# AFP 1/2210

# **CREEK**

# **CHARACTERS IN DETAIL**

# Ear

Colour Length Density Shape-side profile Awns or scurs - presence Awns or scurs - distribution Awns or scurs - length Apical rachis segment - convex face hairiness Anthers - anthocyanin colouration

#### Lower glume

External surface Extent of internal hairs Beak length Beak curvature Shoulder width Shoulder shape

# Lower lemma

Beak curvature

## Grain

Colour Colouration with phenol

# Straw

Length Wall thickness @20cms below ear

#### Glaucosity

Flag leaf - sheath Flag leaf- blade (lower side) Culm - neck Ear

## Plant growth characters

Coleoptile - anthocyanin colouration Plant - growth habit Time of ear emergence Flag leaf - anthocyanin of auricles

- white short to medium medium parallel sided scurs present upper 3/4 medium to long weak to medium absent
- smooth medium (2) short slightly curved narrow straight

slightly curved

red medium to dark

short absent or very thin

medium to strong medium to strong medium to strong

absent to weak semi-erect medium to late



# AFP 1/2009 CRUSOE

# **CHARACTERS IN DETAIL**

Ear Colour Length Density Shape-side profile Awns or scurs - presence Awns or scurs - distribution Awns or scurs - length Apical rachis segment - convex face hairiness Anthers - anthocyanin colouration

## Lower glume

External surface Extent of internal hairs Beak length Beak curvature Shoulder width Shoulder shape

# Lower lemma

Beak curvature

## Grain

Colour Colouration with phenol

# Straw

Length Wall thickness @20cms below ear

## Glaucosity

Flag leaf - sheath Flag leaf- blade (lower side) Culm - neck Ear

## Plant growth characters

Coleoptile - anthocyanin colouration Plant - growth habit Time of ear emergence Flag leaf - anthocyanin of auricles white short to medium medium parallel sided scurs present upper 1/4 medium medium to strong

smooth medium to strong - Group 2+ short to medium slight to moderately curved medium to broad elevated

## slightly to moderately curved

red dark to very dark

short thin

absent or very weak absent or very weak absent or very weak absent or very weak

medium to strong semi-erect medium to late



# AFP 1/2101 CUBANITA

# **CHARACTERS IN DETAIL**

Ear Colour Length Density Shape-side profile Awns or scurs - presence Awns of scurs - distribution Awns or scurs - length: Apical rachis segment - convex face hairiness Anthers - anthocyanin colouration

## Lower glume

External surface Extent of internal hairs Beak length Beak curvature Shoulder width Shoulder shape

# Lower lemma

Beak curvature

# Grain

Colour Colouration with phenol

# Straw

Length Wall thickness @20cms below ear

# Glaucosity

Flag leaf - sheath Flag leaf- blade (lower side) Culm - neck Ear

# Plant growth characters

Coleoptile - anthocyanin colouration Plant - growth habit Time of ear emergence Flag leaf - anthocyanin of auricles white medium medium to dense parallel sided scurs present upper ½ long absent to weak absent

smooth strong - Group 3 short to medium slightly curved narrow elevated

# slightly to moderately curved

red medium to dark

short to medium thin

medium to strong medium medium to strong medium

medium intermediate medium to late



# AFP 1/1220 **DEBEN**

# **CHARACTERS IN DETAIL**

Ear Colour Length Density Shape-side profile Awns or scurs - presence Awns of scurs - distribution Awns or scurs - length: Apical rachis segment - convex face hairiness Anthers - anthocyanin colouration

#### Lower glume

External surface Extent of internal hairs Beak length Beak curvature Shoulder width Shoulder shape

# Lower lemma

Beak curvature

# Grain

Colour Colouration with phenol

# Straw

Length Wall thickness @20cms below ear

## Glaucosity

Flag leaf - sheath Flag leaf- blade (lower side) Culm - neck Ear

#### Plant growth characters

Coleoptile - anthocyanin colouration Plant - growth habit Time of ear emergence Flag leaf - anthocyanin of auricles white medium lax tapering scurs present upper <sup>1</sup>/<sub>2</sub> medium medium to strong absent

smooth strong - Group 3 short to medium moderately curved narrow to medium elevated

#### slightly to moderately curved

red dark to very dark

short to medium thin

#### strong

medium to strong strong

weak to medium intermediate medium to late absent or very weak



# AFP 1/2023 **DELPHI**

# **CHARACTERS IN DETAIL**

Ear Colour Length Density Shape-side profile Awns or scurs - presence Awns of scurs - distribution Awns or scurs - length: Apical rachis segment - convex face hairiness Anthers - anthocyanin colouration

## Lower glume

External surface Extent of internal hairs Beak length Beak curvature Shoulder width Shoulder shape

# Lower lemma

Beak curvature

# Grain

Colour Colouration with phenol

# Straw

Length Wall thickness @20cms below ear

## Glaucosity

Flag leaf - sheath Flag leaf- blade (lower side) Culm - neck Ear

## Plant growth characters

Coleoptile - anthocyanin colouration Plant - growth habit Time of ear emergence Flag leaf - anthocyanin of auricles white medium medium parallel sided scurs present upper <sup>3</sup>/<sub>4</sub> long weak to medium

smooth medium to strong - Group 2+ medium to long moderate to strongly curved narrow to medium elevated

## moderately to strongly curved

red medium

short thin

strong strong strong strong

medium to strong semi-erect to intermediate medium to late



# AFP 1/1895 DENMAN

# **CHARACTERS IN DETAIL**

Ear Colour Length Density Shape-side profile Awns or scurs - presence Awns of scurs - distribution Awns or scurs - length: Apical rachis segment - convex face hairiness Anthers - anthocyanin colouration

## Lower glume

External surface Extent of internal hairs Beak length Beak curvature Shoulder width Shoulder shape

# Lower lemma

Beak curvature

# Grain

Colour Colouration with phenol

# Straw

Length Wall thickness @20cms below ear

# Glaucosity

Flag leaf - sheath Flag leaf- blade (lower side) Culm - neck Ear

# Plant growth characters

Coleoptile - anthocyanin colouration Plant - growth habit Time of ear emergence Flag leaf - anthocyanin of auricles white short to medium medium to dense tapering scurs present upper <sup>1</sup>/<sub>4</sub> short absent to weak absent

smooth strong - Group 3 short to medium slightly curved narrow to medium elevated

slightly curved

red medium

short thin

strong medium to strong medium to strong

absent or very weak semi-erect to intermediate medium to late



AFP 1/2180 DEXTER

# **CHARACTERS IN DETAIL**

# Ear

Colour Length Density Shape-side profile Awns or scurs - presence Awns or scurs - distribution Awns or scurs - length Apical rachis segment - convex face hairiness Anthers - anthocyanin colouration

## Lower glume

External surface Extent of internal hairs Beak length Beak curvature Shoulder width Shoulder shape

#### Lower lemma

Beak curvature

#### Grain

Colour Colouration with phenol

#### Straw

Length Wall thickness @20cms below ear

#### Glaucosity

Flag leaf - sheath Flag leaf- blade (lower side) Culm - neck Ear

# Plant growth characters

Coleoptile - anthocyanin colouration Plant - growth habit Time of ear emergence Flag leaf - anthocyanin of auricles

- white medium parallel sided scurs present upper 1/4 medium to long medium to strong absent
- rough weak to medium medium strongly curved narrow to medium elevated

#### geniculate

red dark to very dark

medium absent or very thin

strong medium to strong medium medium

absent to weak semi-erect to intermediate late



# AFP 1/2031 DICKENS

# **CHARACTERS IN DETAIL**

Ear Colour Length Density Shape-side profile Awns or scurs - presence Awns of scurs - distribution Awns or scurs - length: Apical rachis segment - convex face hairiness Anthers - anthocyanin colouration

## Lower glume

External surface Extent of internal hairs Beak length Beak curvature Shoulder width Shoulder shape

# Lower lemma

Beak curvature

# Grain

Colour Colouration with phenol

# Straw

Length Wall thickness @20cms below ear

# Glaucosity

Flag leaf - sheath Flag leaf- blade (lower side) Culm - neck Ear

## Plant growth characters

Coleoptile - anthocyanin colouration Plant - growth habit Time of ear emergence Flag leaf - anthocyanin of auricles

- white medium parallel sided scurs present upper <sup>1</sup>/<sub>4</sub> medium strong
- smooth strong - Group 3 medium slightly curved narrow elevated

moderately curved

red medium to dark

short thin

strong to very strong strong strong

medium to strong semi-erect medium



# AFP 1/2462 DRUMLIN

# **CHARACTERS IN DETAIL**

# Ear

Colour Length Density Shape-side profile Awns or scurs - presence Awns or scurs - distribution Awns or scurs - length Apical rachis segment - convex face hairiness Anthers - anthocyanin colouration

## Lower glume

External surface Extent of internal hairs Beak length Beak curvature Shoulder width Shoulder shape

## Lower lemma

Beak curvature

## Grain

Colour Colouration with phenol

## Straw

Length Wall thickness @20cms below ear

## Glaucosity

Flag leaf - sheath Flag leaf- blade (lower side) Culm - neck Ear

## Plant growth characters

Coleoptile - anthocyanin colouration Plant - growth habit Time of ear emergence Flag leaf - anthocyanin of auricles

- white short medium to dense tapering scurs present upper 1/4 short to medium medium
- smooth medium (group 2) medium moderately curved narrow elevated

## strongly curved

red dark

very short absent or very thin

medium to strong medium to strong medium to strong

absent to weak semi-erect to intermediate late



# AFP 1/2382 DUNSTON

# **CHARACTERS IN DETAIL**

# Ear

Colour Length Density Shape-side profile Awns or scurs - presence Awns or scurs - distribution Awns or scurs - length Apical rachis segment - convex face hairiness Anthers - anthocyanin colouration

## Lower glume

External surface Extent of internal hairs Beak length Beak curvature Shoulder width Shoulder shape

#### Lower lemma

Beak curvature

#### Grain

Colour Colouration with phenol

#### Straw

Length Wall thickness @20cms below ear

#### Glaucosity

Flag leaf - sheath Flag leaf- blade (lower side) Culm - neck Ear

# Plant growth characters

Coleoptile - anthocyanin colouration Plant - growth habit Time of ear emergence Flag leaf - anthocyanin of auricles

- white medium to long medium tapering scurs present upper 1/4 long medium
- smooth strong (group 3) medium slightly curved narrow elevated

slightly curved

red dark to very dark

short absent or very thin

medium to strong medium to strong medium medium

weak to medium intermed. to semi-prostrate very late



# AFP 1/1725 DUXFORD

# **CHARACTERS IN DETAIL**

Ear Colour Length Density Shape-side profile Awns or scurs - presence Awns of scurs - distribution Awns or scurs - length: Apical rachis segment - convex face hairiness Anthers - anthocyanin colouration

## Lower glume

External surface Extent of internal hairs Beak length Beak curvature Shoulder width Shoulder shape

# Lower lemma

Beak curvature

# Grain

Colour Colouration with phenol

# Straw

Length Wall thickness @20cms below ear

# Glaucosity

Flag leaf - sheath Flag leaf- blade (lower side) Culm - neck Ear

## Plant growth characters

Coleoptile - anthocyanin colouration Plant - growth habit Time of ear emergence Flag leaf - anthocyanin of auricles white medium parallel sided scurs present upper <sup>1</sup>/<sub>4</sub> short to medium strong absent

smooth medium - Group 2 short to medium slightly curved narrow strongly elevated with 2nd pt.

slightly curved

red light to medium

short thin

medium to strong weak medium medium to strong

weak semi-erect early to medium



# **EDGAR**

# **CHARACTERS IN DETAIL**

Ear
-----

Ear	
Colour:	white
Length:	long
Density:	lax
Shape (side profile)	tapering
Awns or scurs - presence:	scurs present
Awns or scurs - distribution:	
Awns or scurs - length:	short
Apical rachis segment - convex face hairiness:	weak to medium
Anthers - anthocyanin colouration	
Lower Glume External surface roughness:	
External surface roughness. Extent of internal hairs:	
	weak - group 1
Beak length:	very short to shor
Beak shape (curvature):	strongly curved
Shoulder	narrow
Shoulder	straight to elevate
Lower Lemma	
Beak shape:	
Grain	
Colour	red
Colouration with phenol:	dark
Straw	
Length:	medium
Wall thickness @ 20cms below ear:	very thin
Glaucosity	
Flag leaf - sheath:	strong
Flag leaf - blade (lower side):	strong
Culm neck:	strong to very stro
Ear - Glaucosity:	medium to strong
Plant growth characters	
Coleoptile-anthocyanin	very weak to wea
Plant - growth habit:	intermediate
Time ear emergence:	medium to late
Flag leaf - Anthocyanin colouration of auricles:	

rt ed

rong ıg

ak



# AFP 1/1860 EDMUNDS

# **CHARACTERS IN DETAIL**

# Ear

Colour Length Density Shape-side profile Awns or scurs - presence Awns or scurs - distribution Awns or scurs - length Apical rachis segment - convex face hairiness Anthers - anthocyanin colouration

## Lower glume

External surface Extent of internal hairs Beak length Beak curvature Shoulder width Shoulder shape

#### Lower lemma

Beak curvature

#### Grain

Colour Colouration with phenol

#### Straw

Length Wall thickness @20cms below ear

#### Glaucosity

Flag leaf - sheath Flag leaf- blade (lower side) Culm - neck Ear

# Plant growth characters

Coleoptile - anthocyanin colouration Plant - growth habit Time of ear emergence Flag leaf - anthocyanin of auricles

- white medium medium to dense parallel sided scurs present upper 1/4 short to medium strong absent
- slightly rough strong (3) medium slightly curved narrow elevated

slightly to moderately curved

red very dark

very short to short absent or very thin

strong medium to strong medium weak to medium

strong semi-erect medium to late



# AFP 1/1376 EINSTEIN

# **CHARACTERS IN DETAIL**

Ear Colour Length Density Shape-side profile Awns or scurs - presence Awns of scurs - distribution Awns or scurs - length: Apical rachis segment - convex face hairiness Anthers - anthocyanin colouration

## Lower glume

External surface Extent of internal hairs Beak length Beak curvature Shoulder width Shoulder shape

#### Lower lemma Beak curvature

Grain Colour Colouration with phenol

# Straw

Length Wall thickness @20cms below ear

# Glaucosity

Flag leaf - sheath Flag leaf- blade (lower side) Culm - neck Ear

# Plant growth characters

Coleoptile - anthocyanin colouration Plant - growth habit Time of ear emergence Flag leaf - anthocyanin of auricles white medium tapering scurs present upper <sup>1</sup>/<sub>4</sub> short weak to medium absent

slightly rough weak to medium - Group 1+ short slight to moderately curved narrow to medium elevated

## moderately to strongly curved

red medium to dark

short to medium medium

## strong

medium to strong weak to medium

absent to weak semi-erect early to medium absent or very weak



# AFP 1/2489 ELABORATE

# **CHARACTERS IN DETAIL**

# Ear

Colour Length Density Shape-side profile Awns or scurs - presence Awns or scurs - distribution Awns or scurs - length Apical rachis segment - convex face hairiness Anthers - anthocyanin colouration

#### Lower glume

External surface Extent of internal hairs Beak length Beak curvature Shoulder width Shoulder shape

#### Lower lemma

Beak curvature

#### Grain

Colour Colouration with phenol

#### Straw

Length Wall thickness @20cms below ear

## Glaucosity

Flag leaf - sheath Flag leaf- blade (lower side) Culm - neck Ear

# Plant growth characters

Coleoptile - anthocyanin colouration Plant - growth habit Time of ear emergence Flag leaf - anthocyanin of auricles white long lax to medium tapering scurs present upper 1/2 medium to long strong absent

smooth weak to medium (group 1+) medium moderately curved narrow elevated

slightly to moderately curved

red medium to dark

short absent or very thin

weak to medium weak to medium medium

absent to weak intermed. to semi-prostrate late



# AFP 1/2490 ELATION

# **CHARACTERS IN DETAIL**

# Ear

Colour Length Density Shape-side profile Awns or scurs - presence Awns or scurs - distribution Awns or scurs - length Apical rachis segment - convex face hairiness Anthers - anthocyanin colouration

## Lower glume

External surface Extent of internal hairs Beak length Beak curvature Shoulder width Shoulder shape

#### Lower lemma

Beak curvature

#### Grain

Colour Colouration with phenol

#### Straw

Length Wall thickness @20cms below ear

#### Glaucosity

Flag leaf - sheath Flag leaf- blade (lower side) Culm - neck Ear

# Plant growth characters

Coleoptile - anthocyanin colouration Plant - growth habit Time of ear emergence Flag leaf - anthocyanin of auricles

- white short to medium medium parallel sided scurs present upper 1/2 medium to long medium absent
- smooth weak to medium (group 1+) medium moderately curved medium straight to elevated

#### moderately curved

red medium to dark

short absent or very thin

medium to strong medium to strong medium to strong medium to strong

weak to medium intermed. to semi-prostrate late



# AFP 1/2492 **ELICIT**

# **CHARACTERS IN DETAIL**

# Ear

Colour Length Density Shape-side profile Awns or scurs - presence Awns or scurs - distribution Awns or scurs - length Apical rachis segment - convex face hairiness Anthers - anthocyanin colouration

## Lower glume

External surface Extent of internal hairs Beak length Beak curvature Shoulder width Shoulder shape

#### Lower lemma

Beak curvature

#### Grain

Colour Colouration with phenol

#### Straw

Length Wall thickness @20cms below ear

## Glaucosity

Flag leaf - sheath Flag leaf- blade (lower side) Culm - neck Ear

# Plant growth characters

Coleoptile - anthocyanin colouration Plant - growth habit Time of ear emergence Flag leaf - anthocyanin of auricles

- white medium to dense parallel sided scurs present upper 1/2 very long weak to medium absent
- slightly rough weak (group 1) medium slight to moderately curved narrow straight to elevated

#### moderately curved

red medium to dark

short absent or very thin

strong medium to strong medium to strong medium to strong

weak intermediate late



# AFP 1/2488 ELOQUENCE

# **CHARACTERS IN DETAIL**

# Ear

Colour Length Density Shape-side profile Awns or scurs - presence Awns or scurs - distribution Awns or scurs - length Apical rachis segment - convex face hairiness Anthers - anthocyanin colouration

## Lower glume

External surface Extent of internal hairs Beak length Beak curvature Shoulder width Shoulder shape

#### Lower lemma

Beak curvature

#### Grain

Colour Colouration with phenol

#### Straw

Length Wall thickness @20cms below ear

## Glaucosity

Flag leaf - sheath Flag leaf- blade (lower side) Culm - neck Ear

#### Plant growth characters

Coleoptile - anthocyanin colouration Plant - growth habit Time of ear emergence Flag leaf - anthocyanin of auricles white medium to long lax to medium tapering scurs present upper 1/2 long medium to strong absent

smooth strong (group 3) medium slight to moderately curved narrow elevated

slightly to moderately curved

red dark to very dark

short absent or very thin

medium to strong medium to strong medium to strong

absent to weak intermediate medium



# AFP 1/2641 ELWELL

# **CHARACTERS IN DETAIL**

# Ear

Colour Length Density Shape-side profile Awns or scurs - presence Awns or scurs - distribution Awns or scurs - length Apical rachis segment - convex face hairiness Anthers - anthocyanin colouration

#### Lower glume

External surface Extent of internal hairs Beak length Beak curvature Shoulder width Shoulder shape

#### Lower lemma

Beak curvature

## Grain

Colour Colouration with phenol

#### Straw

Length Wall thickness @20cms below ear

#### Glaucosity

Flag leaf - sheath Flag leaf- blade (lower side) Culm - neck Ear

#### Plant growth characters

Coleoptile - anthocyanin colouration Plant - growth habit Time of ear emergence Flag leaf - anthocyanin of auricles white medium medium parallel sided scurs present upper 1/4 long weak to medium

rough weak to medium (group 1+) short to medium slightly curved narrow to medium straight to elevated

moderately curved

red dark

short to medium absent or very thin

strong strong strong strong

medium intermediate late



# AFP 1/2718 ELYSIUM

# **CHARACTERS IN DETAIL**

# Ear

Colour Length Density Shape-side profile Awns or scurs - presence Awns or scurs - distribution Awns or scurs - length Apical rachis segment - convex face hairiness Anthers - anthocyanin colouration

## Lower glume

External surface Extent of internal hairs Beak length Beak curvature Shoulder width Shoulder shape

#### Lower lemma

Beak curvature

#### Grain

Colour Colouration with phenol

#### Straw

Length Wall thickness @20cms below ear

## Glaucosity

Flag leaf - sheath Flag leaf- blade (lower side) Culm - neck Ear

# Plant growth characters

Coleoptile - anthocyanin colouration Plant - growth habit Time of ear emergence Flag leaf - anthocyanin of auricles white medium to long medium tapering scurs present upper 1/4 long medium to strong

slightly rough medium to strong (group 2+) medium slightly curved very narrow to narrow elev. to strongly elevated

slightly to moderately curved

red dark

medium absent or very thin

strong strong medium to strong

medium intermediate late



# AFP 1/2199 ENERGISE

# **CHARACTERS IN DETAIL**

# Ear

Colour Length Density Shape-side profile Awns or scurs - presence Awns or scurs - distribution Awns or scurs - length Apical rachis segment - convex face hairiness Anthers - anthocyanin colouration

## Lower glume

External surface Extent of internal hairs Beak length Beak curvature Shoulder width Shoulder shape

#### Lower lemma

Beak curvature

#### Grain

Colour Colouration with phenol

#### Straw

Length Wall thickness @20cms below ear

#### Glaucosity

Flag leaf - sheath Flag leaf- blade (lower side) Culm - neck Ear

# Plant growth characters

Coleoptile - anthocyanin colouration Plant - growth habit Time of ear emergence Flag leaf - anthocyanin of auricles

- white medium lax to medium parallel sided scurs present upper 1/2 long to very long weak to medium absent
- smooth medium moderate to strongly curved narrow to medium elevated

#### strongly curved

red dark to very dark

short absent or very thin

strong to very strong medium to strong medium to strong medium to strong

weak to medium intermediate late



# AFP 1/2162 EVOLUTION

# **CHARACTERS IN DETAIL**

Ear Colour Length Density Shape-side profile Awns or scurs - presence Awns of scurs - distribution Awns or scurs - length: Apical rachis segment - convex face hairiness Anthers - anthocyanin colouration

#### Lower glume

External surface Extent of internal hairs Beak length Beak curvature Shoulder width Shoulder shape

# Lower lemma

Beak curvature

# Grain

Colour Colouration with phenol

# Straw

Length Wall thickness @20cms below ear

## Glaucosity

Flag leaf - sheath Flag leaf- blade (lower side) Culm - neck Ear

## Plant growth characters

Coleoptile - anthocyanin colouration Plant - growth habit Time of ear emergence Flag leaf - anthocyanin of auricles white medium parallel sided scurs present upper <sup>1</sup>/<sub>2</sub> long to very long weak to medium absent

rough weak to medium - Group 1+ medium strongly curved medium elevated

## strongly curved to geniculate

red medium to dark

short to medium thin

medium medium medium

weak intermediate medium to late



# AFP 1/1213 **EXSEPT**

# **CHARACTERS IN DETAIL**

Ear Colour Length Density Shape-side profile Awns or scurs - presence Awns of scurs - distribution Awns or scurs - length: Apical rachis segment - convex face hairiness Anthers - anthocyanin colouration

#### Lower glume

External surface Extent of internal hairs Beak length Beak curvature Shoulder width Shoulder shape

# Lower lemma

Beak curvature

## Grain

Colour Colouration with phenol

# Straw

Length Wall thickness @20cms below ear

## Glaucosity

Flag leaf - sheath Flag leaf- blade (lower side) Culm - neck Ear

## Plant growth characters

Coleoptile - anthocyanin colouration Plant - growth habit Time of ear emergence Flag leaf - anthocyanin of auricles white medium to long lax to medium tapering scurs present tip only short weak to medium absent

smooth medium - Group 2 medium moderately curved narrow to medium straight

moderately curved

red very dark

short thin

strong

strong strong

medium semi-prostrate late to very late absent or very weak



# AFP 1/1890

# FAIRWAY

# **CHARACTERS IN DETAIL**

# Ear

Colour Length Density Shape-side profile Awns or scurs - presence Awns or scurs - distribution Awns or scurs - length Apical rachis segment - convex face hairiness Anthers - anthocyanin colouration

#### Lower glume

External surface Extent of internal hairs Beak length Beak curvature Shoulder width Shoulder shape

#### Lower lemma

Beak curvature

## Grain

Colour Colouration with phenol

#### Straw

Length Wall thickness @20cms below ear

#### Glaucosity

Flag leaf - sheath Flag leaf- blade (lower side) Culm - neck Ear

## Plant growth characters

Coleoptile - anthocyanin colouration Plant - growth habit Time of ear emergence Flag leaf - anthocyanin of auricles white medium to long medium to dense parallel sided scurs present

very short to short medium to strong

weak to medium (group 1+) short slightly curved narrow slightly sloping

red dark to very dark

short absent or very thin

strong to very strong strong to very strong strong strong

absent or very weak semi-prostrate to prostrate medium to late



# AFP 1/2961 FITZROY

# **CHARACTERS IN DETAIL**

# Ear

Colour Length Density Shape-side profile Awns or scurs - presence Awns or scurs - distribution Awns or scurs - length Apical rachis segment - convex face hairiness Anthers - anthocyanin colouration

#### Lower glume

External surface Extent of internal hairs Beak length Beak curvature Shoulder width Shoulder shape

# Lower lemma

Beak curvature

#### Grain

Colour Colouration with phenol

#### Straw

Length Wall thickness @20cms below ear

## Glaucosity

Flag leaf - sheath Flag leaf- blade (lower side) Culm - neck Ear

#### Plant growth characters

Coleoptile - anthocyanin colouration Plant - growth habit Time of ear emergence Flag leaf - anthocyanin of auricles

- white short to medium medium to dense parallel sided scurs present upper 1/4 long to very long medium to strong absent
- entire external surface rough weak to medium (group 1+) medium strongly curved medium to broad straight to elevated

#### geniculate

red medium

short to medium absent or very thin

very strong very strong strong to very strong weak to medium

very weak to weak intermediate late to very late absent or very weak



# FLORETT

# CHARACTERS IN DETAIL

Ear	
Colour:	white
Length:	short to medium
Density:	medium to dense
Shape (side profile)	tapering
Awns or scurs - presence:	scurs present
Awns or scurs - distribution:	
Awns or scurs - length:	short to medium
Apical rachis segment - convex face hairiness:	medium
Anthers - anthocyanin colouration Lower Glume External surface roughness:	
Extent of internal hairs:	weak to medium - group 1 to 2
Beak length:	very short to short
0	•
Beak shape (curvature):	moderately curved
Shoulder	narrow
Shoulder	slightly sloping to straight
Lower Lemma	
Beak shape:	
Grain	
Colour	red
Colouration with phenol:	dark
Straw	
Length:	short
Wall thickness @ 20cms below ear:	very thin
Glaucosity	
Flag leaf - sheath:	strong
Flag leaf - blade (lower side):	weak to medium
Culm neck:	medium to strong
Ear - Glaucosity:	medium
Plant growth characters	
Coleoptile-anthocyanin Plant - growth habit: Time ear emergence: Flag leaf - Anthocyanin colouration of auricles:	absent or very weak intermediate medium



### AFP 1/2100 FOREST

#### **CHARACTERS IN DETAIL**

#### Ear

Colour Length Density Shape-side profile Awns or scurs - presence Awns or scurs - distribution Awns or scurs - length Apical rachis segment - convex face hairiness Anthers - anthocyanin colouration

#### Lower glume

External surface Extent of internal hairs Beak length Beak curvature Shoulder width Shoulder shape

#### Lower lemma

Beak curvature

#### Grain

Colour Colouration with phenol

#### Straw

Length Wall thickness @20cms below ear

#### Glaucosity

Flag leaf - sheath Flag leaf- blade (lower side) Culm - neck Ear

#### Plant growth characters

Coleoptile - anthocyanin colouration Plant - growth habit Time of ear emergence Flag leaf - anthocyanin of auricles

- white short to medium dense parallel sided scurs present upper 1/4 medium to long weak absent
- smooth weak to medium (1+) medium slightly curved narrow elevated

#### slightly curved

red dark to very dark

short very thick or filled

medium medium to strong medium to strong medium

absent or very weak semi-erect to intermediate medium



### AFP 1/2111 FORZOR

#### **CHARACTERS IN DETAIL**

#### Ear

Colour Length Density Shape-side profile Awns or scurs - presence Awns or scurs - distribution Awns or scurs - length Apical rachis segment - convex face hairiness Anthers - anthocyanin colouration

#### Lower glume

External surface Extent of internal hairs Beak length Beak curvature Shoulder width Shoulder shape

#### Lower lemma

Beak curvature

#### Grain

Colour Colouration with phenol

#### Straw

Length Wall thickness @20cms below ear

#### Glaucosity

Flag leaf - sheath Flag leaf- blade (lower side) Culm - neck Ear

#### Plant growth characters

Coleoptile - anthocyanin colouration Plant - growth habit Time of ear emergence Flag leaf - anthocyanin of auricles white medium lax to medium parallel sided scurs present upper 1/4 short weak to medium absent

smooth medium (2) short to medium slightly curved narrow to medium elevated

moderately curved

red very dark

short to medium absent or very thin

medium weak to medium weak to medium medium

weak intermediate medium to late



### AFP 1/2383 FREISTON

#### **CHARACTERS IN DETAIL**

#### Ear

Colour Length Density Shape-side profile Awns or scurs - presence Awns or scurs - distribution Awns or scurs - length Apical rachis segment - convex face hairiness Anthers - anthocyanin colouration

#### Lower glume

External surface Extent of internal hairs Beak length Beak curvature Shoulder width Shoulder shape

#### Lower lemma

Beak curvature

#### Grain

Colour Colouration with phenol

#### Straw

Length Wall thickness @20cms below ear

#### Glaucosity

Flag leaf - sheath Flag leaf- blade (lower side) Culm - neck Ear

#### Plant growth characters

Coleoptile - anthocyanin colouration Plant - growth habit Time of ear emergence Flag leaf - anthocyanin of auricles

- white long lax to medium tapering scurs present upper 1/4 long strong
- smooth strong (group 3) medium to long moderately curved narrow elevated

moderately curved

red dark

short absent or very thin

medium medium medium

absent or very weak intermed. to semi-prostrate very late



Variety Name: Frontal

Crop:

Breeder's Reference:	AFP No:	
Breeder:	Translated from: Dutch	
Origin:	Date:	24 March 2015
Code: FRNT		
Coleoptile-anthocyanin colouration:		t or very weak
*Plant - growth habit:		ediate to semi prostrate
*Time ear emergence:	Mediu	m
Flag leaf - Anthocyanin colouration of auricles:		
Frequency of plants with recurved flag leaves:		medium
*Flag leaf - Glaucosity of sheath:	Strong	to very strong
Flag leaf - Glaucosity of leaf blade:	Strong	
Anthers - anthocyanin colouration:		
Glaucosity of neck:	Strong	to very strong
Hairiness of uppermost node:		
*Plant - height:	Mediu	m
*Straw - wall thickness @ 20cms below ear:	Very the	hin
*Ear - Glaucosity:	Strong	to very strong
Ear - Supernumerary spikelets - frequency:		
*Ear - Colour:	White	
*Ear - Shape (side profile):	Taperi	ng
Ear - Length:	Short t	o medium
*Ear - Density:	Mediu	m to dense
*Awns or scurs - presence:	Presen	t
Awns or scurs - distibution:		
*Scurs at tip of ear - length:		
*Awns at tip of ear - length:	Mediu	m
Lower glume - Beak length:	Mediu	m
Lower glume - Beak shape (curvature):		
Lower glume - Beak tip:		
Lower glume - Shoulder width:	Mediu	m
Lower glume - Shoulder type:	Elevate	ed
Lower glume - External surface roughness:		
Lower glume - Extent of internal hairs:		
Lower glume - Internal imprint:		
Lower lemma - Beak shape:	Moder	ately curved
Lower lemma - Beak length-:	Mediu	m
Lower lemma - Beak swelling:		
Apical rachis segement - convex face hairiness:	Mediu	m to strong
*Grain - colour:	Red	-
Grain - Shape:		
Grain - Brush hair length in dorsal view:		
Grain - Colouration with phenol:	Mediu	m to dark
*Seasonal type:	Winter	•
Extra characters:		

\* = Characteristics which should always be included in the description of the variety.

30 March 2015



### AFP 1/2345 FURLONG

#### **CHARACTERS IN DETAIL**

#### Ear

Colour Length Density Shape-side profile Awns or scurs - presence Awns or scurs - distribution Awns or scurs - length Apical rachis segment - convex face hairiness Anthers - anthocyanin colouration

#### Lower glume

External surface Extent of internal hairs Beak length Beak curvature Shoulder width Shoulder shape

#### Lower lemma

Beak curvature

#### Grain

Colour Colouration with phenol

#### Straw

Length Wall thickness @20cms below ear

#### Glaucosity

Flag leaf - sheath Flag leaf- blade (lower side) Culm - neck Ear

#### Plant growth characters

Coleoptile - anthocyanin colouration Plant - growth habit Time of ear emergence Flag leaf - anthocyanin of auricles

- white medium tapering scurs present upper 3/4 medium to long weak to medium
- smooth strong (group 3) medium moderately curved narrow elevated

#### moderately curved

red medium to dark

short absent or very thin

medium to strong medium to strong medium to strong medium

medium to strong semi-erect to intermediate late to very late



### AFP 1/1769 GALLANT

### **CHARACTERS IN DETAIL**

#### Ear

Colour Length Density Shape-side profile Awns or scurs - presence Awns of scurs - distribution Awns or scurs - length: Apical rachis segment - convex face hairiness Anthers - anthocyanin colouration

#### Lower glume

External surface Extent of internal hairs Beak length Beak curvature Shoulder width Shoulder shape

Lower lemma Beak curvature

#### Grain

Colour Colouration with phenol

#### Straw

Length Wall thickness @20cms below ear

#### Glaucosity

Flag leaf - sheath Flag leaf - blade (lower side) Culm - neck Ear

#### Plant growth characters

Coleoptile - anthocyanin colouration Plant - growth habit Time of ear emergence Flag leaf - anthocyanin of auricles white medium to dense parallel sided scurs present upper <sup>1</sup>/<sub>4</sub> medium medium to strong absent

smooth strong - Group 3 short - medium slightly curved medium elevated

straight

red dark

short to medium thin

strong medium medium to strong medium

strong semi-erect medium



### AFP 1/2959 GARIBALDI

#### **CHARACTERS IN DETAIL**

#### Ear

Colour Length Density Shape-side profile Awns or scurs - presence Awns or scurs - distribution Awns or scurs - length Apical rachis segment - convex face hairiness Anthers - anthocyanin colouration

#### Lower glume

External surface Extent of internal hairs Beak length Beak curvature Shoulder width Shoulder shape

#### Lower lemma

Beak curvature

#### Grain

Colour Colouration with phenol

#### Straw

Length Wall thickness @20cms below ear

#### Glaucosity

Flag leaf - sheath Flag leaf- blade (lower side) Culm - neck Ear

#### Plant growth characters

Coleoptile - anthocyanin colouration Plant - growth habit Time of ear emergence Flag leaf - anthocyanin of auricles

- white medium lax to medium tapering scurs present upper 1/2 long medium to strong absent
- rough medium (group 2) long strongly curved to geniculate medium elevated

#### geniculate

red dark to very dark

short absent or very thin

strong to very strong strong to very strong strong to very strong medium

very weak to weak intermediate late to very late absent or very weak



Variety Name: Genius

### Crop: Winter Wheat

Breeder's Reference:	AFP No:	
Breeder: Nordsaat Saatzuchtgesellschaft	Translated from: German	
Origin:	<b>Date:</b> 08 October 2010	
Code: GENI		
Coleoptile-anthocyanin colouration:	absent or very weak	
*Plant - growth habit:	intermediate	
*Time ear emergence:	medium	
Flag leaf - Anthocyanin colouration of auricles:		
Frequency of plants with recurved flag leaves:	very low to low	
*Flag leaf - Glaucosity of sheath:	strong	
Flag leaf - Glaucosity of leaf blade:	medium to strong	
Anthers - anthocyanin colouration:	-	
Glaucosity of neck:	medium to strong	
Hairiness of uppermost node:	Ũ	
*Plant - height:	short to medium	
*Straw - wall thickness @ 20cms below ear:	very thin	
*Ear - Glaucosity:	weak to medium	
Ear - Supernumerary spikelets - frequency:		
*Ear - Colour:	white	
*Ear - Shape (side profile):	tapering	
Ear - Length:	medium to long	
*Ear - Density:	lax to medium	
*Awns or scurs - presence:	scurs present	
Awns or scurs - distibution:	Ī	
*Scurs at tip of ear - length:	short	
*Awns at tip of ear - length:		
Lower glume - Beak length:	short	
Lower glume - Beak shape (curvature):	moderately curved	
Lower glume - Beak tip:	moderatery curved	
Lower glume - Shoulder width:	narrow	
Lower glume - Shoulder type:	straight to elevated	
Lower glume - External surface roughness:	straight to cievated	
Lower glume - Extent of internal hairs:	weak - group 1	
Lower glume - Internal imprint:	weak group i	
Lower lemma - Beak shape:		
Lower lemma - Beak length-:		
Lower lemma - Beak swelling:		
Apical rachis segement - convex face hairiness:	strong	
*Grain - colour:	red	
Grain - Shape:	160	
<b>L</b>		
Grain - Brush hair length in dorsal view:	medium to dark	
Grain - Colouration with phenol:		
*Seasonal type:	winter	
Extra characters:		

\* = Characteristics which should always be included in the description of the variety.

30 March 2015



### AFP 1/1442 GLADIATOR

#### **CHARACTERS IN DETAIL**

Ear Colour Length Density Shape-side profile Awns or scurs - presence Awns of scurs - distribution Awns or scurs - length: Apical rachis segment - convex face hairiness Anthers - anthocyanin colouration

#### Lower glume

External surface Extent of internal hairs Beak length Beak curvature Shoulder width Shoulder shape

#### Lower lemma Beak curvature

Grain

Colour Colouration with phenol

#### Straw

Length Wall thickness @20cms below ear

Glaucosity Flag leaf - sheath Flag leaf- blade (lower side) Culm - neck Ear

#### Plant growth characters

Coleoptile - anthocyanin colouration Plant - growth habit Time of ear emergence Flag leaf - anthocyanin of auricles white medium lax to medium tapering scurs present upper <sup>1</sup>/<sub>4</sub> short to medium medium absent

medium - Group 2 short moderately curved narrow straight to elevated

strongly curved

red light to medium

short to medium thin

strong to very strong

strong to very strong strong

medium intermediate early absent or very weak



### AFP 1/1482 GLASGOW

#### **CHARACTERS IN DETAIL**

#### Ear

Colour Length Density Shape-side profile Awns or scurs - presence Awns or scurs - distribution Awns or scurs - length Apical rachis segment - convex face hairiness Anthers - anthocyanin colouration

#### Lower glume

External surface Extent of internal hairs Beak length Beak curvature Shoulder width Shoulder shape

#### Lower lemma

Beak curvature

#### Grain

Colour Colouration with phenol

#### Straw

Length Wall thickness @20cms below ear

#### Glaucosity

Flag leaf - sheath Flag leaf- blade (lower side) Culm - neck Ear

#### Plant growth characters

Coleoptile - anthocyanin colouration Plant - growth habit Time of ear emergence Flag leaf - anthocyanin of auricles white short to medium medium parallel sided scurs present upper 1/4 short to medium weak to medium absent

smooth strong - Group 3 short to medium slightly curved narrow straight

slightly curved

red medium to dark

medium thin

medium to strong

medium to strong medium

medium intermed. to semi-prostrate very early to early absent or very weak



### AFP 1/2546 GLEAM

#### **CHARACTERS IN DETAIL**

#### Ear

Colour Length Density Shape-side profile Awns or scurs - presence Awns or scurs - distribution Awns or scurs - length Apical rachis segment - convex face hairiness Anthers - anthocyanin colouration

#### Lower glume

External surface Extent of internal hairs Beak length Beak curvature Shoulder width Shoulder shape

#### Lower lemma

Beak curvature

#### Grain

Colour Colouration with phenol

#### Straw

Length Wall thickness @20cms below ear

#### Glaucosity

Flag leaf - sheath Flag leaf- blade (lower side) Culm - neck Ear

#### Plant growth characters

Coleoptile - anthocyanin colouration Plant - growth habit Time of ear emergence Flag leaf - anthocyanin of auricles

- white short to medium medium to dense parallel sided scurs present upper 3/4 long to very long weak absent
- smooth strong (group 3) short to medium v.slightly curved very narrow to narrow straight to elevated

#### slightly curved

red dark to very dark

very short absent or very thin

strong medium to strong strong strong

weak intermediate medium



### AFP 1/2135 GOLDENGUN

#### **CHARACTERS IN DETAIL**

Ear Colour Length Density Shape-side profile Awns or scurs - presence Awns or scurs - distribution Awns or scurs - length Apical rachis segment - convex face hairiness Anthers - anthocyanin colouration

#### Lower glume

External surface Extent of internal hairs Beak length Beak curvature Shoulder width Shoulder shape

### Lower lemma

Beak curvature

#### Grain

Colour Colouration with phenol

#### Straw

Length Wall thickness @20cms below ear

#### Glaucosity

Flag leaf - sheath Flag leaf- blade (lower side) Culm - neck Ear

#### Plant growth characters

Coleoptile - anthocyanin colouration Plant - growth habit Time of ear emergence Flag leaf - anthocyanin of auricles white medium medium to dense parallel sided scurs present upper 1/2 medium to long weak to medium absent

smooth strong - Group 3 medium slightly curved narrow elev. to elev with 2nd point

#### moderately curved

red dark

short to medium thin

medium to strong medium medium medium

strong to very strong intermed. to semi-prostrate late



### AFP 1/1811 GRAFTON

#### **CHARACTERS IN DETAIL**

Ear Colour Length Density Shape-side profile Awns or scurs - presence Awns of scurs - distribution Awns or scurs - length: Apical rachis segment - convex face hairiness Anthers - anthocyanin colouration

#### Lower glume

External surface Extent of internal hairs Beak length Beak curvature Shoulder width Shoulder shape

#### Lower lemma

Beak curvature

#### Grain

Colour Colouration with phenol

#### Straw

Length Wall thickness @20cms below ear

#### Glaucosity

Flag leaf - sheath Flag leaf- blade (lower side) Culm - neck Ear

#### Plant growth characters

Coleoptile - anthocyanin colouration Plant - growth habit Time of ear emergence Flag leaf - anthocyanin of auricles white short to medium dense parallel sided scurs present upper <sup>1</sup>/<sub>2</sub> medium to long strong absent

rough weak to medium - Group 1+ short to medium moderate to strongly curved medium elevated

moderately curved

red medium

short thin

strong medium to strong medium to strong medium to strong

strong intermediate medium



# Variety Name: Graham

Crop:

Breeder's Reference:	ence: AFP No:		
Breeder: Syngenta Seeds SAS	Translated from: French		
Origin:	Date: 03 November 2014		
Code: GRAH			
Coleoptile-anthocyanin colouration:	Absent or very weak		
*Plant - growth habit:	Intermediate to semi prostrate		
*Time ear emergence:	Medium to late		
Flag leaf - Anthocyanin colouration of auricles:			
Frequency of plants with recurved flag leaves:			
*Flag leaf - Glaucosity of sheath:	Strong to very strong		
Flag leaf - Glaucosity of leaf blade:	Strong to very strong		
Anthers - anthocyanin colouration:			
Glaucosity of neck:			
Hairiness of uppermost node:			
*Plant - height:	Short to medium		
*Straw - wall thickness @ 20cms below ear:	Very thin		
*Ear - Glaucosity:	Strong to very strong		
Ear - Supernumerary spikelets - frequency:			
*Ear - Colour:	White		
*Ear - Shape (side profile):	Parallel sided		
Ear - Length:	Long to very long		
*Ear - Density:	Medium to dense		
*Awns or scurs - presence:	Present		
Awns or scurs - distibution:			
*Scurs at tip of ear - length:	Very short		
*Awns at tip of ear - length:			
Lower glume - Beak length:	Short		
Lower glume - Beak shape (curvature):	Slightly curved		
Lower glume - Beak tip:			
Lower glume - Shoulder width:	Narrow		
Lower glume - Shoulder type:	Straight or elevated		
Lower glume - External surface roughness:	-		
Lower glume - Extent of internal hairs:	Weak		
Lower glume - Internal imprint:			
Lower lemma - Beak shape:	Slightly curved		
Lower lemma - Beak length-:	Short		
Lower lemma - Beak swelling:			
Apical rachis segement - convex face hairiness:	Weak		
*Grain - colour:	Red		
Grain - Shape:			
Grain - Brush hair length in dorsal view:			
Grain - Colouration with phenol:	Medium		
*Seasonal type:	Winter		
	==== = =		

\* = Characteristics which should always be included in the description of the variety.

31 March 2015



### AFP 1/1940 GRAVITAS

#### **CHARACTERS IN DETAIL**

Ear Colour Length Density Shape-side profile Awns or scurs - presence Awns of scurs - distribution Awns or scurs - length: Apical rachis segment - convex face hairiness Anthers - anthocyanin colouration

#### Lower glume

External surface Extent of internal hairs Beak length Beak curvature Shoulder width Shoulder shape

#### Lower lemma Beak curvature

Beak curvature

#### **Grain** Colour Colouration with phenol

#### Straw

Length Wall thickness @20cms below ear

#### Glaucosity

Flag leaf - sheath Flag leaf- blade (lower side) Culm - neck Ear

#### Plant growth characters

Coleoptile - anthocyanin colouration Plant - growth habit Time of ear emergence Flag leaf - anthocyanin of auricles

- white short to medium medium to dense parallel sided scurs present upper <sup>1</sup>/<sub>4</sub> short medium to strong absent
- smooth weak to medium - Group 1+ medium slightly curved narrow to medium elevated

#### moderately curved

red medium

short to medium thin

strong medium to strong medium to strong

absent or very weak semi-erect to intermediate medium to late



### AFP 1/2198 HAMPDEN

#### **CHARACTERS IN DETAIL**

#### Ear

Colour Length Density Shape-side profile Awns or scurs - presence Awns or scurs - distribution Awns or scurs - length Apical rachis segment - convex face hairiness Anthers - anthocyanin colouration

#### Lower glume

External surface Extent of internal hairs Beak length Beak curvature Shoulder width Shoulder shape

#### Lower lemma

Beak curvature

#### Grain

Colour Colouration with phenol

#### Straw

Length Wall thickness @20cms below ear

#### Glaucosity

Flag leaf - sheath Flag leaf- blade (lower side) Culm - neck Ear

#### Plant growth characters

Coleoptile - anthocyanin colouration Plant - growth habit Time of ear emergence Flag leaf - anthocyanin of auricles

- white medium lax to medium parallel sided scurs present upper 3/4 long weak to medium absent
- slightly rough medium medium to long moderately curved medium elevated

moderately curved

red dark to very dark

short absent or very thin

strong medium to strong medium medium to strong

weak intermediate late



### AFP 1/2433 HARDWICKE

#### **CHARACTERS IN DETAIL**

#### Ear

Colour Length Density Shape-side profile Awns or scurs - presence Awns or scurs - distribution Awns or scurs - length Apical rachis segment - convex face hairiness Anthers - anthocyanin colouration

#### Lower glume

External surface Extent of internal hairs Beak length Beak curvature Shoulder width Shoulder shape

#### Lower lemma

Beak curvature

#### Grain

Colour Colouration with phenol

#### Straw

Length Wall thickness @20cms below ear

#### Glaucosity

Flag leaf - sheath Flag leaf- blade (lower side) Culm - neck Ear

#### Plant growth characters

Coleoptile - anthocyanin colouration Plant - growth habit Time of ear emergence Flag leaf - anthocyanin of auricles white medium to long medium parallel sided scurs present upper 1/2 medium to long medium to strong absent

smooth medium (group 2) short to medium moderately curved narrow to medium elevated

moderately curved

red medium to dark

very short to short absent or very thin

medium weak to medium weak to medium weak to medium

absent to weak intermediate medium to late



### AFP 1/2085 HAVANA

#### **CHARACTERS IN DETAIL**

Ear Colour Length Density Shape-side profile Awns or scurs - presence Awns of scurs - distribution Awns or scurs - length: Apical rachis segment - convex face hairiness Anthers - anthocyanin colouration

#### Lower glume

External surface Extent of internal hairs Beak length Beak curvature Shoulder width Shoulder shape

#### Lower lemma

Beak curvature

#### Grain

Colour Colouration with phenol

#### Straw

Length Wall thickness @20cms below ear

#### Glaucosity

Flag leaf - sheath Flag leaf- blade (lower side) Culm - neck Ear

#### Plant growth characters

Coleoptile - anthocyanin colouration Plant - growth habit Time of ear emergence Flag leaf - anthocyanin of auricles white medium tapering scurs present upper <sup>1</sup>/<sub>4</sub> medium to long weak to medium

slightly rough weak to medium - Group 1+ short to medium moderately curved narrow to medium elevated

moderately curved

red very dark

short thin

strong strong strong strong

medium semi-erect medium



AFP 1/1731

## HEREFORD

### **CHARACTERS IN DETAIL**

Ear	
Colour:	white
Length:	short to medium
Density:	medium to dense
Shape (side profile)	tapering
Awns or scurs - presence:	scurs present
Awns or scurs - distribution:	
Awns or Scurs - length:	long to very long
Apical rachis segment - convex face hairiness:	strong
Anthers - anthocyanin	
Lower Glume	
External surface roughness:	
Extent of internal hairs:	strong - group 3
Beak length:	medium
Beak shape (curvature):	strongly curved
Shoulder	medium
Shoulder	elevated
Lower Lemma	
Beak shape:	strongly curved
Grain	
Colour	red
Colouration with phenol:	medium to dark
Straw	
Length:	medium
Wall thickness @ 20cms below ear:	thin
Glaucosity	
Flag leaf - sheath:	strong
Flag leaf - blade (lower side):	strong to very strong
Culm neck:	strong
Ear - Glaucosity:	strong
Plant growth characters	
Coleoptile-anthocyanin	absent or very weak
Plant - growth habit:	intermediate
Time ear emergence:	medium to late
Flag leaf - Anthocyanin colouration of auricles:	



### AFP 1/736 HEREWARD

### **CHARACTERS IN DETAIL**

#### Ear

Colour Length Density Shape-side profile Awns or scurs - presence Awns of scurs - distribution Awns or scurs - length: Apical rachis segment - convex face hairiness Anthers - anthocyanin colouration

#### Lower glume

External surface Extent of internal hairs Beak length Beak curvature Shoulder width Shoulder shape

### Lower lemma

Beak curvature

#### Grain

Colour Colouration with phenol

#### Straw

Length Wall thickness @20cms below ear

#### Glaucosity

Flag leaf - sheath Flag leaf- blade (lower side) Culm - neck Ear

#### Plant growth characters

Coleoptile - anthocyanin colouration Plant - growth habit Time of ear emergence Flag leaf - anthocyanin of auricles white medium tapering scurs present upper <sup>1</sup>/<sub>4</sub> very short to short medium absent

entire external surface rough weak to medium - Group 1+ medium slightly curved broad to very broad elevated

moderately curved

red very dark

very short to short thin

medium to strong medium to strong medium to strong medium

medium intermed. to semi-prostrate medium absent or very weak



**CHARACTERS IN DETAIL** 

## **HEROLDO**

#### Ear Colour: white Length: medium to long Density: medium Shape (side profile) tapering Awns or scurs - presence: scurs present Awns or scurs - distribution: Awns or scurs - length: short medium Apical rachis segment - convex face hairiness: Anthers - anthocyanin colouration Lower Glume External surface roughness: Extent of internal hairs: strong - group 3 Beak length: Beak shape (curvature): straight Shoulder narrow Shoulder Lower Lemma Beak shape: Grain white Colour Colouration with phenol: Straw Length: Wall thickness @ 20cms below ear: very thin Glaucosity Flag leaf - sheath: Flag leaf - blade (lower side): Culm neck: Ear - Glaucosity: Plant growth characters Coleoptile-anthocyanin Plant - growth habit: Time ear emergence: Flag leaf - Anthocyanin colouration of auricles:

short to medium straight to elevated light to medium short to medium

strong to very strong strong to very strong

strong to very strong medium to strong

absent or very weak semi-prostrate medium to late



### AFP 1/2018 HORATIO

#### **CHARACTERS IN DETAIL**

Ear Colour Length Density Shape-side profile Awns or scurs - presence Awns of scurs - distribution Awns or scurs - length: Apical rachis segment - convex face hairiness Anthers - anthocyanin colouration

#### Lower glume

External surface Extent of internal hairs Beak length Beak curvature Shoulder width Shoulder shape

### Lower lemma

Beak curvature

#### Grain

Colour Colouration with phenol

#### Straw

Length Wall thickness @20cms below ear

#### Glaucosity

Flag leaf - sheath Flag leaf- blade (lower side) Culm - neck Ear

#### Plant growth characters

Coleoptile - anthocyanin colouration Plant - growth habit Time of ear emergence Flag leaf - anthocyanin of auricles white medium lax to medium parallel sided scurs present upper 1/2 long medium absent

smooth medium - Group 2 medium to long moderately curved narrow to medium elevated

moderately curved

red dark to very dark

short to medium thin

strong strong strong strong

weak semi-erect to intermediate medium to late



### AFP 1/1652 HUMBER

#### **CHARACTERS IN DETAIL**

Ear Colour Length Density Shape-side profile Awns or scurs - presence Awns of scurs - distribution Awns or scurs - length: Apical rachis segment - convex face hairiness Anthers - anthocyanin colouration

#### Lower glume

External surface Extent of internal hairs Beak length Beak curvature Shoulder width Shoulder shape

#### Lower lemma

Beak curvature

#### Grain

Colour Colouration with phenol

#### Straw

Length Wall thickness @20cms below ear

#### Glaucosity

Flag leaf - sheath Flag leaf- blade (lower side) Culm - neck Ear

#### Plant growth characters

Coleoptile - anthocyanin colouration Plant - growth habit Time of ear emergence Flag leaf - anthocyanin of auricles white medium parallel sided scurs present upper <sup>1</sup>/<sub>4</sub> medium to long medium absent

medium - Group 2 short to medium slightly curved medium to broad elevated

#### moderately to strongly curved

red dark to very dark

short thin

strong medium medium to strong medium

weak to medium intermediate early to medium



Breeder's Reference: surh.3628-164	AFP No: Translated from:	
Breeder: Syngenta seeds Ltd		
Origin:	Date:	15 May 2018
Code: HYBE		
Coleoptile-anthocyanin colouration:	Weak	
*Plant - growth habit:		diate to semi prostrate
*Time ear emergence:	Mediun	n to late
Flag leaf - Anthocyanin colouration of auricles:		
Frequency of plants with recurved flag leaves:	Low to	medium
*Flag leaf - Glaucosity of sheath:	Strong	
Flag leaf - Glaucosity of leaf blade:	Strong	
Anthers - anthocyanin colouration:		
Glaucosity of neck:	Mediun	n to strong
Hairiness of uppermost node:		
*Plant - height:	Short to medium	
*Straw - wall thickness @ 20cms below ear:	Very thyin	
*Ear - Glaucosity:	Medium to strong	
Ear - Supernumerary spikelets - frequency:		-
*Ear - Colour:	White	
*Ear - Shape (side profile):	Parallel sided	
Ear - Length:	Long	
*Ear - Density:	Medium to dense	
*Awns or scurs - presence:	Scurs p	resent
Awns or scurs - distibution:	1	
*Scurs at tip of ear - length:		
*Awns at tip of ear - length:		
Lower glume - Beak length:	Very sh	ort to short
Lower glume - Beak shape (curvature):		to slightly curved
Lower glume - Beak tip:	8	8 9
Lower glume - Shoulder width:	Narrow	
Lower glume - Shoulder type:	Straight	
Lower glume - External surface roughness:	8	
Lower glume - Extent of internal hairs:	Weak to	o medium
Lower glume - Internal imprint:		
Lower lemma - Beak shape:		
Lower lemma - Beak length-:		
Lower lemma - Beak swelling:		
Apical rachis segement - convex face hairiness:	Very w	eak
*Grain - colour:	Red	
Grain - Shape:	neu	
Grain - Brush hair length in dorsal view:		
Grain - Colouration with phenol:	Very da	rk
*Seasonal type:	Winter	un
Extra characters:	vv meet	

\* = Characteristics which should always be included in the description of the variety.

16 May 2018



### AFP 1/1561 HYPERION

#### **CHARACTERS IN DETAIL**

#### Ear

Colour Length Density Shape-side profile Awns or scurs - presence Awns or scurs - distribution Awns or scurs - length Apical rachis segment - convex face hairiness Anthers - anthocyanin colouration

#### Lower glume

External surface Extent of internal hairs Beak length Beak curvature Shoulder width Shoulder shape

#### Lower lemma

Beak curvature

#### Grain

Colour Colouration with phenol

#### Straw

Length Wall thickness @20cms below ear

#### Glaucosity

Flag leaf - sheath Flag leaf- blade (lower side) Culm - neck Ear

#### Plant growth characters

Coleoptile - anthocyanin colouration Plant - growth habit Time of ear emergence Flag leaf - anthocyanin of auricles white medium to long lax to medium parallel sided scurs present upper 1/2 short weak to medium absent

rough medium (2) short to medium slightly curved medium elevated

slightly to moderately curved

red medium

short to medium absent or very thin

medium to strong

strong medium to strong

medium semi-erect to intermediate early to medium absent or very weak



Variety Name: HYTECK

Breeder's Reference: hyteck	AFP No:		
Breeder: Saaten Union Recherche	Translated from:		
Origin:	<b>Date:</b> 15 May 2018		
Code: HYTE			
Coleoptile-anthocyanin colouration:	Very weak to weak		
*Plant - growth habit:	Intermediate to semi prostrate		
*Time ear emergence:	Early to medium		
Flag leaf - Anthocyanin colouration of auricles:			
Frequency of plants with recurved flag leaves:	Low		
*Flag leaf - Glaucosity of sheath:	Strong to very strong		
Flag leaf - Glaucosity of leaf blade:	Medium to strong		
Anthers - anthocyanin colouration:			
Glaucosity of neck:	Medium to strong		
Hairiness of uppermost node:			
*Plant - height:	Short to medium		
*Straw - wall thickness @ 20cms below ear:	Thin to medium		
*Ear - Glaucosity:	Medium to strong		
Ear - Supernumerary spikelets - frequency:	-		
*Ear - Colour:	White		
*Ear - Shape (side profile):	Parallel sided		
Ear - Length:	Long to very long		
*Ear - Density:	Dense		
*Awns or scurs - presence:	Scurs present		
Awns or scurs - distibution:	1		
*Scurs at tip of ear - length:	Very short to short		
*Awns at tip of ear - length:	2		
Lower glume - Beak length:	Very short to short		
Lower glume - Beak shape (curvature):	Straight to slightly curved		
Lower glume - Beak tip:			
Lower glume - Shoulder width:	Narrow		
Lower glume - Shoulder type:	Sloping or slightly sloping		
Lower glume - External surface roughness:	stoping of slightly stoping		
Lower glume - Extent of internal hairs:	Weak		
Lower glume - Internal imprint:	W our		
Lower lemma - Beak shape:			
Lower lemma - Beak length-:			
Lower lemma - Beak swelling:			
Apical rachis segement - convex face hairiness:	Very weak		
*Grain - colour:	Red		
Grain - Shape:	Ktu		
<b>L</b>			
Grain - Brush hair length in dorsal view:	Dark to your dark		
Grain - Colouration with phenol:	Dark to very dark		
*Seasonal type:	Alternative		
Extra characters:			

\* = Characteristics which should always be included in the description of the variety.

16 May 2018

### AFP 1/2136 ICEBREAKER

#### **CHARACTERS IN DETAIL**

Ear Colour Length Density Shape-side profile Awns or scurs - presence Awns of scurs - distribution Awns or scurs - length: Apical rachis segment - convex face hairiness Anthers - anthocyanin colouration

#### Lower glume

External surface Extent of internal hairs Beak length Beak curvature Shoulder width Shoulder shape

#### Lower lemma Beak curvature

### Grain

Colour Colouration with phenol

#### Straw

Length Wall thickness @20cms below ear

#### Glaucosity

Flag leaf - sheath Flag leaf- blade (lower side) Culm - neck Ear

#### Plant growth characters

Coleoptile - anthocyanin colouration Plant - growth habit Time of ear emergence Flag leaf - anthocyanin of auricles white medium parallel sided scurs present upper <sup>1</sup>/<sub>4</sub> medium strong absent

slightly rough medium - Group 2 medium slightly curved medium straight to elevated

moderately curved

red very dark

short to medium thin

medium to strong medium medium medium

medium intermed. to semi-prostrate late



# AFP 1/2129 **ICON**

#### **CHARACTERS IN DETAIL**

Ear Colour Length Density Shape-side profile Awns or scurs - presence Awns of scurs - distribution Awns or scurs - length: Apical rachis segment - convex face hairiness Anthers - anthocyanin colouration

#### Lower glume

External surface Extent of internal hairs Beak length Beak curvature Shoulder width Shoulder shape

### Lower lemma

Beak curvature

### Grain

Colour Colouration with phenol

#### Straw

Length Wall thickness @20cms below ear

#### Glaucosity

Flag leaf - sheath Flag leaf- blade (lower side) Culm - neck Ear

#### Plant growth characters

Coleoptile - anthocyanin colouration Plant - growth habit Time of ear emergence Flag leaf - anthocyanin of auricles white medium to long medium tapering scurs present upper <sup>3</sup>/<sub>4</sub> medium to long weak to medium absent

slightly rough weak to medium - Group 1+ medium to long moderately curved medium elevated

moderately curved

red dark

short to medium thin

medium to strong medium to strong medium weak to medium

absent or very weak intermed. to semi-prostrate medium to late



### AFP 1/1853 INVICTA

#### **CHARACTERS IN DETAIL**

Ear Colour Length Density Shape-side profile Awns or scurs - presence Awns of scurs - distribution Awns or scurs - length: Apical rachis segment - convex face hairiness Anthers - anthocyanin colouration

#### Lower glume

External surface Extent of internal hairs Beak length Beak curvature Shoulder width Shoulder shape

#### Lower lemma

Beak curvature

#### Grain

Colour Colouration with phenol

#### Straw

Length Wall thickness @20cms below ear

#### Glaucosity

Flag leaf - sheath Flag leaf- blade (lower side) Culm - neck Ear

#### Plant growth characters

Coleoptile - anthocyanin colouration Plant - growth habit Time of ear emergence Flag leaf - anthocyanin of auricles white medium parallel sided scurs present tip only short to medium weak to medium absent

smooth medium - Group 2 medium moderately curved medium elevated

moderately curved

red very dark

medium thin

strong medium medium medium

medium to strong intermediate late



### AFP 1/1388 ISTABRAQ

#### **CHARACTERS IN DETAIL**

Ear Colour Length Density Shape-side profile Awns or scurs - presence Awns of scurs - distribution Awns or scurs - length: Apical rachis segment - convex face hairiness Anthers - anthocyanin colouration

#### Lower glume

External surface Extent of internal hairs Beak length Beak curvature Shoulder width Shoulder shape

### Lower lemma

Beak curvature

### Grain

Colour Colouration with phenol

#### Straw

Length Wall thickness @20cms below ear

#### Glaucosity

Flag leaf - sheath Flag leaf- blade (lower side) Culm - neck Ear

#### Plant growth characters

Coleoptile - anthocyanin colouration Plant - growth habit Time of ear emergence Flag leaf - anthocyanin of auricles white short to medium medium parallel sided scurs present upper <sup>1</sup>/<sub>4</sub> medium weak to medium absent

smooth medium - Group 2 short slight to moderately curved medium elevated

#### slightly to moderately curved

red medium

very short to short thin

#### strong

strong medium

medium semi-erect very early to early absent or very weak



### AFP 1/1737 **JB DIEGO**

#### **CHARACTERS IN DETAIL**

Ear Colour Length Density Shape-side profile Awns or scurs - presence Awns of scurs - distribution Awns or scurs - length: Apical rachis segment - convex face hairiness Anthers - anthocyanin colouration

#### Lower glume

External surface Extent of internal hairs Beak length Beak curvature Shoulder width Shoulder shape

#### Lower lemma

Beak curvature

#### Grain

Colour Colouration with phenol

#### Straw

Length Wall thickness @20cms below ear

#### Glaucosity

Flag leaf - sheath Flag leaf- blade (lower side) Culm - neck Ear

#### Plant growth characters

Coleoptile - anthocyanin colouration Plant - growth habit Time of ear emergence Flag leaf - anthocyanin of auricles white short to medium medium parallel sided scurs present tip only short to medium medium to strong absent

slightly rough weak to medium - Group 1+ short slight to moderately curved medium elevated

#### moderately to strongly curved

red dark

short thin

medium to strong medium to strong medium to strong weak to medium

strong semi-erect to intermediate medium



### AFP 1/2329 JELLICOE

#### **CHARACTERS IN DETAIL**

#### Ear

Colour Length Density Shape-side profile Awns or scurs - presence Awns or scurs - distribution Awns or scurs - length Apical rachis segment - convex face hairiness Anthers - anthocyanin colouration

#### Lower glume

External surface Extent of internal hairs Beak length Beak curvature Shoulder width Shoulder shape

#### Lower lemma

Beak curvature

#### Grain

Colour Colouration with phenol

#### Straw

Length Wall thickness @20cms below ear

#### Glaucosity

Flag leaf - sheath Flag leaf- blade (lower side) Culm - neck Ear

#### Plant growth characters

Coleoptile - anthocyanin colouration Plant - growth habit Time of ear emergence Flag leaf - anthocyanin of auricles

- white short to medium medium to dense tapering scurs present upper 1/2 medium to long weak
- smooth medium (2) medium slight to moderately curved narrow elevated

#### moderately curved

red medium to dark

short absent or very thin

strong medium to strong medium medium

absent to weak semi-erect to intermediate late to very late



# AFP 1/2202

#### **CHARACTERS IN DETAIL**

#### Ear

Colour Length Density Shape-side profile Awns or scurs - presence Awns or scurs - distribution Awns or scurs - length Apical rachis segment - convex face hairiness Anthers - anthocyanin colouration

#### Lower glume

External surface Extent of internal hairs Beak length Beak curvature Shoulder width Shoulder shape

#### Lower lemma

Beak curvature

#### Grain

Colour Colouration with phenol

#### Straw

Length Wall thickness @20cms below ear

#### Glaucosity

Flag leaf - sheath Flag leaf- blade (lower side) Culm - neck Ear

#### Plant growth characters

Coleoptile - anthocyanin colouration Plant - growth habit Time of ear emergence Flag leaf - anthocyanin of auricles

- white medium lax to medium tapering scurs present upper 1/2 long medium to strong absent
- smooth medium strongly curved narrow straight

#### geniculate

red medium to dark

medium absent or very thin

medium to strong medium medium medium

absent to weak intermed. to semi-prostrate late to very late



### AFP 1/2922 JOYFUL

#### **CHARACTERS IN DETAIL**

#### Ear

Colour Length Density Shape-side profile Awns or scurs - presence Awns or scurs - distribution Awns or scurs - length Apical rachis segment - convex face hairiness Anthers - anthocyanin colouration

#### Lower glume

External surface Extent of internal hairs Beak length Beak curvature Shoulder width Shoulder shape

#### Lower lemma

Beak curvature

#### Grain

Colour Colouration with phenol

#### Straw

Length Wall thickness @20cms below ear

#### Glaucosity

Flag leaf - sheath Flag leaf- blade (lower side) Culm - neck Ear

#### Plant growth characters

Coleoptile - anthocyanin colouration Plant - growth habit Time of ear emergence Flag leaf - anthocyanin of auricles white long medium parallel sided scurs present upper 1/4 medium to long strong absent

slightly rough medium to strong (group 2+) medium moderately curved narrow elevated

#### strongly curved

red very dark

short absent or very thin

strong to very strong strong to very strong strong to very strong medium

very weak to weak intermediate late to very late absent or very weak



### AFP 1/1765 **KETCHUM**

### **CHARACTERS IN DETAIL**

#### Ear

Colour Length Density Shape-side profile Awns or scurs - presence Awns of scurs - distribution Awns or scurs - length: Apical rachis segment - convex face hairiness Anthers - anthocyanin colouration

#### Lower glume

External surface Extent of internal hairs Beak length Beak curvature Shoulder width Shoulder shape

Lower lemma Beak curvature

#### Grain

Colour Colouration with phenol

#### Straw

Length Wall thickness @20cms below ear

#### Glaucosity

Flag leaf - sheath Flag leaf- blade (lower side) Culm - neck Ear

#### Plant growth characters

Coleoptile - anthocyanin colouration Plant - growth habit Time of ear emergence Flag leaf - anthocyanin of auricles white medium medium tapering scurs present upper <sup>1</sup>/<sub>4</sub> short to medium medium absent

smooth strong - Group 3 short to medium slightly curved narrow elevated

slightly curved

red dark

medium to long thin

strong medium to strong medium to strong medium

medium semi-erect to intermediate medium to late



### AFP 1/1837 KINGDOM

#### **CHARACTERS IN DETAIL**

Ear Colour Length Density Shape-side profile Awns or scurs - presence Awns of scurs - distribution Awns or scurs - length: Apical rachis segment - convex face hairiness Anthers - anthocyanin colouration

#### Lower glume

External surface Extent of internal hairs Beak length Beak curvature Shoulder width Shoulder shape

#### Lower lemma Beak curvature

#### Grain Colour Colouration with phenol

#### Straw

Length Wall thickness @20cms below ear

#### Glaucosity

Flag leaf - sheath Flag leaf- blade (lower side) Culm - neck Ear

#### Plant growth characters

Coleoptile - anthocyanin colouration Plant - growth habit Time of ear emergence Flag leaf - anthocyanin of auricles white medium medium to dense parallel sided scurs present tip only short medium absent

smooth medium - Group 2 short to medium slightly curved narrow to medium elevated

slightly curved

red medium to dark

medium to long thin

strong medium medium to strong

medium to strong semi-erect medium to late



## AFP 1/2868 KINGFISHER

## **CHARACTERS IN DETAIL**

## Ear

Colour Length Density Shape-side profile Awns or scurs - presence Awns or scurs - distribution Awns or scurs - length Apical rachis segment - convex face hairiness Anthers - anthocyanin colouration

## Lower glume

External surface Extent of internal hairs Beak length Beak curvature Shoulder width Shoulder shape

## Lower lemma

Beak curvature

## Grain

Colour Colouration with phenol

#### Straw

Length Wall thickness @20cms below ear

## Glaucosity

Flag leaf - sheath Flag leaf - blade (lower side) Culm - neck Ear

#### Plant growth characters

Coleoptile - anthocyanin colouration Plant - growth habit Time of ear emergence Flag leaf - anthocyanin of auricles

- white medium to long medium to dense parallel sided scurs present upper 1/4 medium weak to medium absent
- smooth medium to strong (group 2+) medium to long slightly curved medium elevated

moderately curved

red dark

short to medium absent or very thin

strong to very strong strong to very strong strong to very strong strong

very weak to weak intermed. to semi-prostrate late absent or very weak



# AFP 1/1578 **KIPLING**

## **CHARACTERS IN DETAIL**

Ear Colour Length Density Shape-side profile Awns or scurs - presence Awns of scurs - distribution Awns or scurs - length: Apical rachis segment - convex face hairiness Anthers - anthocyanin colouration

## Lower glume

External surface Extent of internal hairs Beak length Beak curvature Shoulder width Shoulder shape

# Lower lemma

Beak curvature

## Grain

Colour Colouration with phenol

## Straw

Length Wall thickness @20cms below ear

## Glaucosity

Flag leaf - sheath Flag leaf- blade (lower side) Culm - neck Ear

## Plant growth characters

Coleoptile - anthocyanin colouration Plant - growth habit Time of ear emergence Flag leaf - anthocyanin of auricles

- white short to medium dense to very dense parallel sided scurs present upper <sup>1</sup>/<sub>2</sub> short to medium weak to medium absent
- smooth medium - Group 2 medium slightly curved medium elevated

slightly curved

red light to medium

medium thin

## medium

medium weak

strong semi-erect to intermediate medium to late absent or very weak



# KRIS

# CHARACTERS IN DETAIL

Ear	
Colour:	white
Length:	short to medium
Density:	medium
Shape (side profile)	tapering
Awns or scurs - presence:	scurs present
Awns or scurs - distribution:	
Awns or scurs - length:	short
Apical rachis segment - convex face hairiness:	medium
Anthers - anthocyanin colouration	
Lower Glume	
External surface roughness:	
Extent of internal hairs:	strong - group 3
Beak length:	short to medium
Beak shape (curvature):	slightly curved
Shoulder	medium
Shoulder	straight to elevated
Lower Lemma	
Beak shape:	slightly curved
Grain	
Colour	red
Colouration with phenol:	medium to dark
Straw	
Length:	short
Wall thickness @ 20cms below ear:	very thin
Glaucosity	
Flag leaf - sheath:	strong to very strong
Flag leaf - blade (lower side):	medium to strong
Culm neck:	strong
Ear - Glaucosity:	strong
Plant growth characters	
Coleoptile-anthocyanin	medium to strong
Plant - growth habit:	semi-prostrate to prostrate
Time ear emergence:	late
Flag leaf - Anthocyanin colouration of auricles:	absent or very weak



# AFP 1/2567 KWS ALABASTER

## **CHARACTERS IN DETAIL**

## Ear

Colour Length Density Shape-side profile Awns or scurs - presence Awns or scurs - distribution Awns or scurs - length Apical rachis segment - convex face hairiness Anthers - anthocyanin colouration

## Lower glume

External surface Extent of internal hairs Beak length Beak curvature Shoulder width Shoulder shape

## Lower lemma

Beak curvature

## Grain

Colour Colouration with phenol

## Straw

Length Wall thickness @20cms below ear

## Glaucosity

Flag leaf - sheath Flag leaf- blade (lower side) Culm - neck Ear

## Plant growth characters

Coleoptile - anthocyanin colouration Plant - growth habit Time of ear emergence Flag leaf - anthocyanin of auricles white short to medium dense parallel sided scurs present upper 1/4 medium to long weak absent

rough medium (group 2) short slightly curved narrow straight to elevated

slightly to moderately curved

white medium to dark

short to medium absent or very thin

strong medium to strong medium to strong medium to strong

strong intermediate early to medium



# AFP 1/2311 KWS BARREL

## **CHARACTERS IN DETAIL**

## Ear

Colour Length Density Shape-side profile Awns or scurs - presence Awns or scurs - distribution Awns or scurs - length Apical rachis segment - convex face hairiness Anthers - anthocyanin colouration

## Lower glume

External surface Extent of internal hairs Beak length Beak curvature Shoulder width Shoulder shape

#### Lower lemma

Beak curvature

#### Grain

Colour Colouration with phenol

#### Straw

Length Wall thickness @20cms below ear

## Glaucosity

Flag leaf - sheath Flag leaf- blade (lower side) Culm - neck Ear

## Plant growth characters

Coleoptile - anthocyanin colouration Plant - growth habit Time of ear emergence Flag leaf - anthocyanin of auricles

- white medium to long medium parallel sided scurs present upper 1/2 medium medium to strong
- smooth strong (3) medium moderate to strongly curved medium elevated

moderately to strongly curved

red medium

very short to short absent or very thin

medium to strong medium medium medium

weak to medium intermediate late to very late



# AFP 1/2307 KWS BASSET

## **CHARACTERS IN DETAIL**

## Ear

Colour Length Density Shape-side profile Awns or scurs - presence Awns or scurs - distribution Awns or scurs - length Apical rachis segment - convex face hairiness Anthers - anthocyanin colouration

## Lower glume

External surface Extent of internal hairs Beak length Beak curvature Shoulder width Shoulder shape

#### Lower lemma

Beak curvature

#### Grain

Colour Colouration with phenol

#### Straw

Length Wall thickness @20cms below ear

#### Glaucosity

Flag leaf - sheath Flag leaf- blade (lower side) Culm - neck Ear

## Plant growth characters

Coleoptile - anthocyanin colouration Plant - growth habit Time of ear emergence Flag leaf - anthocyanin of auricles

- white medium to long medium parallel sided scurs present upper 1/4 long to very long medium to strong
- smooth weak to medium (group 1+) long moderately curved narrow to medium elevated

#### moderately curved

red dark to very dark

very short to short absent or very thin

medium weak to medium medium medium

absent to weak intermediate late to very late



# AFP 1/2115 KWS BONHAM

## **CHARACTERS IN DETAIL**

## Ear

Colour Length Density Shape-side profile Awns or scurs - presence Awns of scurs - distribution Awns or scurs - length: Apical rachis segment - convex face hairiness Anthers - anthocyanin colouration

## Lower glume

External surface Extent of internal hairs Beak length Beak curvature Shoulder width Shoulder shape

Lower lemma Beak curvature

## Grain

Colour Colouration with phenol

#### Straw

Length Wall thickness @20cms below ear

## Glaucosity

Flag leaf - sheath Flag leaf- blade (lower side) Culm - neck Ear

## Plant growth characters

Coleoptile - anthocyanin colouration Plant - growth habit Time of ear emergence Flag leaf - anthocyanin of auricles white short to medium medium parallel sided scurs present upper <sup>1</sup>/<sub>4</sub> medium to long strong absent

smooth medium - Group 2 medium moderately curved narrow to medium elevated

moderately curved

red dark

short to medium thin

medium to strong weak to medium medium medium

medium intermediate medium to late



# AFP 1/2969 KWS BRIUM

## **CHARACTERS IN DETAIL**

## Ear

Colour Length Density Shape-side profile Awns or scurs - presence Awns or scurs - distribution Awns or scurs - length Apical rachis segment - convex face hairiness Anthers - anthocyanin colouration

## Lower glume

External surface Extent of internal hairs Beak length Beak curvature Shoulder width Shoulder shape

#### Lower lemma

Beak curvature

#### Grain

Colour Colouration with phenol

#### Straw

Length Wall thickness @20cms below ear

## Glaucosity

Flag leaf - sheath Flag leaf - blade (lower side) Culm - neck Ear

#### Plant growth characters

Coleoptile - anthocyanin colouration Plant - growth habit Time of ear emergence Flag leaf - anthocyanin of auricles

- white medium to long lax to medium parallel sided scurs present upper 1/2 long strong to very strong absent
- smooth medium (group 2) medium to long moderate to strongly curved narrow elevated

strongly curved to geniculate

red very dark

very short to short absent or very thin

strong medium to strong medium to strong

very weak to weak intermediate late absent or very weak



## AFP 1/2766 KWS BURGHLEY

## **CHARACTERS IN DETAIL**

## Ear

Colour Length Density Shape-side profile Awns or scurs - presence Awns or scurs - distribution Awns or scurs - length Apical rachis segment - convex face hairiness Anthers - anthocyanin colouration

## Lower glume

External surface Extent of internal hairs Beak length Beak curvature Shoulder width Shoulder shape

## Lower lemma

Beak curvature

## Grain

Colour Colouration with phenol

## Straw

Length Wall thickness @20cms below ear

## Glaucosity

Flag leaf - sheath Flag leaf- blade (lower side) Culm - neck Ear

## Plant growth characters

Coleoptile - anthocyanin colouration Plant - growth habit Time of ear emergence Flag leaf - anthocyanin of auricles white short to medium medium tapering scurs present upper 1/4 medium to long weak to medium

smooth weak to medium (group 1+) medium moderate to strongly curved narrow to medium elevated

moderately to strongly curved

red medium

very short to short absent or very thin

strong to very strong strong strong strong

strong intermediate medium to late



# AFP 1/2122 KWS CASHEL

## **CHARACTERS IN DETAIL**

## Ear

Colour Length Density Shape-side profile Awns or scurs - presence Awns or scurs - distribution Awns or scurs - length Apical rachis segment - convex face hairiness Anthers - anthocyanin colouration

## Lower glume

External surface Extent of internal hairs Beak length Beak curvature Shoulder width Shoulder shape

#### Lower lemma

Beak curvature

#### Grain

Colour Colouration with phenol

#### Straw

Length Wall thickness @20cms below ear

## Glaucosity

Flag leaf - sheath Flag leaf- blade (lower side) Culm - neck Ear

## Plant growth characters

Coleoptile - anthocyanin colouration Plant - growth habit Time of ear emergence Flag leaf - anthocyanin of auricles

- white short to medium medium to dense tapering awns present whole length very long absent to weak absent
- smooth strong medium to long slight to moderately curved medium elevated

#### slightly curved

red medium to dark

short absent or very thin

weak very weak to weak weak weak

weak intermed. to semi-prostrate late



# AFP 1/2080 KWS CHILOE

## **CHARACTERS IN DETAIL**

Ear Colour Length Density Shape-side profile Awns or scurs - presence Awns of scurs - distribution Awns or scurs - length: Apical rachis segment - convex face hairiness Anthers - anthocyanin colouration

## Lower glume

External surface Extent of internal hairs Beak length Beak curvature Shoulder width Shoulder shape

#### Lower lemma Beak curvature

Deak cui vatui

#### Grain Colour Colouration with phenol

## Straw

Length Wall thickness @20cms below ear

## Glaucosity

Flag leaf - sheath Flag leaf- blade (lower side) Culm - neck Ear

## Plant growth characters

Coleoptile - anthocyanin colouration Plant - growth habit Time of ear emergence Flag leaf - anthocyanin of auricles

- white medium lax to medium tapering awns present whole length very long weak
- smooth strong - Group 3 long to very long slightly curved very narrow to narrow elevated

slightly curved

red very light to light

short to medium thin

medium medium to strong strong strong

medium semi-erect to intermediate medium



# AFP 1/2079 KWS CLEVELAND

## **CHARACTERS IN DETAIL**

Ear
Colour
Length
Density
Shape-side profile
Awns or scurs - presence
Awns of scurs - distribution
Awns or scurs - length:
Apical rachis segment - convex face hairiness
Anthers - anthocyanin colouration

#### Lower glume

External surface Extent of internal hairs Beak length Beak curvature Shoulder width Shoulder shape

## Lower lemma

Beak curvature

## Grain

Colour Colouration with phenol

## Straw

Length Wall thickness @20cms below ear

## Glaucosity

Flag leaf - sheath Flag leaf- blade (lower side) Culm - neck Ear

## Plant growth characters

Coleoptile - anthocyanin colouration Plant - growth habit Time of ear emergence Flag leaf - anthocyanin of auricles

- white short to medium medium parallel sided scurs present upper <sup>1</sup>/<sub>4</sub> long medium to strong
- slightly rough medium - Group 2 medium strongly curved medium elevated

strongly curved

red very dark

short thin

strong strong medium to strong

weak to medium semi-erect medium



# AFP 1/2416 KWS CONROS

## **CHARACTERS IN DETAIL**

## Ear

Colour Length Density Shape-side profile Awns or scurs - presence Awns or scurs - distribution Awns or scurs - length Apical rachis segment - convex face hairiness Anthers - anthocyanin colouration

## Lower glume

External surface Extent of internal hairs Beak length Beak curvature Shoulder width Shoulder shape

#### Lower lemma

Beak curvature

#### Grain

Colour Colouration with phenol

#### Straw

Length Wall thickness @20cms below ear

## Glaucosity

Flag leaf - sheath Flag leaf- blade (lower side) Culm - neck Ear

## Plant growth characters

Coleoptile - anthocyanin colouration Plant - growth habit Time of ear emergence Flag leaf - anthocyanin of auricles white medium medium tapering scurs present upper 1/4 medium weak to medium

rough weak to medium (group 1+) short to medium slightly curved narrow elevated

slightly to moderately curved

red dark

short absent or very thin

medium to strong medium to strong medium medium to strong

weak to medium intermediate very late



# AFP 1/2763 KWS COYNE

## **CHARACTERS IN DETAIL**

## Ear

Colour Length Density Shape-side profile Awns or scurs - presence Awns or scurs - distribution Awns or scurs - length Apical rachis segment - convex face hairiness Anthers - anthocyanin colouration

## Lower glume

External surface Extent of internal hairs Beak length Beak curvature Shoulder width Shoulder shape

#### Lower lemma

Beak curvature

#### Grain

Colour Colouration with phenol

#### Straw

Length Wall thickness @20cms below ear

## Glaucosity

Flag leaf - sheath Flag leaf- blade (lower side) Culm - neck Ear

## Plant growth characters

Coleoptile - anthocyanin colouration Plant - growth habit Time of ear emergence Flag leaf - anthocyanin of auricles white medium to long medium tapering scurs present upper 1/4 long medium

slightly rough medium to strong (group 2+) medium to long strongly curved narrow to medium elevated

## strongly curved

red medium

short absent or very thin

strong medium to strong strong medium to strong

very weak to weak intermediate late



## AFP 1/2858

# **KWS CRANIUM**

## **CHARACTERS IN DETAIL**

## Ear

Colour Length Density Shape-side profile Awns or scurs - presence Awns or scurs - distribution Awns or scurs - length Apical rachis segment - convex face hairiness Anthers - anthocyanin colouration

## Lower glume

External surface Extent of internal hairs Beak length Beak curvature Shoulder width Shoulder shape

## Lower lemma

Beak curvature

#### Grain

Colour Colouration with phenol

## Straw

Length Wall thickness @20cms below ear

#### Glaucosity

Flag leaf - sheath Flag leaf- blade (lower side) Culm - neck Ear

#### Plant growth characters

Coleoptile - anthocyanin colouration Plant - growth habit Time of ear emergence Flag leaf - anthocyanin of auricles white medium to long lax to medium tapering scurs present upper 1/4 long weak to medium absent

slightly rough medium to strong (group 2+) medium slightly curved narrow elevated

moderately to strongly curved

red dark to very dark

short to medium absent or very thin

strong to very strong strong to very strong strong

weak to medium intermed. to semi-prostrate late absent or very weak



# AFP 1/2305 KWS CRISPIN

## **CHARACTERS IN DETAIL**

## Ear

Colour Length Density Shape-side profile Awns or scurs - presence Awns or scurs - distribution Awns or scurs - length Apical rachis segment - convex face hairiness Anthers - anthocyanin colouration

## Lower glume

External surface Extent of internal hairs Beak length Beak curvature Shoulder width Shoulder shape

#### Lower lemma

Beak curvature

#### Grain

Colour Colouration with phenol

#### Straw

Length Wall thickness @20cms below ear

## Glaucosity

Flag leaf - sheath Flag leaf- blade (lower side) Culm - neck Ear

## Plant growth characters

Coleoptile - anthocyanin colouration Plant - growth habit Time of ear emergence Flag leaf - anthocyanin of auricles

- white medium to long medium parallel sided scurs present upper 1/4 short to medium medium to strong
- smooth medium (2) medium moderately curved narrow to medium elevated

strongly curved

red medium

short absent or very thin

strong medium to strong medium to strong medium to strong

weak semi-erect to intermediate late



# AFP 1/2072 KWS CROFT

## **CHARACTERS IN DETAIL**

Ear
Colour
Length
Density
Shape-side profile
Awns or scurs - presence
Awns of scurs - distribution
Awns or scurs - length:
Apical rachis segment - convex face hairiness
Anthers - anthocyanin colouration

## Lower glume

External surface Extent of internal hairs Beak length Beak curvature Shoulder width Shoulder shape

## Lower lemma

Beak curvature

## Grain

Colour Colouration with phenol

## Straw

Length Wall thickness @20cms below ear

## Glaucosity

Flag leaf - sheath Flag leaf- blade (lower side) Culm - neck Ear

## Plant growth characters

Coleoptile - anthocyanin colouration Plant - growth habit Time of ear emergence Flag leaf - anthocyanin of auricles

- white medium to long medium parallel sided scurs present upper <sup>1</sup>/<sub>4</sub> long weak
- smooth strong - Group 3 medium slightly curved narrow elevated

moderately curved

red very dark

short thin

strong strong to very strong strong

weak semi-erect to intermediate medium



# AFP 1/1976 KWS CROSBY

## **CHARACTERS IN DETAIL**

Ear Colour Length Density Shape-side profile Awns or scurs - presence Awns of scurs - distribution Awns or scurs - length: Apical rachis segment - convex face hairiness Anthers - anthocyanin colouration

## Lower glume

External surface Extent of internal hairs Beak length Beak curvature Shoulder width Shoulder shape

# Lower lemma

Beak curvature

## Grain

Colour Colouration with phenol

## Straw

Length Wall thickness @20cms below ear

## Glaucosity

Flag leaf - sheath Flag leaf- blade (lower side) Culm - neck Ear

## Plant growth characters

Coleoptile - anthocyanin colouration Plant - growth habit Time of ear emergence Flag leaf - anthocyanin of auricles white short to medium medium parallel sided scurs present upper ½ long weak

smooth medium - Group 2 medium to long moderately curved narrow to medium elevated

## slightly to moderately curved

red medium to dark

short to medium thin

strong strong to very strong strong to very strong

weak semi-erect to intermediate medium to late



# AFP 1/2114 KWS DALI

## **CHARACTERS IN DETAIL**

## Ear

Colour Length Density Shape-side profile Awns or scurs - presence Awns of scurs - distribution Awns or scurs - length: Apical rachis segment - convex face hairiness Anthers - anthocyanin colouration

## Lower glume

External surface Extent of internal hairs Beak length Beak curvature Shoulder width Shoulder shape

# Lower lemma

Beak curvature

## Grain

Colour Colouration with phenol

## Straw

Length Wall thickness @20cms below ear

## Glaucosity

Flag leaf - sheath Flag leaf - blade (lower side) Culm - neck Ear

## Plant growth characters

Coleoptile - anthocyanin colouration Plant - growth habit Time of ear emergence Flag leaf - anthocyanin of auricles white medium to long medium tapering scurs present upper ½ medium weak to medium absent

slightly rough medium - Group 2 medium moderately curved narrow to medium elevated

moderately curved

red very dark

short to medium thin

medium to strong weak to medium medium to strong medium

weak intermediate medium to late



# AFP 1/2972 KWS DAWSUM

## **CHARACTERS IN DETAIL**

## Ear

Colour Length Density Shape-side profile Awns or scurs - presence Awns or scurs - distribution Awns or scurs - length Apical rachis segment - convex face hairiness Anthers - anthocyanin colouration

## Lower glume

External surface Extent of internal hairs Beak length Beak curvature Shoulder width Shoulder shape

#### Lower lemma

Beak curvature

#### Grain

Colour Colouration with phenol

#### Straw

Length Wall thickness @20cms below ear

## Glaucosity

Flag leaf - sheath Flag leaf - blade (lower side) Culm - neck Ear

#### Plant growth characters

Coleoptile - anthocyanin colouration Plant - growth habit Time of ear emergence Flag leaf - anthocyanin of auricles

- white medium to dense tapering scurs present upper 1/4 long weak to medium absent
- smooth weak to medium (group 1+) medium strongly curved narrow to medium elevated

strongly curved to geniculate

red dark

very short to short absent or very thin

strong to very strong strong to very strong medium

medium to strong intermediate late to very late absent or very weak



# AFP 1/2854 KWS DELUXUM

## **CHARACTERS IN DETAIL**

## Ear

Colour Length Density Shape-side profile Awns or scurs - presence Awns or scurs - distribution Awns or scurs - length Apical rachis segment - convex face hairiness Anthers - anthocyanin colouration

## Lower glume

External surface Extent of internal hairs Beak length Beak curvature Shoulder width Shoulder shape

## Lower lemma

Beak curvature

## Grain

Colour Colouration with phenol

## Straw

Length Wall thickness @20cms below ear

## Glaucosity

Flag leaf - sheath Flag leaf- blade (lower side) Culm - neck Ear

## Plant growth characters

Coleoptile - anthocyanin colouration Plant - growth habit Time of ear emergence Flag leaf - anthocyanin of auricles white medium to long medium parallel sided scurs present upper 1/4 long medium to strong absent

rough medium (group 2) short to medium moderately curved narrow straight to elevated

moderately to strongly curved

red medium to dark

very short to short absent or very thin

strong to very strong strong to very strong strong medium to strong

strong intermediate late to very late absent or very weak



# AFP 1/2860 KWS DINKUM

## **CHARACTERS IN DETAIL**

## Ear

Colour Length Density Shape-side profile Awns or scurs - presence Awns or scurs - distribution Awns or scurs - length Apical rachis segment - convex face hairiness Anthers - anthocyanin colouration

## Lower glume

External surface Extent of internal hairs Beak length Beak curvature Shoulder width Shoulder shape

## Lower lemma

Beak curvature

#### Grain

Colour Colouration with phenol

#### Straw

Length Wall thickness @20cms below ear

## Glaucosity

Flag leaf - sheath Flag leaf- blade (lower side) Culm - neck Ear

#### Plant growth characters

Coleoptile - anthocyanin colouration Plant - growth habit Time of ear emergence Flag leaf - anthocyanin of auricles white medium to long lax to medium tapering scurs present upper 1/4 medium to long strong absent

entire external surface rough medium (group 2) medium moderately curved medium elevated

moderately to strongly curved

red dark

very short to short absent or very thin

very strong very strong very strong strong

strong intermed. to semi-prostrate late absent or very weak



# AFP 1/2120 KWS EVOKE

## **CHARACTERS IN DETAIL**

Ear
Colour
Length
Density
Shape-side profile
Awns or scurs - presence
Awns of scurs - distribution
Awns or scurs - length:
Apical rachis segment - convex face hairiness
Anthers - anthocyanin colouration

## Lower glume

External surface Extent of internal hairs Beak length Beak curvature Shoulder width Shoulder shape

## Lower lemma

Beak curvature

## Grain

Colour Colouration with phenol

## Straw

Length Wall thickness @20cms below ear

## Glaucosity

Flag leaf - sheath Flag leaf- blade (lower side) Culm - neck Ear

## Plant growth characters

Coleoptile - anthocyanin colouration Plant - growth habit Time of ear emergence Flag leaf - anthocyanin of auricles white medium parallel sided scurs present upper <sup>1</sup>/<sub>4</sub> short to medium absent to weak absent

smooth medium - Group 2 short moderately curved medium elevated

strongly curved

red dark

short to medium thin

strong strong strong strong

medium to strong intermediate medium



# AFP 1/2246 KWS EVOLVE

## **CHARACTERS IN DETAIL**

## Ear

Colour Length Density Shape-side profile Awns or scurs - presence Awns or scurs - distribution Awns or scurs - length Apical rachis segment - convex face hairiness Anthers - anthocyanin colouration

#### Lower glume

External surface Extent of internal hairs Beak length Beak curvature Shoulder width Shoulder shape

#### Lower lemma

Beak curvature

#### Grain

Colour Colouration with phenol

#### Straw

Length Wall thickness @20cms below ear

#### Glaucosity

Flag leaf - sheath Flag leaf- blade (lower side) Culm - neck Ear

## Plant growth characters

Coleoptile - anthocyanin colouration Plant - growth habit Time of ear emergence Flag leaf - anthocyanin of auricles

- white long medium parallel sided scurs present upper 1/4 medium medium absent
- slightly rough weak to medium medium strongly curved narrow elevated

strongly curved

red medium to dark

very short to short absent or very thin

strong medium to strong medium to strong medium to strong

absent to weak intermediate late



# AFP 1/2672 KWS EXTASE

## **CHARACTERS IN DETAIL**

## Ear

Colour Length Density Shape-side profile Awns or scurs - presence Awns or scurs - distribution Awns or scurs - length Apical rachis segment - convex face hairiness Anthers - anthocyanin colouration

#### Lower glume

External surface Extent of internal hairs Beak length Beak curvature Shoulder width Shoulder shape

#### Lower lemma

Beak curvature

## Grain

Colour Colouration with phenol

#### Straw

Length Wall thickness @20cms below ear

#### Glaucosity

Flag leaf - sheath Flag leaf- blade (lower side) Culm - neck Ear

#### Plant growth characters

Coleoptile - anthocyanin colouration Plant - growth habit Time of ear emergence Flag leaf - anthocyanin of auricles

- white medium to long lax to medium tapering scurs present upper 1/2 long to very long weak to medium
- smooth medium (group 2) short slightly curved narrow to medium elevated

red medium to dark

short to medium absent or very thin

medium medium medium to strong

absent or very weak intermediate medium



# AFP 1/2421 KWS FENWAY

## **CHARACTERS IN DETAIL**

## Ear

Colour Length Density Shape-side profile Awns or scurs - presence Awns or scurs - distribution Awns or scurs - length Apical rachis segment - convex face hairiness Anthers - anthocyanin colouration

#### Lower glume

External surface Extent of internal hairs Beak length Beak curvature Shoulder width Shoulder shape

## Lower lemma

Beak curvature

## Grain

Colour Colouration with phenol

Straw Length Wall thickness @20cms below ear

#### Glaucosity

Flag leaf - sheath Flag leaf- blade (lower side) Culm - neck Ear

#### Plant growth characters

Coleoptile - anthocyanin colouration Plant - growth habit Time of ear emergence Flag leaf - anthocyanin of auricles white medium lax to medium parallel sided scurs present upper 1/2 long weak to medium

smooth medium (group 2) medium to long moderate to strongly curved narrow elevated

## INVALID CHARACTER STATE!

red medium to dark

very short absent or very thin

medium to strong medium medium medium

absent or very weak intermediate very late



## AFP 1/2664 KWS FIREFLY

## **CHARACTERS IN DETAIL**

## Ear

Colour Length Density Shape-side profile Awns or scurs - presence Awns or scurs - distribution Awns or scurs - length Apical rachis segment - convex face hairiness Anthers - anthocyanin colouration

## Lower glume

External surface Extent of internal hairs Beak length Beak curvature Shoulder width Shoulder shape

#### Lower lemma

Beak curvature

#### Grain

Colour Colouration with phenol

#### Straw

Length Wall thickness @20cms below ear

## Glaucosity

Flag leaf - sheath Flag leaf- blade (lower side) Culm - neck Ear

## Plant growth characters

Coleoptile - anthocyanin colouration Plant - growth habit Time of ear emergence Flag leaf - anthocyanin of auricles white medium to long medium tapering scurs present upper 1/4 medium to long medium

slightly rough medium (group 2) short to medium slight to moderately curved narrow to medium elevated

red medium to dark

very short to short absent or very thin

strong strong strong strong

absent or very weak intermediate late



# AFP 1/2861 KWS FULCRUM

## **CHARACTERS IN DETAIL**

## Ear

Colour Length Density Shape-side profile Awns or scurs - presence Awns or scurs - distribution Awns or scurs - length Apical rachis segment - convex face hairiness Anthers - anthocyanin colouration

## Lower glume

External surface Extent of internal hairs Beak length Beak curvature Shoulder width Shoulder shape

## Lower lemma

Beak curvature

#### Grain

Colour Colouration with phenol

#### Straw

Length Wall thickness @20cms below ear

## Glaucosity

Flag leaf - sheath Flag leaf- blade (lower side) Culm - neck Ear

#### Plant growth characters

Coleoptile - anthocyanin colouration Plant - growth habit Time of ear emergence Flag leaf - anthocyanin of auricles white medium parallel sided scurs present upper 1/4 medium weak absent

smooth medium to strong (group 2+) medium moderately curved narrow elevated

moderately to strongly curved

red very dark

short to medium absent or very thin

very strong strong to very strong strong to very strong strong to very strong

weak intermed. to semi-prostrate late absent or very weak



# AFP 1/1977 KWS GATOR

## **CHARACTERS IN DETAIL**

Ear Colour Length Density Shape-side profile Awns or scurs - presence Awns of scurs - distribution Awns or scurs - length: Apical rachis segment - convex face hairiness Anthers - anthocyanin colouration

## Lower glume

External surface Extent of internal hairs Beak length Beak curvature Shoulder width Shoulder shape

# Lower lemma

Beak curvature

## Grain

Colour Colouration with phenol

## Straw

Length Wall thickness @20cms below ear

## Glaucosity

Flag leaf - sheath Flag leaf- blade (lower side) Culm - neck Ear

## Plant growth characters

Coleoptile - anthocyanin colouration Plant - growth habit Time of ear emergence Flag leaf - anthocyanin of auricles white medium lax to medium parallel sided scurs present upper <sup>1</sup>/<sub>2</sub> long weak to medium

smooth medium - Group 2 medium moderately curved narrow straight to elevated

## slightly to moderately curved

red medium to dark

short to medium thin

strong strong medium to strong

weak to medium intermediate medium to late



# AFP 1/2965 KWS GUIUM

## **CHARACTERS IN DETAIL**

## Ear

Colour Length Density Shape-side profile Awns or scurs - presence Awns or scurs - distribution Awns or scurs - length Apical rachis segment - convex face hairiness Anthers - anthocyanin colouration

## Lower glume

External surface Extent of internal hairs Beak length Beak curvature Shoulder width Shoulder shape

## Lower lemma

Beak curvature

## Grain

Colour Colouration with phenol

## Straw

Length Wall thickness @20cms below ear

## Glaucosity

Flag leaf - sheath Flag leaf- blade (lower side) Culm - neck Ear

## Plant growth characters

Coleoptile - anthocyanin colouration Plant - growth habit Time of ear emergence Flag leaf - anthocyanin of auricles white long medium tapering scurs present upper 3/4 medium to long weak to medium absent

#### rough medium to strong (group 2+) short to medium strongly curved narrow elevated

geniculate

red dark

very short to short absent or very thin

strong to very strong medium to strong strong to very strong medium

strong intermediate late to very late absent or very weak



# AFP 1/2316 KWS HARLYN

## **CHARACTERS IN DETAIL**

## Ear

Colour Length Density Shape-side profile Awns or scurs - presence Awns or scurs - distribution Awns or scurs - length Apical rachis segment - convex face hairiness Anthers - anthocyanin colouration

## Lower glume

External surface Extent of internal hairs Beak length Beak curvature Shoulder width Shoulder shape

## Lower lemma

Beak curvature

## Grain

Colour Colouration with phenol

## Straw

Length Wall thickness @20cms below ear

## Glaucosity

Flag leaf - sheath Flag leaf- blade (lower side) Culm - neck Ear

## Plant growth characters

Coleoptile - anthocyanin colouration Plant - growth habit Time of ear emergence Flag leaf - anthocyanin of auricles

- white medium to long medium tapering scurs present upper 1/2 medium very weak to weak
- rough medium (2) short to medium slight to moderately curved narrow straight to elevated

## moderately curved

red light to medium

very short absent or very thin

medium to strong medium medium to strong

weak semi-erect to intermediate late to very late



## AFP 1/2978 KWS HENUM

## **CHARACTERS IN DETAIL**

## Ear

Colour Length Density Shape-side profile Awns or scurs - presence Awns or scurs - distribution Awns or scurs - length Apical rachis segment - convex face hairiness Anthers - anthocyanin colouration

## Lower glume

External surface Extent of internal hairs Beak length Beak curvature Shoulder width Shoulder shape

## Lower lemma

Beak curvature

## Grain

Colour Colouration with phenol

## Straw

Length Wall thickness @20cms below ear

## Glaucosity

Flag leaf - sheath Flag leaf - blade (lower side) Culm - neck Ear

## Plant growth characters

Coleoptile - anthocyanin colouration Plant - growth habit Time of ear emergence Flag leaf - anthocyanin of auricles

- white medium medium to dense parallel sided scurs present upper 1/2 long strong to very strong absent
- smooth medium (group 2) long strongly curved medium to broad elev. to strongly elevated

strongly curved to geniculate

red very dark

very short to short absent or very thin

strong to very strong strong to very strong strong to very strong medium

weak to medium intermediate late to very late absent or very weak



# AFP 1/1882 KWS HORIZON

## **CHARACTERS IN DETAIL**

Ear Colour Length Density Shape-side profile Awns or scurs - presence Awns of scurs - distribution Awns or scurs - length: Apical rachis segment - convex face hairiness Anthers - anthocyanin colouration

## Lower glume

External surface Extent of internal hairs Beak length Beak curvature Shoulder width Shoulder shape

## Lower lemma

Beak curvature

## Grain

Colour Colouration with phenol

## Straw

Length Wall thickness @20cms below ear

## Glaucosity

Flag leaf - sheath Flag leaf- blade (lower side) Culm - neck Ear

## Plant growth characters

Coleoptile - anthocyanin colouration Plant - growth habit Time of ear emergence Flag leaf - anthocyanin of auricles

- white medium tapering scurs present upper ½ medium to long absent to weak absent
- smooth medium - Group 2 medium slightly curved narrow elevated

## slightly to moderately curved

red medium to dark

short thin

strong medium medium to strong

strong semi-erect medium to late



# AFP 1/2565 KWS JACKAL

## **CHARACTERS IN DETAIL**

## Ear

Colour Length Density Shape-side profile Awns or scurs - presence Awns or scurs - distribution Awns or scurs - length Apical rachis segment - convex face hairiness Anthers - anthocyanin colouration

## Lower glume

External surface Extent of internal hairs Beak length Beak curvature Shoulder width Shoulder shape

#### Lower lemma

Beak curvature

#### Grain

Colour Colouration with phenol

#### Straw

Length Wall thickness @20cms below ear

## Glaucosity

Flag leaf - sheath Flag leaf- blade (lower side) Culm - neck Ear

## Plant growth characters

Coleoptile - anthocyanin colouration Plant - growth habit Time of ear emergence Flag leaf - anthocyanin of auricles white medium tapering scurs present upper 1/2 long to very long weak to medium absent

smooth medium (group 2) medium moderately curved narrow to medium elevated

moderately curved

red medium to dark

short absent or very thin

medium to strong strong medium to strong strong

absent to weak intermediate medium to late



# AFP 1/2764 KWS JUBILATION

## **CHARACTERS IN DETAIL**

## Ear

Colour Length Density Shape-side profile Awns or scurs - presence Awns or scurs - distribution Awns or scurs - length Apical rachis segment - convex face hairiness Anthers - anthocyanin colouration

## Lower glume

External surface Extent of internal hairs Beak length Beak curvature Shoulder width Shoulder shape

## Lower lemma

Beak curvature

## Grain

Colour Colouration with phenol

## Straw

Length Wall thickness @20cms below ear

## Glaucosity

Flag leaf - sheath Flag leaf- blade (lower side) Culm - neck Ear

## Plant growth characters

Coleoptile - anthocyanin colouration Plant - growth habit Time of ear emergence Flag leaf - anthocyanin of auricles

- white medium lax to medium tapering scurs present upper 1/4 medium weak
- smooth weak to medium (group 1+) short to medium strongly curved narrow elevated

## strongly curved

red light to medium

short absent or very thin

strong medium to strong strong medium to strong

weak intermediate medium to late



## AFP 1/2865 KWS JUGUM

## **CHARACTERS IN DETAIL**

## Ear

Colour Length Density Shape-side profile Awns or scurs - presence Awns or scurs - distribution Awns or scurs - length Apical rachis segment - convex face hairiness Anthers - anthocyanin colouration

## Lower glume

External surface Extent of internal hairs Beak length Beak curvature Shoulder width Shoulder shape

## Lower lemma

Beak curvature

#### Grain

Colour Colouration with phenol

#### Straw

Length Wall thickness @20cms below ear

## Glaucosity

Flag leaf - sheath Flag leaf - blade (lower side) Culm - neck Ear

#### Plant growth characters

Coleoptile - anthocyanin colouration Plant - growth habit Time of ear emergence Flag leaf - anthocyanin of auricles

- white medium to long lax to medium tapering scurs present upper 1/2 long to very long medium to strong absent
- smooth medium to strong (group 2+) long moderate to strongly curved narrow to medium elevated

#### strongly curved

red medium to dark

short to medium absent or very thin

strong to very strong strong to very strong strong to very strong medium to strong

weak intermediate late absent or very weak



# AFP 1/2116 KWS KENTON

# **CHARACTERS IN DETAIL**

Ear Colour Length Density Shape-side profile Awns or scurs - presence Awns of scurs - distribution Awns or scurs - length: Apical rachis segment - convex face hairiness Anthers - anthocyanin colouration

### Lower glume

External surface Extent of internal hairs Beak length Beak curvature Shoulder width Shoulder shape

# Lower lemma

Beak curvature

## Grain Colour

Colouration with phenol

# Straw

Length Wall thickness @20cms below ear

### Glaucosity

Flag leaf - sheath Flag leaf- blade (lower side) Culm - neck Ear

### Plant growth characters

Coleoptile - anthocyanin colouration Plant - growth habit Time of ear emergence Flag leaf - anthocyanin of auricles white medium parallel sided scurs present upper ½ medium to long medium to strong absent

slightly rough weak to medium - Group 1+ medium moderately curved narrow to medium elevated

### moderately to strongly curved

red dark

short to medium thin

medium to strong weak to medium weak to medium medium

medium to strong intermediate medium to late



# AFP 1/2857 KWS KERANKUM

# **CHARACTERS IN DETAIL**

# Ear

Colour Length Density Shape-side profile Awns or scurs - presence Awns or scurs - distribution Awns or scurs - length Apical rachis segment - convex face hairiness Anthers - anthocyanin colouration

### Lower glume

External surface Extent of internal hairs Beak length Beak curvature Shoulder width Shoulder shape

## Lower lemma

Beak curvature

#### Grain

Colour Colouration with phenol

#### Straw

Length Wall thickness @20cms below ear

### Glaucosity

Flag leaf - sheath Flag leaf- blade (lower side) Culm - neck Ear

#### Plant growth characters

Coleoptile - anthocyanin colouration Plant - growth habit Time of ear emergence Flag leaf - anthocyanin of auricles

- white medium parallel sided scurs present upper 1/4 medium weak to medium absent
- smooth medium (group 2) medium slight to moderately curved narrow straight to elevated

moderately curved

red medium

very short to short absent or very thin

very strong strong very strong medium to strong

medium intermed. to semi-prostrate late to very late absent or very weak



# AFP 1/2420 KWS KERRIN

## **CHARACTERS IN DETAIL**

# Ear

Colour Length Density Shape-side profile Awns or scurs - presence Awns or scurs - distribution Awns or scurs - length Apical rachis segment - convex face hairiness Anthers - anthocyanin colouration

### Lower glume

External surface Extent of internal hairs Beak length Beak curvature Shoulder width Shoulder shape

#### Lower lemma

Beak curvature

#### Grain

Colour Colouration with phenol

#### Straw

Length Wall thickness @20cms below ear

### Glaucosity

Flag leaf - sheath Flag leaf- blade (lower side) Culm - neck Ear

### Plant growth characters

Coleoptile - anthocyanin colouration Plant - growth habit Time of ear emergence Flag leaf - anthocyanin of auricles white medium parallel sided scurs present upper 1/4 medium to long medium to strong

slightly rough medium (group 2) medium moderately curved narrow to medium straight to elevated

moderately to strongly curved

red medium to dark

very short absent or very thin

medium weak to medium weak to medium weak to medium

absent or very weak intermediate very late



# AFP 1/2076 KWS KIELDER

# **CHARACTERS IN DETAIL**

Ear
Colour
Length
Density
Shape-side profile
Awns or scurs - presence
Awns of scurs - distribution
Awns or scurs - length:
Apical rachis segment - convex face hairiness
Anthers - anthocyanin colouration

### Lower glume

External surface Extent of internal hairs Beak length Beak curvature Shoulder width Shoulder shape

## Lower lemma

Beak curvature

### Grain

Colour Colouration with phenol

# Straw

Length Wall thickness @20cms below ear

### Glaucosity

Flag leaf - sheath Flag leaf- blade (lower side) Culm - neck Ear

### Plant growth characters

Coleoptile - anthocyanin colouration Plant - growth habit Time of ear emergence Flag leaf - anthocyanin of auricles white medium to long medium tapering scurs present upper <sup>1</sup>/<sub>2</sub> long weak to medium

slightly rough medium - Group 2 medium to long slightly curved very narrow to narrow elevated

slightly curved

red very dark

short thin

strong strong strong strong

weak to medium semi-prostrate medium to late



# AFP 1/2770 KWS KINETIC

## **CHARACTERS IN DETAIL**

# Ear

Colour Length Density Shape-side profile Awns or scurs - presence Awns or scurs - distribution Awns or scurs - length Apical rachis segment - convex face hairiness Anthers - anthocyanin colouration

### Lower glume

External surface Extent of internal hairs Beak length Beak curvature Shoulder width Shoulder shape

#### Lower lemma

Beak curvature

#### Grain

Colour Colouration with phenol

#### Straw

Length Wall thickness @20cms below ear

### Glaucosity

Flag leaf - sheath Flag leaf- blade (lower side) Culm - neck Ear

# Plant growth characters

Coleoptile - anthocyanin colouration Plant - growth habit Time of ear emergence Flag leaf - anthocyanin of auricles white medium medium to dense parallel sided scurs present upper 1/4 long weak

smooth strong to whole surface short to medium slight to moderately curved narrow elevated

moderately to strongly curved

red light to medium

short absent or very thin

strong strong medium to strong

medium intermediate medium to late



# AFP 1/2853 KWS KINNELLUM

# **CHARACTERS IN DETAIL**

# Ear

Colour Length Density Shape-side profile Awns or scurs - presence Awns or scurs - distribution Awns or scurs - length Apical rachis segment - convex face hairiness Anthers - anthocyanin colouration

### Lower glume

External surface Extent of internal hairs Beak length Beak curvature Shoulder width Shoulder shape

# Lower lemma

Beak curvature

### Grain

Colour Colouration with phenol

### Straw

Length Wall thickness @20cms below ear

### Glaucosity

Flag leaf - sheath Flag leaf - blade (lower side) Culm - neck Ear

### Plant growth characters

Coleoptile - anthocyanin colouration Plant - growth habit Time of ear emergence Flag leaf - anthocyanin of auricles

- white medium to long medium parallel sided scurs present upper 1/2 medium to long medium to strong absent
- smooth medium to strong (group 2+) medium moderately curved narrow straight to elevated

strongly curved

red medium

very short to short absent or very thin

strong to very strong strong to very strong strong to very strong strong

weak to medium intermediate medium to late absent or very weak



# AFP 1/2236 KWS LEON

## **CHARACTERS IN DETAIL**

# Ear

Colour Length Density Shape-side profile Awns or scurs - presence Awns or scurs - distribution Awns or scurs - length Apical rachis segment - convex face hairiness Anthers - anthocyanin colouration

### Lower glume

External surface Extent of internal hairs Beak length Beak curvature Shoulder width Shoulder shape

#### Lower lemma

Beak curvature

#### Grain

Colour Colouration with phenol

#### Straw

Length Wall thickness @20cms below ear

### Glaucosity

Flag leaf - sheath Flag leaf- blade (lower side) Culm - neck Ear

# Plant growth characters

Coleoptile - anthocyanin colouration Plant - growth habit Time of ear emergence Flag leaf - anthocyanin of auricles white medium lax to medium tapering scurs present upper 1/2 medium to long medium absent

slightly rough weak to medium (1+) short to medium moderately curved narrow elevated

moderately curved

red dark to very dark

short absent or very thin

strong medium to strong medium medium

medium intermediate late to very late



# AFP 1/2245 KWS LILI

## **CHARACTERS IN DETAIL**

# Ear

Colour Length Density Shape-side profile Awns or scurs - presence Awns or scurs - distribution Awns or scurs - length Apical rachis segment - convex face hairiness Anthers - anthocyanin colouration

#### Lower glume

External surface Extent of internal hairs Beak length Beak curvature Shoulder width Shoulder shape

#### Lower lemma

Beak curvature

#### Grain

Colour Colouration with phenol

#### Straw

Length Wall thickness @20cms below ear

### Glaucosity

Flag leaf - sheath Flag leaf- blade (lower side) Culm - neck Ear

# Plant growth characters

Coleoptile - anthocyanin colouration Plant - growth habit Time of ear emergence Flag leaf - anthocyanin of auricles white short to medium dense parallel sided scurs present upper 1/4 medium weak absent

slightly rough medium short to medium slightly curved narrow elevated

moderately curved

red medium to dark

short absent or very thin

medium to strong medium medium to strong

medium semi-erect to intermediate late



# AFP 1/1972 KWS LUMOS

# **CHARACTERS IN DETAIL**

Ear Colour Length Density Shape-side profile Awns or scurs - presence Awns of scurs - distribution Awns or scurs - length: Apical rachis segment - convex face hairiness Anthers - anthocyanin colouration

### Lower glume

External surface Extent of internal hairs Beak length Beak curvature Shoulder width Shoulder shape

# Lower lemma

Beak curvature

# Grain

Colour Colouration with phenol

# Straw

Length Wall thickness @20cms below ear

# Glaucosity

Flag leaf - sheath Flag leaf- blade (lower side) Culm - neck Ear

# Plant growth characters

Coleoptile - anthocyanin colouration Plant - growth habit Time of ear emergence Flag leaf - anthocyanin of auricles white short to medium medium parallel sided scurs present upper <sup>1</sup>/<sub>4</sub> medium medium

rough weak to medium - Group 1+ short to medium strongly curved narrow elevated

strongly curved

red medium

short to medium thin

medium to strong strong strong strong

strong semi-erect medium



# AFP 1/2561 KWS LUTHER

## **CHARACTERS IN DETAIL**

# Ear

Colour Length Density Shape-side profile Awns or scurs - presence Awns or scurs - distribution Awns or scurs - length Apical rachis segment - convex face hairiness Anthers - anthocyanin colouration

### Lower glume

External surface Extent of internal hairs Beak length Beak curvature Shoulder width Shoulder shape

#### Lower lemma

Beak curvature

#### Grain

Colour Colouration with phenol

#### Straw

Length Wall thickness @20cms below ear

### Glaucosity

Flag leaf - sheath Flag leaf- blade (lower side) Culm - neck Ear

# Plant growth characters

Coleoptile - anthocyanin colouration Plant - growth habit Time of ear emergence Flag leaf - anthocyanin of auricles

- white medium lax to medium tapering scurs present upper 3/4 long to very long weak to medium absent
- smooth medium (group 2) medium moderately curved narrow straight to elevated

# strongly curved

red light to medium

short absent or very thin

strong strong strong strong

weak intermediate medium



# AFP 1/1908 KWS MADRYN

# **CHARACTERS IN DETAIL**

Ear
Colour
Length
Density
Shape-side profile
Awns or scurs - presence
Awns of scurs - distribution
Awns or scurs - length:
Apical rachis segment - convex face hairiness
Anthers - anthocyanin colouration

### Lower glume

External surface Extent of internal hairs Beak length Beak curvature Shoulder width Shoulder shape

## Lower lemma

Beak curvature

### Grain

Colour Colouration with phenol

# Straw

Length Wall thickness @20cms below ear

### Glaucosity

Flag leaf - sheath Flag leaf- blade (lower side) Culm - neck Ear

### Plant growth characters

Coleoptile - anthocyanin colouration Plant - growth habit Time of ear emergence Flag leaf - anthocyanin of auricles white medium parallel sided scurs present upper ½ medium weak to medium

slightly rough weak to medium - Group 1+ medium strongly curved medium elevated

moderately curved

red medium

short thin

strong strong strong strong

strong semi-erect to intermediate medium



# AFP 1/2967 KWS MCGUGUM

## **CHARACTERS IN DETAIL**

# Ear

Colour Length Density Shape-side profile Awns or scurs - presence Awns or scurs - distribution Awns or scurs - length Apical rachis segment - convex face hairiness Anthers - anthocyanin colouration

### Lower glume

External surface Extent of internal hairs Beak length Beak curvature Shoulder width Shoulder shape

# Lower lemma

Beak curvature

#### Grain

Colour Colouration with phenol

#### Straw

Length Wall thickness @20cms below ear

### Glaucosity

Flag leaf - sheath Flag leaf - blade (lower side) Culm - neck Ear

#### Plant growth characters

Coleoptile - anthocyanin colouration Plant - growth habit Time of ear emergence Flag leaf - anthocyanin of auricles

- white short to medium lax to medium tapering scurs present upper 1/2 medium to long strong to very strong absent
- slightly rough medium to strong (group 2+) short to medium moderate to strongly curved narrow to medium straight to elevated

#### strongly curved

red medium to dark

very short absent or very thin

very strong very strong very strong strong to very strong

strong intermediate medium to late absent or very weak



# AFP 1/2244 KWS MOJITO

## **CHARACTERS IN DETAIL**

# Ear

Colour Length Density Shape-side profile Awns or scurs - presence Awns or scurs - distribution Awns or scurs - length Apical rachis segment - convex face hairiness Anthers - anthocyanin colouration

### Lower glume

External surface Extent of internal hairs Beak length Beak curvature Shoulder width Shoulder shape

#### Lower lemma

Beak curvature

#### Grain

Colour Colouration with phenol

#### Straw

Length Wall thickness @20cms below ear

### Glaucosity

Flag leaf - sheath Flag leaf- blade (lower side) Culm - neck Ear

### Plant growth characters

Coleoptile - anthocyanin colouration Plant - growth habit Time of ear emergence Flag leaf - anthocyanin of auricles white medium to long lax to medium parallel sided scurs present upper 3/4 long to very long weak to medium absent

smooth weak to medium medium moderately curved narrow to medium elevated

moderately curved

red medium to dark

short absent or very thin

medium weak to medium medium medium

absent to weak intermediate late



Variety Name: KWS Montana **Crop:** Winter wheat Breeder's Reference: KW 8027-3-08 AFP No: Breeder: KWS LOCHOW GMBH Translated from: German Date: 22 March 2016 **Origin:** Code: KWMON **Coleoptile-anthocyanin colouration:** Medium Semi prostrate \*Plant - growth habit: \*Time ear emergence: Late Flag leaf - Anthocyanin colouration of auricles: Frequency of plants with recurved flag leaves: Absent or very low \*Flag leaf - Glaucosity of sheath: Strong Flag leaf - Glaucosity of leaf blade: Strong Anthers - anthocyanin colouration: **Glaucosity of neck:** Strong to very strong Hairiness of uppermost node: \*Plant - height: Short to medium \*Straw - wall thickness @ 20cms below ear: Absent or very thin \*Ear - Glaucosity: Strong Ear - Supernumerary spikelets - frequency: \*Ear - Colour: White \*Ear - Shape (side profile): Parallel sided Ear - Length: Medium \*Ear - Density: Medium \*Awns or scurs - presence: Scurs present Awns or scurs - distibution: \*Scurs at tip of ear - length: Very short \*Awns at tip of ear - length: Lower glume - Beak length: Very short to short Lower glume - Beak shape (curvature): Straight to slightly curved Lower glume - Beak tip: Lower glume - Shoulder width: Medium Lower glume - Shoulder type: Slightly sloping to straight Lower glume - External surface roughness: Lower glume - Extent of internal hairs: Very weak to weak Lower glume - Internal imprint: Lower lemma - Beak shape: Lower lemma - Beak length-: Lower lemma - Beak swelling: Apical rachis segement - convex face hairiness: Strong to very strong \*Grain - colour: Red Grain - Shape: Grain - Brush hair length in dorsal view: Grain - Colouration with phenol: Medium to dark \*Seasonal type: Winter **Extra characters:** 

\* = Characteristics which should always be included in the description of the variety.

23 March 2016



# AFP 1/2240 KWS MOZART

## **CHARACTERS IN DETAIL**

# Ear

Colour Length Density Shape-side profile Awns or scurs - presence Awns or scurs - distribution Awns or scurs - length Apical rachis segment - convex face hairiness Anthers - anthocyanin colouration

### Lower glume

External surface Extent of internal hairs Beak length Beak curvature Shoulder width Shoulder shape

#### Lower lemma

Beak curvature

#### Grain

Colour Colouration with phenol

#### Straw

Length Wall thickness @20cms below ear

### Glaucosity

Flag leaf - sheath Flag leaf- blade (lower side) Culm - neck Ear

# Plant growth characters

Coleoptile - anthocyanin colouration Plant - growth habit Time of ear emergence Flag leaf - anthocyanin of auricles

- white medium parallel sided scurs present upper 1/2 short to medium medium absent
- smooth medium moderate to strongly curved narrow to medium elevated

### moderately curved

red medium

very short to short absent or very thin

strong medium medium to strong medium to strong

weak semi-erect to intermediate late to very late



# AFP 1/2977 KWS PALLADIUM

## **CHARACTERS IN DETAIL**

# Ear

Colour Length Density Shape-side profile Awns or scurs - presence Awns or scurs - distribution Awns or scurs - length Apical rachis segment - convex face hairiness Anthers - anthocyanin colouration

### Lower glume

External surface Extent of internal hairs Beak length Beak curvature Shoulder width Shoulder shape

#### Lower lemma

Beak curvature

## Grain

Colour Colouration with phenol

#### Straw

Length Wall thickness @20cms below ear

### Glaucosity

Flag leaf - sheath Flag leaf- blade (lower side) Culm - neck Ear

#### Plant growth characters

Coleoptile - anthocyanin colouration Plant - growth habit Time of ear emergence Flag leaf - anthocyanin of auricles

- white short to medium medium parallel sided scurs present upper 1/2 long medium absent
- rough strong to whole surface medium moderately curved very narrow to narrow elevated

strongly curved to geniculate

red dark

short absent or very thin

strong to very strong strong to very strong strong to very strong medium to strong

strong intermediate late absent or very weak



# AFP 1/2769

# **KWS PARKIN**

# **CHARACTERS IN DETAIL**

## Ear

Colour Length Density Shape-side profile Awns or scurs - presence Awns or scurs - distribution Awns or scurs - length Apical rachis segment - convex face hairiness Anthers - anthocyanin colouration

#### Lower glume

External surface Extent of internal hairs Beak length Beak curvature Shoulder width Shoulder shape

## Lower lemma

Beak curvature

### Grain

Colour Colouration with phenol

#### Straw

Length Wall thickness @20cms below ear

#### Glaucosity

Flag leaf - sheath Flag leaf- blade (lower side) Culm - neck Ear

## Plant growth characters

Coleoptile - anthocyanin colouration Plant - growth habit Time of ear emergence Flag leaf - anthocyanin of auricles white short dense parallel sided scurs present upper 1/4 long absent or very weak

entire external surface rough strong to whole surface medium moderately curved very narrow to narrow elevated

#### strongly curved to geniculate

red light to medium

#### very short to short absent or very thin

strong medium to strong strong weak to medium

weak intermediate medium to late



# AFP 1/2856 KWS PLECTRUM

# **CHARACTERS IN DETAIL**

# Ear

Colour Length Density Shape-side profile Awns or scurs - presence Awns or scurs - distribution Awns or scurs - length Apical rachis segment - convex face hairiness Anthers - anthocyanin colouration

### Lower glume

External surface Extent of internal hairs Beak length Beak curvature Shoulder width Shoulder shape

### Lower lemma

Beak curvature

### Grain

Colour Colouration with phenol

# Straw

Length Wall thickness @20cms below ear

### Glaucosity

Flag leaf - sheath Flag leaf- blade (lower side) Culm - neck Ear

### Plant growth characters

Coleoptile - anthocyanin colouration Plant - growth habit Time of ear emergence Flag leaf - anthocyanin of auricles white medium to long dense parallel sided scurs present upper 1/4 medium to long strong absent

smooth medium (group 2) short to medium v.slightly curved narrow to medium straight to elevated

slightly curved

red dark to very dark

very short medium

very strong very strong very strong

weak intermed. to semi-prostrate late absent or very weak



# AFP 1/1907 KWS PODIUM

# **CHARACTERS IN DETAIL**

Ear Colour Length Density Shape-side profile Awns or scurs - presence Awns of scurs - distribution Awns or scurs - length: Apical rachis segment - convex face hairiness Anthers - anthocyanin colouration

### Lower glume

External surface Extent of internal hairs Beak length Beak curvature Shoulder width Shoulder shape

# Lower lemma

Beak curvature

# Grain

Colour Colouration with phenol

# Straw

Length Wall thickness @20cms below ear

# Glaucosity

Flag leaf - sheath Flag leaf- blade (lower side) Culm - neck Ear

# Plant growth characters

Coleoptile - anthocyanin colouration Plant - growth habit Time of ear emergence Flag leaf - anthocyanin of auricles white medium to dense tapering scurs present upper <sup>1</sup>/<sub>4</sub> medium weak to medium absent

smooth medium - Group 2 medium slight to moderately curved narrow to medium elevated

slightly curved

red dark

very short to short thin

strong medium to strong medium to strong strong to very strong

medium semi-erect medium



# AFP 1/2864 KWS RACKUM

# **CHARACTERS IN DETAIL**

## Ear

Colour Length Density Shape-side profile Awns or scurs - presence Awns or scurs - distribution Awns or scurs - length Apical rachis segment - convex face hairiness Anthers - anthocyanin colouration

### Lower glume

External surface Extent of internal hairs Beak length Beak curvature Shoulder width Shoulder shape

# Lower lemma

Beak curvature

### Grain

Colour Colouration with phenol

## Straw

Length Wall thickness @20cms below ear

### Glaucosity

Flag leaf - sheath Flag leaf- blade (lower side) Culm - neck Ear

### Plant growth characters

Coleoptile - anthocyanin colouration Plant - growth habit Time of ear emergence Flag leaf - anthocyanin of auricles

- white medium medium to dense parallel sided scurs present upper 1/4 medium to long absent or very weak absent
- smooth medium (group 2) medium to long moderately curved narrow straight to elevated

moderately curved

red medium to dark

very short to short absent or very thin

strong to very strong strong to very strong strong to very strong strong

weak intermediate late absent or very weak



# AFP 1/2078 KWS ROWAN

# **CHARACTERS IN DETAIL**

Ear Colour Length Density Shape-side profile Awns or scurs - presence Awns of scurs - distribution Awns or scurs - length: Apical rachis segment - convex face hairiness Anthers - anthocyanin colouration

### Lower glume

External surface Extent of internal hairs Beak length Beak curvature Shoulder width Shoulder shape

#### Lower lemma Beak curvature

#### Grain Colour

Colour Colouration with phenol

# Straw

Length Wall thickness @20cms below ear

# Glaucosity

Flag leaf - sheath Flag leaf- blade (lower side) Culm - neck Ear

# Plant growth characters

Coleoptile - anthocyanin colouration Plant - growth habit Time of ear emergence Flag leaf - anthocyanin of auricles

- white medium lax to medium tapering scurs present upper <sup>1</sup>/<sub>2</sub> medium to long absent to weak
- smooth medium - Group 2 medium moderately curved medium elevated

moderately curved

red dark to very dark

short to medium thin

strong medium to strong strong medium to strong

medium intermediate medium



# AFP 1/2975 KWS SABRUM

## **CHARACTERS IN DETAIL**

# Ear

Colour Length Density Shape-side profile Awns or scurs - presence Awns or scurs - distribution Awns or scurs - length Apical rachis segment - convex face hairiness Anthers - anthocyanin colouration

### Lower glume

External surface Extent of internal hairs Beak length Beak curvature Shoulder width Shoulder shape

#### Lower lemma

Beak curvature

#### Grain

Colour Colouration with phenol

#### Straw

Length Wall thickness @20cms below ear

#### Glaucosity

Flag leaf - sheath Flag leaf - blade (lower side) Culm - neck Ear

#### Plant growth characters

Coleoptile - anthocyanin colouration Plant - growth habit Time of ear emergence Flag leaf - anthocyanin of auricles

- white short dense parallel sided scurs present upper 1/4 medium weak to medium absent
- slightly rough strong (group 3) short to medium slight to moderately curved narrow straight to elevated

#### strongly curved

red dark

very short to short absent or very thin

very strong strong to very strong very strong medium

medium intermediate medium absent or very weak



# AFP 1/1916 KWS SANTIAGO

# **CHARACTERS IN DETAIL**

Ear Colour Length Density Shape-side profile Awns or scurs - presence Awns of scurs - distribution Awns or scurs - length: Apical rachis segment - convex face hairiness Anthers - anthocyanin colouration

### Lower glume

External surface Extent of internal hairs Beak length Beak curvature Shoulder width Shoulder shape

# Lower lemma

Beak curvature

# Grain

Colour Colouration with phenol

# Straw

Length Wall thickness @20cms below ear

### Glaucosity

Flag leaf - sheath Flag leaf- blade (lower side) Culm - neck Ear

## Plant growth characters

Coleoptile - anthocyanin colouration Plant - growth habit Time of ear emergence Flag leaf - anthocyanin of auricles white medium parallel sided scurs present upper <sup>1</sup>/<sub>4</sub> medium to long medium absent

slightly rough medium - Group 2 medium moderately curved narrow to medium elevated

### moderately to strongly curved

red medium

very short to short thin

strong strong medium to strong

strong semi-erect to intermediate medium to late



# AFP 1/1971 KWS SAXTEAD

# **CHARACTERS IN DETAIL**

Ear Colour Length Density Shape-side profile Awns or scurs - presence Awns of scurs - distribution Awns or scurs - length: Apical rachis segment - convex face hairiness Anthers - anthocyanin colouration

### Lower glume

External surface Extent of internal hairs Beak length Beak curvature Shoulder width Shoulder shape

# Lower lemma

Beak curvature

## Grain

Colour Colouration with phenol

## Straw

Length Wall thickness @20cms below ear

### Glaucosity

Flag leaf - sheath Flag leaf- blade (lower side) Culm - neck Ear

## Plant growth characters

Coleoptile - anthocyanin colouration Plant - growth habit Time of ear emergence Flag leaf - anthocyanin of auricles

- white medium tapering awns present whole length long medium
- slightly rough strong - Group 3 long strongly curved narrow elevated

### moderately to strongly curved

red dark

short to medium thin

strong strong to very strong strong to very strong

strong semi-erect medium



# AFP 1/2668 KWS SCIMITAR

## **CHARACTERS IN DETAIL**

# Ear

Colour Length Density Shape-side profile Awns or scurs - presence Awns or scurs - distribution Awns or scurs - length Apical rachis segment - convex face hairiness Anthers - anthocyanin colouration

### Lower glume

External surface Extent of internal hairs Beak length Beak curvature Shoulder width Shoulder shape

#### Lower lemma

Beak curvature

#### Grain

Colour Colouration with phenol

#### Straw

Length Wall thickness @20cms below ear

### Glaucosity

Flag leaf - sheath Flag leaf- blade (lower side) Culm - neck Ear

# Plant growth characters

Coleoptile - anthocyanin colouration Plant - growth habit Time of ear emergence Flag leaf - anthocyanin of auricles white short to medium medium parallel sided scurs present

long to very long weak to medium

smooth medium (group 2) medium moderate to strongly curved broad straight to elevated

red medium to dark

short absent or very thin

medium to strong medium to strong medium to strong medium to strong

absent or very weak intermediate late



# AFP 1/2309 KWS SILVERSTONE

## **CHARACTERS IN DETAIL**

# Ear

Colour Length Density Shape-side profile Awns or scurs - presence Awns or scurs - distribution Awns or scurs - length Apical rachis segment - convex face hairiness Anthers - anthocyanin colouration

### Lower glume

External surface Extent of internal hairs Beak length Beak curvature Shoulder width Shoulder shape

#### Lower lemma

Beak curvature

#### Grain

Colour Colouration with phenol

#### Straw

Length Wall thickness @20cms below ear

#### Glaucosity

Flag leaf - sheath Flag leaf- blade (lower side) Culm - neck Ear

# Plant growth characters

Coleoptile - anthocyanin colouration Plant - growth habit Time of ear emergence Flag leaf - anthocyanin of auricles

- white medium to long medium parallel sided scurs present upper 1/2 medium to long medium to strong
- smooth medium (2) medium slight to moderately curved narrow elevated

slightly to moderately curved

red light to medium

very short to short absent or very thin

strong medium to strong medium to strong medium to strong

weak to medium semi-erect to intermediate late to very late



# AFP 1/2970 KWS SILVUM

## **CHARACTERS IN DETAIL**

# Ear

Colour Length Density Shape-side profile Awns or scurs - presence Awns or scurs - distribution Awns or scurs - length Apical rachis segment - convex face hairiness Anthers - anthocyanin colouration

### Lower glume

External surface Extent of internal hairs Beak length Beak curvature Shoulder width Shoulder shape

## Lower lemma

Beak curvature

#### Grain

Colour Colouration with phenol

#### Straw

Length Wall thickness @20cms below ear

### Glaucosity

Flag leaf - sheath Flag leaf - blade (lower side) Culm - neck Ear

#### Plant growth characters

Coleoptile - anthocyanin colouration Plant - growth habit Time of ear emergence Flag leaf - anthocyanin of auricles

- white medium to long medium tapering scurs present upper 1/4 medium to long weak to medium absent
- smooth medium to strong (group 2+) medium moderate to strongly curved narrow elevated

#### geniculate

red dark

very short to short absent or very thin

very strong strong to very strong strong to very strong medium to strong

medium to strong intermediate late to very late absent or very weak



# AFP 1/2315 KWS SISKIN

# **CHARACTERS IN DETAIL**

## Ear

Colour Length Density Shape-side profile Awns or scurs - presence Awns or scurs - distribution Awns or scurs - length Apical rachis segment - convex face hairiness Anthers - anthocyanin colouration

#### Lower glume

External surface Extent of internal hairs Beak length Beak curvature Shoulder width Shoulder shape

## Lower lemma

Beak curvature

## Grain

Colour Colouration with phenol

#### Straw

Length Wall thickness @20cms below ear

#### Glaucosity

Flag leaf - sheath Flag leaf- blade (lower side) Culm - neck Ear

## Plant growth characters

Coleoptile - anthocyanin colouration Plant - growth habit Time of ear emergence Flag leaf - anthocyanin of auricles white medium tapering scurs present upper 1/2 medium weak

rough weak to medium (1+) short to medium slight to moderately curved very narrow to narrow elevated

moderately curved

red light to medium

short absent or very thin

medium to strong medium to strong medium to strong strong

medium semi-erect to intermediate late



# AFP 1/2761 KWS SKOMER

# **CHARACTERS IN DETAIL**

# Ear

Colour Length Density Shape-side profile Awns or scurs - presence Awns or scurs - distribution Awns or scurs - length Apical rachis segment - convex face hairiness Anthers - anthocyanin colouration

### Lower glume

External surface Extent of internal hairs Beak length Beak curvature Shoulder width Shoulder shape

#### Lower lemma

Beak curvature

### Grain

Colour Colouration with phenol

#### Straw

Length Wall thickness @20cms below ear

### Glaucosity

Flag leaf - sheath Flag leaf - blade (lower side) Culm - neck Ear

#### Plant growth characters

Coleoptile - anthocyanin colouration Plant - growth habit Time of ear emergence Flag leaf - anthocyanin of auricles white medium to long medium tapering scurs present upper 1/4 medium to long weak

smooth weak to medium (group 1+) medium to long strongly curved narrow to medium elevated

strongly curved to geniculate

red light to medium

short to medium absent or very thin

strong to very strong strong to very strong strong to very strong strong to very strong

weak intermediate early



# AFP 1/1975 KWS SOLO

# **CHARACTERS IN DETAIL**

Ear Colour Length Density Shape-side profile Awns or scurs - presence Awns of scurs - distribution Awns or scurs - length: Apical rachis segment - convex face hairiness Anthers - anthocyanin colouration

### Lower glume

External surface Extent of internal hairs Beak length Beak curvature Shoulder width Shoulder shape

# Lower lemma

Beak curvature

# Grain

Colour Colouration with phenol

# Straw

Length Wall thickness @20cms below ear

# Glaucosity

Flag leaf - sheath Flag leaf- blade (lower side) Culm - neck Ear

### Plant growth characters

Coleoptile - anthocyanin colouration Plant - growth habit Time of ear emergence Flag leaf - anthocyanin of auricles white medium to long medium to dense parallel sided scurs present upper <sup>1</sup>/<sub>4</sub> medium to long medium

smooth weak to medium - Group 1+ medium medium elevated

moderately curved

red dark to very dark

short thin

medium to strong medium to strong strong strong

absent to weak intermediate medium to late



# AFP 1/1880 KWS STERLING

# **CHARACTERS IN DETAIL**

Ear Colour Length Density Shape-side profile Awns or scurs - presence Awns of scurs - distribution Awns or scurs - length: Apical rachis segment - convex face hairiness Anthers - anthocyanin colouration

### Lower glume

External surface Extent of internal hairs Beak length Beak curvature Shoulder width Shoulder shape

# Lower lemma

Beak curvature

# Grain

Colour Colouration with phenol

# Straw

Length Wall thickness @20cms below ear

# Glaucosity

Flag leaf - sheath Flag leaf- blade (lower side) Culm - neck Ear

## Plant growth characters

Coleoptile - anthocyanin colouration Plant - growth habit Time of ear emergence Flag leaf - anthocyanin of auricles white short to medium medium parallel sided scurs present upper <sup>1</sup>/<sub>4</sub> long weak absent

smooth weak to medium - Group 1+ medium moderately curved very narrow to narrow elevated

### slightly to moderately curved

red medium to dark

very short to short thin

strong medium to strong strong

medium to strong semi-erect medium to late



# AFP 1/1911 KWS TARGET

# **CHARACTERS IN DETAIL**

Ear Colour Length Density Shape-side profile Awns or scurs - presence Awns or scurs - distribution Awns or scurs - length: Apical rachis segment - convex face hairiness Anthers - anthocyanin colouration

### Lower glume

External surface Extent of internal hairs Beak length Beak curvature Shoulder width Shoulder shape

# Lower lemma

Beak curvature

## Grain

Colour Colouration with phenol

# Straw

Length Wall thickness @20cms below ear

### Glaucosity

Flag leaf - sheath Flag leaf- blade (lower side) Culm - neck Ear

### Plant growth characters

Coleoptile - anthocyanin colouration Plant - growth habit Time of ear emergence Flag leaf - anthocyanin of auricles white short to medium dense parallel sided scurs present upper <sup>1</sup>/<sub>4</sub> medium absent to weak absent

slightly rough medium - Group 2 medium slight to moderately curved medium elevated

### moderately curved

red very dark

short thin

strong medium to strong strong

strong semi-erect medium



# AFP 1/2241 KWS TEMPO

## **CHARACTERS IN DETAIL**

# Ear

Colour Length Density Shape-side profile Awns or scurs - presence Awns or scurs - distribution Awns or scurs - length Apical rachis segment - convex face hairiness Anthers - anthocyanin colouration

### Lower glume

External surface Extent of internal hairs Beak length Beak curvature Shoulder width Shoulder shape

#### Lower lemma

Beak curvature

#### Grain

Colour Colouration with phenol

#### Straw

Length Wall thickness @20cms below ear

### Glaucosity

Flag leaf - sheath Flag leaf- blade (lower side) Culm - neck Ear

# Plant growth characters

Coleoptile - anthocyanin colouration Plant - growth habit Time of ear emergence Flag leaf - anthocyanin of auricles

- white medium medium to dense parallel sided scurs present upper 1/4 medium to long weak to medium absent
- rough weak to medium short to medium strongly curved narrow elevated

geniculate

red medium

short absent or very thin

strong medium to strong strong medium to strong

medium to strong intermediate very late



# AFP 1/2235 KWS TRINITY

## **CHARACTERS IN DETAIL**

# Ear

Colour Length Density Shape-side profile Awns or scurs - presence Awns or scurs - distribution Awns or scurs - length Apical rachis segment - convex face hairiness Anthers - anthocyanin colouration

#### Lower glume

External surface Extent of internal hairs Beak length Beak curvature Shoulder width Shoulder shape

#### Lower lemma

Beak curvature

#### Grain

Colour Colouration with phenol

#### Straw

Length Wall thickness @20cms below ear

### Glaucosity

Flag leaf - sheath Flag leaf- blade (lower side) Culm - neck Ear

### Plant growth characters

Coleoptile - anthocyanin colouration Plant - growth habit Time of ear emergence Flag leaf - anthocyanin of auricles

- white medium lax to medium tapering scurs present upper 1/2 medium weak absent
- slightly rough weak to medium medium strongly curved medium elevated

strongly curved

red dark to very dark

short absent or very thin

strong medium to strong medium to strong strong

absent to weak intermediate late



# AFP 1/2427 KWS TROMMEL

## **CHARACTERS IN DETAIL**

# Ear

Colour Length Density Shape-side profile Awns or scurs - presence Awns or scurs - distribution Awns or scurs - length Apical rachis segment - convex face hairiness Anthers - anthocyanin colouration

## Lower glume

External surface Extent of internal hairs Beak length Beak curvature Shoulder width Shoulder shape

#### Lower lemma

Beak curvature

#### Grain

Colour Colouration with phenol

### Straw

Length Wall thickness @20cms below ear

### Glaucosity

Flag leaf - sheath Flag leaf- blade (lower side) Culm - neck Ear

### Plant growth characters

Coleoptile - anthocyanin colouration Plant - growth habit Time of ear emergence Flag leaf - anthocyanin of auricles

- white medium to long medium tapering scurs present upper 1/2 long to very long medium to strong
- smooth medium (group 2) medium strongly curved narrow to medium straight to elevated

strongly curved

red medium to dark

very short to short absent or very thin

medium to strong medium medium medium


weak intermediate very late



# AFP 1/2082 **KWS YARIS**

# **CHARACTERS IN DETAIL**

Ear	
Colour:	white
Length:	medium to long
Density:	medium
Shape (side profile)	tapering
Awns or scurs - presence:	scurs present
Awns or scurs - distribution:	
Awns or scurs - length:	medium
Apical rachis segment - convex face hairiness:	medium to stron
Anthers - anthocyanin colouration	
Lower Glume	
External surface roughness:	
Extent of internal hairs:	strong - group 3
Beak length:	long
Beak shape (curvature):	strongly curved
Shoulder	medium
Shoulder	elevated
Lower Lemma	
Beak shape:	strongly curved
Grain	
Colour	red
Colouration with phenol:	medium to dark
Straw	
Length:	medium
Wall thickness @ 20cms below ear:	very thin
Glaucosity	
Flag leaf - sheath:	strong to very st
Flag leaf - blade (lower side):	very strong
Culm neck:	strong to very s
Ear - Glaucosity:	strong to very s
Plant growth characters	
Coleoptile-anthocyanin	absent or very v
Plant - growth habit:	semi-prostrate
Time ear emergence:	late
Flag leaf - Anthocyanin colouration of auricles:	



weak



# AFP 1/2762 KWS ZENTARR

# **CHARACTERS IN DETAIL**

# Ear

Colour Length Density Shape-side profile Awns or scurs - presence Awns or scurs - distribution Awns or scurs - length Apical rachis segment - convex face hairiness Anthers - anthocyanin colouration

## Lower glume

External surface Extent of internal hairs Beak length Beak curvature Shoulder width Shoulder shape

### Lower lemma

Beak curvature

### Grain

Colour Colouration with phenol

#### Straw

Length Wall thickness @20cms below ear

## Glaucosity

Flag leaf - sheath Flag leaf- blade (lower side) Culm - neck Ear

# Plant growth characters

Coleoptile - anthocyanin colouration Plant - growth habit Time of ear emergence Flag leaf - anthocyanin of auricles

- white medium parallel sided scurs present upper 1/2 long to very long medium to strong
- smooth medium to strong (group 2+) medium moderate to strongly curved medium elevated

#### strongly curved

red medium to dark

very short to short absent or very thin

strong to very strong strong strong

weak to medium intermediate late to very late



# AFP 1/2417 KWS ZYATT

# **CHARACTERS IN DETAIL**

# Ear

Colour Length Density Shape-side profile Awns or scurs - presence Awns or scurs - distribution Awns or scurs - length Apical rachis segment - convex face hairiness Anthers - anthocyanin colouration

# Lower glume

External surface Extent of internal hairs Beak length Beak curvature Shoulder width Shoulder shape

### Lower lemma

Beak curvature

### Grain

Colour Colouration with phenol

## Straw

Length Wall thickness @20cms below ear

## Glaucosity

Flag leaf - sheath Flag leaf- blade (lower side) Culm - neck Ear

# Plant growth characters

Coleoptile - anthocyanin colouration Plant - growth habit Time of ear emergence Flag leaf - anthocyanin of auricles

- white short to medium lax to medium parallel sided scurs present upper 1/4 long medium to strong
- rough strong (group 3) short to medium slightly curved very narrow to narrow elevated

moderately curved

red dark

very short absent or very thin

medium to strong medium to strong medium to strong strong

weak semi-erect to intermediate very late



# AFP 1/2113 LANCASTER

# **CHARACTERS IN DETAIL**

Ear Colour Length Density Shape-side profile Awns or scurs - presence Awns or scurs - distribution Awns or scurs - length: Apical rachis segment - convex face hairiness Anthers - anthocyanin colouration

## Lower glume

External surface Extent of internal hairs Beak length Beak curvature Shoulder width Shoulder shape

Lower lemma Beak curvature

**Grain** Colour Colouration with phenol

# Straw

Length Wall thickness @20cms below ear

# Glaucosity

Flag leaf - sheath Flag leaf- blade (lower side) Culm - neck Ear

## Plant growth characters

Coleoptile - anthocyanin colouration Plant - growth habit Time of ear emergence Flag leaf - anthocyanin of auricles white medium to long lax to medium parallel sided scurs present upper <sup>1</sup>/<sub>4</sub> long weak absent

slightly rough medium - Group 2 medium moderately curved narrow to medium elevated

moderately curved

red dark to very dark

short to medium thin

medium to strong medium weak to medium weak to medium

weak intermed. to semi-prostrate late



# AFP 1/1756 LANGDALE

# **CHARACTERS IN DETAIL**

# Ear

Colour Length Density Shape-side profile Awns or scurs - presence Awns or scurs - distribution Awns or scurs - length Apical rachis segment - convex face hairiness Anthers - anthocyanin colouration

## Lower glume

External surface Extent of internal hairs Beak length Beak curvature Shoulder width Shoulder shape

## Lower lemma

Beak curvature

# Grain

Colour Colouration with phenol

Straw Length Wall thickness @20cms below ear

#### Glaucosity

Flag leaf - sheath Flag leaf- blade (lower side) Culm - neck Ear

# Plant growth characters

Coleoptile - anthocyanin colouration Plant - growth habit Time of ear emergence Flag leaf - anthocyanin of auricles white medium to long lax to medium parallel sided scurs present upper 1/4 medium medium to strong absent

rough medium (2) short to medium slightly curved medium elevated

strongly curved to geniculate

red dark

medium absent or very thin

strong medium to strong medium to strong medium to strong

strong semi-erect late



# AFP 1/1790 **LEAR**

# **CHARACTERS IN DETAIL**

Ear Colour Length Density Shape-side profile Awns or scurs - presence Awns or scurs - distribution Awns or scurs - length: Apical rachis segment - convex face hairiness Anthers - anthocyanin colouration

## Lower glume

External surface Extent of internal hairs Beak length Beak curvature Shoulder width Shoulder shape

# Lower lemma

Beak curvature

# Grain

Colour Colouration with phenol

# Straw

Length Wall thickness @20cms below ear

# Glaucosity

Flag leaf - sheath Flag leaf- blade (lower side) Culm - neck Ear

## Plant growth characters

Coleoptile - anthocyanin colouration Plant - growth habit Time of ear emergence Flag leaf - anthocyanin of auricles white medium parallel sided scurs present upper <sup>1</sup>/<sub>4</sub> medium weak to medium absent

smooth medium - Group 2 short to medium slightly curved narrow elevated

strongly curved

red dark

medium to long thin

strong medium to strong medium to strong medium to strong

weak semi-erect to intermediate late to very late



# AFP 1/2081 **LEEDS**

# **CHARACTERS IN DETAIL**

Ear Colour Length Density Shape-side profile Awns or scurs - presence Awns or scurs - distribution Awns or scurs - length: Apical rachis segment - convex face hairiness Anthers - anthocyanin colouration

## Lower glume

External surface Extent of internal hairs Beak length Beak curvature Shoulder width Shoulder shape

#### Lower lemma Beak curvature

# Grain

Colour Colouration with phenol

# Straw

Length Wall thickness @20cms below ear

# Glaucosity

Flag leaf - sheath Flag leaf- blade (lower side) Culm - neck Ear

# Plant growth characters

Coleoptile - anthocyanin colouration Plant - growth habit Time of ear emergence Flag leaf - anthocyanin of auricles

white medium to long lax to medium tapering scurs present upper 1/2 long weak to medium

slightly rough medium - Group 2 medium moderately curved narrow elevated

moderately curved

red very dark

short to medium thin

strong strong medium to strong medium

weak to medium intermediate medium



AFP 1/2809

# LG ASTRONOMER

# **CHARACTERS IN DETAIL**

# Ear

Colour Length Density Shape-side profile Awns or scurs - presence Awns or scurs - distribution Awns or scurs - length Apical rachis segment - convex face hairiness Anthers - anthocyanin colouration

# Lower glume

External surface Extent of internal hairs Beak length Beak curvature Shoulder width Shoulder shape

#### Lower lemma

Beak curvature

#### Grain

Colour Colouration with phenol

# Straw

Length Wall thickness @20cms below ear

#### Glaucosity

Flag leaf - sheath Flag leaf- blade (lower side) Culm - neck Ear

#### **Plant growth characters**

Coleoptile - anthocyanin colouration Plant - growth habit Time of ear emergence Flag leaf - anthocyanin of auricles white medium to long lax to medium parallel sided scurs present upper 1/4 long to very long medium to strong absent

slightly rough medium (group 2) medium to long moderate to strongly curved medium straight to elevated

strongly curved

red dark to very dark

short absent or very thin

strong to very strong strong to very strong strong to very strong medium

weak intermed. to semi-prostrate late absent or very weak



# AFP 1/2449 LG BLETCHLEY

# **CHARACTERS IN DETAIL**

# Ear

Colour Length Density Shape-side profile Awns or scurs - presence Awns or scurs - distribution Awns or scurs - length Apical rachis segment - convex face hairiness Anthers - anthocyanin colouration

# Lower glume

External surface Extent of internal hairs Beak length Beak curvature Shoulder width Shoulder shape

### Lower lemma

Beak curvature

### Grain

Colour Colouration with phenol

#### Straw

Length Wall thickness @20cms below ear

## Glaucosity

Flag leaf - sheath Flag leaf- blade (lower side) Culm - neck Ear

# Plant growth characters

Coleoptile - anthocyanin colouration Plant - growth habit Time of ear emergence Flag leaf - anthocyanin of auricles

- white short to medium medium parallel sided scurs present upper 1/4 long weak to medium
- smooth weak to medium (group 1+) medium to long slight to moderately curved narrow elevated

moderately to strongly curved

red medium to dark

very short to short absent or very thin

medium to strong medium medium medium

absent or very weak semi-erect to intermediate late



# AFP 1/2456 LG CASSIDY

# **CHARACTERS IN DETAIL**

# Ear

Colour Length Density Shape-side profile Awns or scurs - presence Awns or scurs - distribution Awns or scurs - length Apical rachis segment - convex face hairiness Anthers - anthocyanin colouration

# Lower glume

External surface Extent of internal hairs Beak length Beak curvature Shoulder width Shoulder shape

## Lower lemma

Beak curvature

## Grain

Colour Colouration with phenol

## Straw

Length Wall thickness @20cms below ear

## Glaucosity

Flag leaf - sheath Flag leaf- blade (lower side) Culm - neck Ear

# Plant growth characters

Coleoptile - anthocyanin colouration Plant - growth habit Time of ear emergence Flag leaf - anthocyanin of auricles

- white short to medium medium tapering scurs present upper 1/4 short to medium weak to medium
- smooth medium (group 2) medium moderate to strongly curved narrow to medium elevated

## strongly curved

red medium

very short to short absent or very thin

absent or very weak absent or very weak absent or very weak absent or very weak

medium semi-erect to intermediate late



# AFP 1/2629 LG DETROIT

# **CHARACTERS IN DETAIL**

# Ear

Colour Length Density Shape-side profile Awns or scurs - presence Awns or scurs - distribution Awns or scurs - length Apical rachis segment - convex face hairiness Anthers - anthocyanin colouration

# Lower glume

External surface Extent of internal hairs Beak length Beak curvature Shoulder width Shoulder shape

### Lower lemma

Beak curvature

### Grain

Colour Colouration with phenol

#### Straw

Length Wall thickness @20cms below ear

## Glaucosity

Flag leaf - sheath Flag leaf- blade (lower side) Culm - neck Ear

## Plant growth characters

Coleoptile - anthocyanin colouration Plant - growth habit Time of ear emergence Flag leaf - anthocyanin of auricles

- white medium medium to dense tapering scurs present upper 1/2 long medium
- smooth medium (group 2) short to medium slight to moderately curved medium elevated

#### moderately curved

red dark

short absent or very thin

strong strong strong strong

weak intermediate late



# AFP 1/2899 LG FARRIER

# **CHARACTERS IN DETAIL**

# Ear

Colour Length Density Shape-side profile Awns or scurs - presence Awns or scurs - distribution Awns or scurs - length Apical rachis segment - convex face hairiness Anthers - anthocyanin colouration

## Lower glume

External surface Extent of internal hairs Beak length Beak curvature Shoulder width Shoulder shape

### Lower lemma

Beak curvature

## Grain

Colour Colouration with phenol

#### Straw

Length Wall thickness @20cms below ear

#### Glaucosity

Flag leaf - sheath Flag leaf - blade (lower side) Culm - neck Ear

#### Plant growth characters

Coleoptile - anthocyanin colouration Plant - growth habit Time of ear emergence Flag leaf - anthocyanin of auricles

- white medium to long medium to dense tapering scurs present upper 1/4 short to medium weak
- entire external surface rough medium to strong (group 2+) medium strongly curved narrow to medium elevated

strongly curved to geniculate

red dark

short absent or very thin

very strong strong very strong medium to strong

medium intermediate late absent or very weak



# AFP 1/2524 LG GENERATION

# **CHARACTERS IN DETAIL**

# Ear

Colour Length Density Shape-side profile Awns or scurs - presence Awns or scurs - distribution Awns or scurs - length Apical rachis segment - convex face hairiness Anthers - anthocyanin colouration

### Lower glume

External surface Extent of internal hairs Beak length Beak curvature Shoulder width Shoulder shape

# Lower lemma

Beak curvature

# Grain

Colour Colouration with phenol

## Straw

Length Wall thickness @20cms below ear

## Glaucosity

Flag leaf - sheath Flag leaf- blade (lower side) Culm - neck Ear

## Plant growth characters

Coleoptile - anthocyanin colouration Plant - growth habit Time of ear emergence Flag leaf - anthocyanin of auricles white medium to long medium parallel sided scurs present upper 1/2 long weak to medium absent

slightly rough medium (group 2) medium moderately curved narrow to medium straight to elevated

moderately to strongly curved

red dark to very dark

short to medium absent or very thin

medium weak medium to strong medium to strong

weak to medium intermediate medium to late



# AFP 1/2731 LG GRADUATE

# **CHARACTERS IN DETAIL**

# Ear

Colour Length Density Shape-side profile Awns or scurs - presence Awns or scurs - distribution Awns or scurs - length Apical rachis segment - convex face hairiness Anthers - anthocyanin colouration

#### Lower glume

External surface Extent of internal hairs Beak length Beak curvature Shoulder width Shoulder shape

# Lower lemma

Beak curvature

# Grain

Colour Colouration with phenol

#### Straw

Length Wall thickness @20cms below ear

### Glaucosity

Flag leaf - sheath Flag leaf- blade (lower side) Culm - neck Ear

## Plant growth characters

Coleoptile - anthocyanin colouration Plant - growth habit Time of ear emergence Flag leaf - anthocyanin of auricles white medium to dense tapering scurs present upper 1/4 short to medium very weak to weak

smooth weak to medium (group 1+) long slight to moderately curved narrow to medium elevated

moderately curved

red dark to very dark

short to medium absent or very thin

strong to very strong strong strong

weak intermediate late to very late



# AFP 1/2810 LG ILLUMINATE

# **CHARACTERS IN DETAIL**

# Ear

Colour Length Density Shape-side profile Awns or scurs - presence Awns or scurs - distribution Awns or scurs - length Apical rachis segment - convex face hairiness Anthers - anthocyanin colouration

# Lower glume

External surface Extent of internal hairs Beak length Beak curvature Shoulder width Shoulder shape

## Lower lemma

Beak curvature

## Grain

Colour Colouration with phenol

# Straw

Length Wall thickness @20cms below ear

## Glaucosity

Flag leaf - sheath Flag leaf- blade (lower side) Culm - neck Ear

#### Plant growth characters

Coleoptile - anthocyanin colouration Plant - growth habit Time of ear emergence Flag leaf - anthocyanin of auricles white medium to long medium to dense parallel sided scurs present upper 1/4 long to very long weak to medium absent

slightly rough medium (group 2) long moderate to strongly curved narrow to medium straight to elevated

strongly curved

red dark to very dark

very short to short absent or very thin

very strong very strong very strong strong

weak to medium intermed. to semi-prostrate late absent or very weak



# AFP 1/2620 LG INTERSTELLAR

# **CHARACTERS IN DETAIL**

# Ear

Colour Length Density Shape-side profile Awns or scurs - presence Awns or scurs - distribution Awns or scurs - length Apical rachis segment - convex face hairiness Anthers - anthocyanin colouration

## Lower glume

External surface Extent of internal hairs Beak length Beak curvature Shoulder width Shoulder shape

### Lower lemma

Beak curvature

### Grain

Colour Colouration with phenol

#### Straw

Length Wall thickness @20cms below ear

## Glaucosity

Flag leaf - sheath Flag leaf- blade (lower side) Culm - neck Ear

# Plant growth characters

Coleoptile - anthocyanin colouration Plant - growth habit Time of ear emergence Flag leaf - anthocyanin of auricles white medium parallel sided scurs present upper 1/4 medium to long medium

rough medium (group 2) medium to long moderately curved narrow elevated

moderately curved

red medium to dark

short to medium absent or very thin

strong strong strong strong

medium intermediate late



# AFP 1/2622 LG JIGSAW

# **CHARACTERS IN DETAIL**

# Ear

Colour Length Density Shape-side profile Awns or scurs - presence Awns or scurs - distribution Awns or scurs - length Apical rachis segment - convex face hairiness Anthers - anthocyanin colouration

# Lower glume

External surface Extent of internal hairs Beak length Beak curvature Shoulder width Shoulder shape

### Lower lemma

Beak curvature

### Grain

Colour Colouration with phenol

#### Straw

Length Wall thickness @20cms below ear

## Glaucosity

Flag leaf - sheath Flag leaf- blade (lower side) Culm - neck Ear

## Plant growth characters

Coleoptile - anthocyanin colouration Plant - growth habit Time of ear emergence Flag leaf - anthocyanin of auricles white medium parallel sided scurs present upper 3/4 long medium

slightly rough medium (group 2) medium slightly curved narrow to medium elevated

# slightly curved

red dark to very dark

short absent or very thin

strong strong medium to strong

weak to medium intermediate late to very late



# AFP 1/2905 LG MEDUSA

# **CHARACTERS IN DETAIL**

# Ear

Colour Length Density Shape-side profile Awns or scurs - presence Awns or scurs - distribution Awns or scurs - length Apical rachis segment - convex face hairiness Anthers - anthocyanin colouration

## Lower glume

External surface Extent of internal hairs Beak length Beak curvature Shoulder width Shoulder shape

## Lower lemma

Beak curvature

## Grain

Colour Colouration with phenol

#### Straw

Length Wall thickness @20cms below ear

## Glaucosity

Flag leaf - sheath Flag leaf - blade (lower side) Culm - neck Ear

#### Plant growth characters

Coleoptile - anthocyanin colouration Plant - growth habit Time of ear emergence Flag leaf - anthocyanin of auricles

- white medium to dense parallel sided scurs present upper 1/4 medium to long very weak to weak absent
- smooth medium (group 2) long strongly curved very narrow to narrow elev. to strongly elevated

strongly curved

red dark

short absent or very thin

strong to very strong strong to very strong strong to very strong medium to strong

weak intermediate late to very late absent or very weak



# AFP 1/2451 LG MOTOWN

# **CHARACTERS IN DETAIL**

# Ear

Colour Length Density Shape-side profile Awns or scurs - presence Awns or scurs - distribution Awns or scurs - length Apical rachis segment - convex face hairiness Anthers - anthocyanin colouration

# Lower glume

External surface Extent of internal hairs Beak length Beak curvature Shoulder width Shoulder shape

### Lower lemma

Beak curvature

### Grain

Colour Colouration with phenol

#### Straw

Length Wall thickness @20cms below ear

## Glaucosity

Flag leaf - sheath Flag leaf- blade (lower side) Culm - neck Ear

# Plant growth characters

Coleoptile - anthocyanin colouration Plant - growth habit Time of ear emergence Flag leaf - anthocyanin of auricles white short medium tapering scurs present upper 1/4 medium to long weak to medium

slightly rough strong (group 3) short to medium strongly curved narrow elevated

strongly curved

red dark to very dark

very short to short absent or very thin

medium to strong medium medium to strong

absent or very weak semi-erect to intermediate late



# AFP 1/2454 LG NASHVILLE

# **CHARACTERS IN DETAIL**

# Ear

Colour Length Density Shape-side profile Awns or scurs - presence Awns or scurs - distribution Awns or scurs - length Apical rachis segment - convex face hairiness Anthers - anthocyanin colouration

# Lower glume

External surface Extent of internal hairs Beak length Beak curvature Shoulder width Shoulder shape

## Lower lemma

Beak curvature

## Grain

Colour Colouration with phenol

## Straw

Length Wall thickness @20cms below ear

## Glaucosity

Flag leaf - sheath Flag leaf- blade (lower side) Culm - neck Ear

# Plant growth characters

Coleoptile - anthocyanin colouration Plant - growth habit Time of ear emergence Flag leaf - anthocyanin of auricles white medium lax to medium tapering scurs present upper 1/4 short to medium medium

slightly rough strong (group 3) medium slightly curved narrow elevated

moderately curved

red dark to very dark

very short to short absent or very thin

absent or very weak absent or very weak absent or very weak absent or very weak

strong semi-erect to intermediate late



# AFP 1/2900 LG PHAROS

# **CHARACTERS IN DETAIL**

# Ear

Colour Length Density Shape-side profile Awns or scurs - presence Awns or scurs - distribution Awns or scurs - length Apical rachis segment - convex face hairiness Anthers - anthocyanin colouration

## Lower glume

External surface Extent of internal hairs Beak length Beak curvature Shoulder width Shoulder shape

# Lower lemma

Beak curvature

## Grain

Colour Colouration with phenol

#### Straw

Length Wall thickness @20cms below ear

## Glaucosity

Flag leaf - sheath Flag leaf - blade (lower side) Culm - neck Ear

#### Plant growth characters

Coleoptile - anthocyanin colouration Plant - growth habit Time of ear emergence Flag leaf - anthocyanin of auricles

- white long lax to medium tapering scurs present upper 1/2 long weak absent
- smooth weak to medium (group 1+) medium moderate to strongly curved narrow to medium elevated

#### strongly curved

red dark to very dark

short absent or very thin

strong to very strong strong to very strong strong to very strong strong

very weak to weak intermediate late absent or very weak



# AFP 1/2838 LG PRINCE

# **CHARACTERS IN DETAIL**

# Ear

Colour Length Density Shape-side profile Awns or scurs - presence Awns or scurs - distribution Awns or scurs - length Apical rachis segment - convex face hairiness Anthers - anthocyanin colouration

# Lower glume

External surface Extent of internal hairs Beak length Beak curvature Shoulder width Shoulder shape

## Lower lemma

Beak curvature

## Grain

Colour Colouration with phenol

# Straw

Length Wall thickness @20cms below ear

## Glaucosity

Flag leaf - sheath Flag leaf- blade (lower side) Culm - neck Ear

## Plant growth characters

Coleoptile - anthocyanin colouration Plant - growth habit Time of ear emergence Flag leaf - anthocyanin of auricles

- white medium to long lax to medium parallel sided scurs present upper 1/2 long to very long strong absent
- smooth weak (group 1) medium to long moderate to strongly curved narrow to medium straight to elevated

strongly curved

red dark to very dark

very short to short absent or very thin

strong to very strong strong to very strong strong to very strong medium to strong

weak intermed. to semi-prostrate late to very late absent or very weak



# AFP 1/2631 LG RHYTHM

# **CHARACTERS IN DETAIL**

# Ear

Colour Length Density Shape-side profile Awns or scurs - presence Awns or scurs - distribution Awns or scurs - length Apical rachis segment - convex face hairiness Anthers - anthocyanin colouration

# Lower glume

External surface Extent of internal hairs Beak length Beak curvature Shoulder width Shoulder shape

### Lower lemma

Beak curvature

### Grain

Colour Colouration with phenol

#### Straw

Length Wall thickness @20cms below ear

## Glaucosity

Flag leaf - sheath Flag leaf- blade (lower side) Culm - neck Ear

# Plant growth characters

Coleoptile - anthocyanin colouration Plant - growth habit Time of ear emergence Flag leaf - anthocyanin of auricles

- white medium medium to dense parallel sided scurs present upper 1/4 medium to long very weak to weak
- smooth weak (group 1) medium moderately curved medium elevated

#### moderately curved

red medium to dark

short absent or very thin

strong medium to strong medium to strong medium to strong

weak intermediate late



# AFP 1/2815 LG SEEKER

# **CHARACTERS IN DETAIL**

# Ear

Colour Length Density Shape-side profile Awns or scurs - presence Awns or scurs - distribution Awns or scurs - length Apical rachis segment - convex face hairiness Anthers - anthocyanin colouration

## Lower glume

External surface Extent of internal hairs Beak length Beak curvature Shoulder width Shoulder shape

# Lower lemma

Beak curvature

## Grain

Colour Colouration with phenol

#### Straw

Length Wall thickness @20cms below ear

## Glaucosity

Flag leaf - sheath Flag leaf - blade (lower side) Culm - neck Ear

#### Plant growth characters

Coleoptile - anthocyanin colouration Plant - growth habit Time of ear emergence Flag leaf - anthocyanin of auricles

- white medium to long medium to dense parallel sided scurs present upper 1/4 medium to long medium to strong absent
- entire external surface rough medium to strong (group 2+) medium strongly curved medium straight to elevated

strongly curved

red medium

very short to short absent or very thin

very strong very strong strong

very weak to weak intermed. to semi-prostrate late absent or very weak



# AFP 1/2455 LG SUNDANCE

# **CHARACTERS IN DETAIL**

# Ear

Colour Length Density Shape-side profile Awns or scurs - presence Awns or scurs - distribution Awns or scurs - length Apical rachis segment - convex face hairiness Anthers - anthocyanin colouration

## Lower glume

External surface Extent of internal hairs Beak length Beak curvature Shoulder width Shoulder shape

### Lower lemma

Beak curvature

### Grain

Colour Colouration with phenol

#### Straw

Length Wall thickness @20cms below ear

#### Glaucosity

Flag leaf - sheath Flag leaf- blade (lower side) Culm - neck Ear

# Plant growth characters

Coleoptile - anthocyanin colouration Plant - growth habit Time of ear emergence Flag leaf - anthocyanin of auricles

- white short dense parallel sided scurs present upper 1/4 long to very long medium to strong
- slightly rough strong (group 3) medium slight to moderately curved narrow elevated

#### moderately curved

red dark to very dark

short to medium absent or very thin

medium weak medium medium

medium intermediate very late



# AFP 1/2627 LG SABERTOOTH

# **CHARACTERS IN DETAIL**

# Ear

Colour Length Density Shape-side profile Awns or scurs - presence Awns or scurs - distribution Awns or scurs - length Apical rachis segment - convex face hairiness Anthers - anthocyanin colouration

## Lower glume

External surface Extent of internal hairs Beak length Beak curvature Shoulder width Shoulder shape

### Lower lemma

Beak curvature

### Grain

Colour Colouration with phenol

#### Straw

Length Wall thickness @20cms below ear

## Glaucosity

Flag leaf - sheath Flag leaf- blade (lower side) Culm - neck Ear

# Plant growth characters

Coleoptile - anthocyanin colouration Plant - growth habit Time of ear emergence Flag leaf - anthocyanin of auricles white medium to long medium parallel sided scurs present

long medium

rough weak to medium (group 1+) medium moderately curved narrow to medium elevated

## moderately curved

red medium to dark

medium to long absent or very thin

strong strong strong strong

medium semi-erect to intermediate medium to late



# AFP 1/2626 LG SKYSCRAPER

# **CHARACTERS IN DETAIL**

# Ear

Colour Length Density Shape-side profile Awns or scurs - presence Awns or scurs - distribution Awns or scurs - length Apical rachis segment - convex face hairiness Anthers - anthocyanin colouration

# Lower glume

External surface Extent of internal hairs Beak length Beak curvature Shoulder width Shoulder shape

### Lower lemma

Beak curvature

### Grain

Colour Colouration with phenol

#### Straw

Length Wall thickness @20cms below ear

## Glaucosity

Flag leaf - sheath Flag leaf- blade (lower side) Culm - neck Ear

# Plant growth characters

Coleoptile - anthocyanin colouration Plant - growth habit Time of ear emergence Flag leaf - anthocyanin of auricles

- white medium parallel sided scurs present upper 1/2 long to very long weak to medium
- slightly rough strong to whole surface medium slight to moderately curved narrow elevated

# slightly curved

red medium to dark

short to medium absent or very thin

strong to very strong strong to very strong strong

absent to weak intermediate medium to late



# AFP 1/2619 LG SPOTLIGHT

# **CHARACTERS IN DETAIL**

# Ear

Colour Length Density Shape-side profile Awns or scurs - presence Awns or scurs - distribution Awns or scurs - length Apical rachis segment - convex face hairiness Anthers - anthocyanin colouration

# Lower glume

External surface Extent of internal hairs Beak length Beak curvature Shoulder width Shoulder shape

### Lower lemma

Beak curvature

### Grain

Colour Colouration with phenol

#### Straw

Length Wall thickness @20cms below ear

#### Glaucosity

Flag leaf - sheath Flag leaf- blade (lower side) Culm - neck Ear

# Plant growth characters

Coleoptile - anthocyanin colouration Plant - growth habit Time of ear emergence Flag leaf - anthocyanin of auricles

- white medium to long medium tapering scurs present upper 1/4 medium to long medium to strong
- slightly rough weak (group 1) medium slight to moderately curved narrow to medium elevated

#### moderately curved

red dark to very dark

short to medium absent or very thin

medium to strong medium to strong medium to strong medium

absent to weak intermediate late



# AFP 1/2814 LG TAPESTRY

# **CHARACTERS IN DETAIL**

# Ear

Colour Length Density Shape-side profile Awns or scurs - presence Awns or scurs - distribution Awns or scurs - length Apical rachis segment - convex face hairiness Anthers - anthocyanin colouration

# Lower glume

External surface Extent of internal hairs Beak length Beak curvature Shoulder width Shoulder shape

# Lower lemma

Beak curvature

# Grain

Colour Colouration with phenol

#### Straw

Length Wall thickness @20cms below ear

## Glaucosity

Flag leaf - sheath Flag leaf - blade (lower side) Culm - neck Ear

#### Plant growth characters

Coleoptile - anthocyanin colouration Plant - growth habit Time of ear emergence Flag leaf - anthocyanin of auricles

- white medium parallel sided scurs present upper 1/4 long very weak to weak absent
- entire external surface rough medium to strong (group 2+) medium slight to moderately curved medium elevated

#### strongly curved

red dark

short to medium absent or very thin

very strong strong to very strong strong to very strong strong

weak to medium intermed. to semi-prostrate late absent or very weak



# AFP 1/2901 LG TICKET

# **CHARACTERS IN DETAIL**

# Ear

Colour Length Density Shape-side profile Awns or scurs - presence Awns or scurs - distribution Awns or scurs - length Apical rachis segment - convex face hairiness Anthers - anthocyanin colouration

## Lower glume

External surface Extent of internal hairs Beak length Beak curvature Shoulder width Shoulder shape

## Lower lemma

Beak curvature

## Grain

Colour Colouration with phenol

#### Straw

Length Wall thickness @20cms below ear

## Glaucosity

Flag leaf - sheath Flag leaf - blade (lower side) Culm - neck Ear

#### Plant growth characters

Coleoptile - anthocyanin colouration Plant - growth habit Time of ear emergence Flag leaf - anthocyanin of auricles

- white short medium to dense parallel sided scurs present upper 1/4 medium medium to strong absent
- entire external surface rough whole internal surface covered medium to long strongly curved medium straight to elevated

strongly curved to geniculate

red dark

short absent or very thin

strong to very strong strong to very strong medium to strong

very weak to weak intermediate late absent or very weak



# AFP 1/2907 LG TYPHOON

# **CHARACTERS IN DETAIL**

# Ear

Colour Length Density Shape-side profile Awns or scurs - presence Awns or scurs - distribution Awns or scurs - length Apical rachis segment - convex face hairiness Anthers - anthocyanin colouration

## Lower glume

External surface Extent of internal hairs Beak length Beak curvature Shoulder width Shoulder shape

# Lower lemma

Beak curvature

## Grain

Colour Colouration with phenol

#### Straw

Length Wall thickness @20cms below ear

## Glaucosity

Flag leaf - sheath Flag leaf- blade (lower side) Culm - neck Ear

#### Plant growth characters

Coleoptile - anthocyanin colouration Plant - growth habit Time of ear emergence Flag leaf - anthocyanin of auricles

- white short to medium medium parallel sided scurs present upper 1/2 long to very long very weak to weak absent
- entire external surface rough medium to strong (group 2+) medium moderately curved narrow to medium elevated

#### strongly curved

red dark to very dark

very short absent or very thin

very strong very strong strong to very strong strong to very strong

weak intermediate late to very late absent or very weak



# AFP 1/2836 LG QUASAR

# **CHARACTERS IN DETAIL**

# Ear

Colour Length Density Shape-side profile Awns or scurs - presence Awns or scurs - distribution Awns or scurs - length Apical rachis segment - convex face hairiness Anthers - anthocyanin colouration

# Lower glume

External surface Extent of internal hairs Beak length Beak curvature Shoulder width Shoulder shape

## Lower lemma

Beak curvature

## Grain

Colour Colouration with phenol

# Straw

Length Wall thickness @20cms below ear

## Glaucosity

Flag leaf - sheath Flag leaf- blade (lower side) Culm - neck Ear

#### Plant growth characters

Coleoptile - anthocyanin colouration Plant - growth habit Time of ear emergence Flag leaf - anthocyanin of auricles white medium dense parallel sided scurs present upper 1/4 long medium absent

smooth medium to strong (group 2+) medium to long slight to moderately curved narrow to medium straight to elevated

moderately curved

red dark to very dark

short to medium absent or very thin

strong to very strong strong to very strong medium

weak intermed. to semi-prostrate late to very late absent or very weak



# AFP 1/2909 LG VOODOO

# **CHARACTERS IN DETAIL**

# Ear

Colour Length Density Shape-side profile Awns or scurs - presence Awns or scurs - distribution Awns or scurs - length Apical rachis segment - convex face hairiness Anthers - anthocyanin colouration

# Lower glume

External surface Extent of internal hairs Beak length Beak curvature Shoulder width Shoulder shape

## Lower lemma

Beak curvature

## Grain

Colour Colouration with phenol

# Straw

Length Wall thickness @20cms below ear

## Glaucosity

Flag leaf - sheath Flag leaf- blade (lower side) Culm - neck Ear

#### Plant growth characters

Coleoptile - anthocyanin colouration Plant - growth habit Time of ear emergence Flag leaf - anthocyanin of auricles absent or very weak white medium to long lax to medium tapering scurs present upper 1/4 medium medium to strong absent

smooth strong to whole surface short to medium slight to moderately curved narrow to medium elevated

strongly curved

red dark to very dark

very short absent or very thin

absent or very weak absent or very weak absent or very weak absent or very weak

medium intermediate medium to late



# AFP 1/2893 LOXTON

# **CHARACTERS IN DETAIL**

# Ear

Colour Length Density Shape-side profile Awns or scurs - presence Awns or scurs - distribution Awns or scurs - length Apical rachis segment - convex face hairiness Anthers - anthocyanin colouration

## Lower glume

External surface Extent of internal hairs Beak length Beak curvature Shoulder width Shoulder shape

# Lower lemma

Beak curvature

## Grain

Colour Colouration with phenol

#### Straw

Length Wall thickness @20cms below ear

## Glaucosity

Flag leaf - sheath Flag leaf- blade (lower side) Culm - neck Ear

#### Plant growth characters

Coleoptile - anthocyanin colouration Plant - growth habit Time of ear emergence Flag leaf - anthocyanin of auricles

- white short to medium medium to dense tapering scurs present upper 1/4 medium to long weak absent
- smooth weak to medium (group 1+) short to medium slight to moderately curved narrow to medium elevated

slightly to moderately curved

red very dark

short absent or very thin

strong to very strong medium to strong strong to very strong strong

medium intermediate medium to late absent or very weak



# AFP 1/2538

# LUSTRE

# **CHARACTERS IN DETAIL**

# Ear

Colour Length Density Shape-side profile Awns or scurs - presence Awns or scurs - distribution Awns or scurs - length Apical rachis segment - convex face hairiness Anthers - anthocyanin colouration

### Lower glume

External surface Extent of internal hairs Beak length Beak curvature Shoulder width Shoulder shape

# Lower lemma

Beak curvature

# Grain

Colour Colouration with phenol

#### Straw

Length Wall thickness @20cms below ear

#### Glaucosity

Flag leaf - sheath Flag leaf- blade (lower side) Culm - neck Ear

# Plant growth characters

Coleoptile - anthocyanin colouration Plant - growth habit Time of ear emergence Flag leaf - anthocyanin of auricles white medium lax to medium tapering scurs present upper 1/4 medium to long weak to medium absent

smooth strong (group 3) short slightly curved narrow straight to elevated

## slightly to moderately curved

white dark to very dark

medium very thick or filled

medium medium medium medium

very weak to weak intermediate medium



**CHARACTERS IN DETAIL** 

# MAGISTER

Ear	
Colour:	white
Length:	medium
Density:	lax to medium
Shape (side profile)	tapering
Awns or scurs - presence:	scurs present
Awns or scurs - distribution:	
Awns or scurs - length:	short to medium
Apical rachis segment - convex face hairiness:	medium
Anthers - anthocyanin	
Lower Glume	
External surface roughness:	
Extent of internal hairs:	weak to medium -group 1 to 2
Beak length:	short
Beak shape (curvature):	moderately curved
Shoulder	medium to broad
Shoulder	straight
Lower Lemma	č
Beak shape:	
Grain	
Colour	red
Colouration with phenol:	dark
Straw	
Length:	medium to long
Wall thickness @ 20cms below ear:	very thin
Glaucosity	
Flag leaf - sheath:	strong
Flag leaf - blade (lower side):	strong
Culm neck:	strong
Ear - Glaucosity:	medium to strong
Plant growth characters	
Coleoptile-anthocyanin	weak
Plant - growth habit:	semi-prostrate
Time ear emergence:	medium to late
Flag leaf - Anthocyanin colouration of auricles:	



# AFP 1/1917 MARIBOSS

# **CHARACTERS IN DETAIL**

# Ear

Colour Length Density Shape-side profile Awns or scurs - presence Awns or scurs - distribution Awns or scurs - length Apical rachis segment - convex face hairiness Anthers - anthocyanin colouration

## Lower glume

External surface Extent of internal hairs Beak length Beak curvature Shoulder width Shoulder shape

### Lower lemma

Beak curvature

### Grain

Colour Colouration with phenol

#### Straw

Length Wall thickness @20cms below ear

#### Glaucosity

Flag leaf - sheath Flag leaf- blade (lower side) Culm - neck Ear

# Plant growth characters

Coleoptile - anthocyanin colouration Plant - growth habit Time of ear emergence Flag leaf - anthocyanin of auricles white short medium tapering scurs present

short to medium very weak to weak

medium (group 2) medium slight to moderately curved medium straight to elevated

slightly to moderately curved

red medium to dark

medium absent or very thin

medium to strong strong to very strong strong very weak to weak

medium intermed. to semi-prostrate early



## AFP 1/66 MARIS HUNTSMAN

#### **CHARACTERS IN DETAIL**

#### Ear

Colour Length Density Shape-side profile Awns or scurs - presence Awns or scurs - distribution Awns or scurs - length Apical rachis segment - convex face hairiness Anthers - anthocyanin colouration

#### Lower glume

External surface Extent of internal hairs Beak length Beak curvature Shoulder width Shoulder shape

#### Lower lemma

Beak curvature

#### Grain

Colour Colouration with phenol

#### Straw

Length Wall thickness @20cms below ear

#### Glaucosity

Flag leaf - sheath Flag leaf- blade (lower side) Culm - neck Ear

#### Plant growth characters

Coleoptile - anthocyanin colouration Plant - growth habit Time of ear emergence Flag leaf - anthocyanin of auricles white medium dense parallel sided scurs present upper 1/4 short to medium weak absent

entire external surface rough weak to medium (group 1+) medium to long slightly curved medium elevated

moderately curved

red medium

long to very long absent or very thin

medium medium medium

strong intermediate medium weak



## AFP 1/319 MARIS WIDGEON

#### **CHARACTERS IN DETAIL**

Ear Colour Length Density Shape-side profile Awns or scurs - presence Awns or scurs - distribution Awns or scurs - length: Apical rachis segment - convex face hairiness Anthers - anthocyanin colouration

#### Lower glume

External surface Extent of internal hairs Beak length Beak curvature Shoulder width Shoulder shape

### Lower lemma

Beak curvature

#### Grain

Colour Colouration with phenol

#### Straw

Length Wall thickness @20cms below ear

#### Glaucosity

Flag leaf - sheath Flag leaf- blade (lower side) Culm - neck Ear

#### Plant growth characters

Coleoptile - anthocyanin colouration Plant - growth habit Time of ear emergence Flag leaf - anthocyanin of auricles white medium very lax to lax tapering scurs present upper <sup>1</sup>/<sub>4</sub> medium to long medium absent

smooth weak - Group 1 medium v.slightly curved narrow to medium straight

slightly curved

red medium

very long thin

medium medium medium medium

strong intermediate late weak



Crop:

Breeder's Reference: Sj9726005	<b>AFP No:</b> 1/2413
Breeder: Senova Ltd	Translated from: Danish
Origin:	<b>Date:</b> 23 March 2017
Code: MARL	
Coleoptile-anthocyanin colouration:	Weak to medium
*Plant - growth habit:	Semi prostrate
*Time ear emergence:	Late
Flag leaf - Anthocyanin colouration of auricles:	
Frequency of plants with recurved flag leaves:	Medium to high
*Flag leaf - Glaucosity of sheath:	Strong
Flag leaf - Glaucosity of leaf blade:	Strong
Anthers - anthocyanin colouration:	
Glaucosity of neck:	Strong
Hairiness of uppermost node:	
*Plant - height:	Medium
*Straw - wall thickness @ 20cms below ear:	Absent or very thin
*Ear - Glaucosity:	Strong
Ear - Supernumerary spikelets - frequency:	
*Ear - Colour:	White
*Ear - Shape (side profile):	Parallel
Ear - Length:	Short to medium
*Ear - Density:	Dense to very dense
*Awns or scurs - presence:	Scurs present
Awns or scurs - distibution:	
*Scurs at tip of ear - length:	Medium
*Awns at tip of ear - length:	Medium
Lower glume - Beak length:	Long
Lower glume - Beak shape (curvature):	Strongly curved
Lower glume - Beak tip:	Long
Lower glume - Shoulder width:	Medium
Lower glume - Shoulder type:	Elevated
Lower glume - External surface roughness:	
Lower glume - Extent of internal hairs:	Strong
Lower glume - Internal imprint:	
Lower lemma - Beak shape:	Moderately curved to strongly curved
Lower lemma - Beak length-:	
Lower lemma - Beak swelling:	
Apical rachis segement - convex face hairiness:	Medium
*Grain - colour:	Red
Grain - Shape:	
Grain - Brush hair length in dorsal view:	
Grain - Colouration with phenol:	Light to medium
*Seasonal type:	Winter
Extra characters:	

\* = Characteristics which should always be included in the description of the variety.

28 March 2017



### AFP 1/2380

## MARSTON

#### **CHARACTERS IN DETAIL**

#### Ear

Colour Length Density Shape-side profile Awns or scurs - presence Awns or scurs - distribution Awns or scurs - length Apical rachis segment - convex face hairiness Anthers - anthocyanin colouration

#### Lower glume

External surface Extent of internal hairs Beak length Beak curvature Shoulder width Shoulder shape

#### Lower lemma

Beak curvature

#### Grain

Colour Colouration with phenol

#### Straw

Length Wall thickness @20cms below ear

#### Glaucosity

Flag leaf - sheath Flag leaf- blade (lower side) Culm - neck Ear

#### Plant growth characters

Coleoptile - anthocyanin colouration Plant - growth habit Time of ear emergence Flag leaf - anthocyanin of auricles white medium medium to dense parallel sided scurs present upper 1/4 medium medium to strong

smooth medium (group 2) medium strongly curved to geniculate medium elevated

#### strongly curved to geniculate

red light to medium

## very short to short absent or very thin

medium to strong medium to strong medium medium

absent to weak semi-erect to intermediate very late



## Variety Name: Maurizio

## Crop: Winter Wheat

Breeder's Reference: SZD 6374	AFP No:
Breeder: Saatzucht Donau GmbH	Translated from: Hungarian
Origin:	<b>Date:</b> 19 November 2018
Code: IZIO	
Coleoptile-anthocyanin colouration:	Abesnt or very weak
*Plant - growth habit:	Intermediate
*Time ear emergence:	Early to medium
Flag leaf - Anthocyanin colouration of auricles:	
Frequency of plants with recurved flag leaves:	Very low to low.
*Flag leaf - Glaucosity of sheath:	Strong
Flag leaf - Glaucosity of leaf blade:	Medium to strong
Anthers - anthocyanin colouration:	
Glaucosity of neck:	Very strong to strong
Hairiness of uppermost node:	
*Plant - height:	
*Straw - wall thickness @ 20cms below ear:	Thin
*Ear - Glaucosity:	Strong
Ear - Supernumerary spikelets - frequency:	
*Ear - Colour:	White
*Ear - Shape (side profile):	Parallel
Ear - Length:	Short to medium
*Ear - Density:	Lax to medium
*Awns or scurs - presence:	Awns present
Awns or scurs - distibution:	
*Scurs at tip of ear - length:	Long
*Awns at tip of ear - length:	
Lower glume - Beak length:	Short
Lower glume - Beak shape (curvature):	Moderately curved
Lower glume - Beak tip:	
Lower glume - Shoulder width:	Medium
Lower glume - Shoulder type:	Sloping to sightly sloping
Lower glume - External surface roughness:	
Lower glume - Extent of internal hairs:	Weak
Lower glume - Internal imprint:	
Lower lemma - Beak shape:	
Lower lemma - Beak length-:	
Lower lemma - Beak swelling:	
Apical rachis segement - convex face hairiness:	
*Grain - colour:	Red
Grain - Shape:	
Grain - Brush hair length in dorsal view:	
Grain - Colouration with phenol:	Medium to dark
*Seasonal type:	Winter
Extra characters:	

\* = Characteristics which should always be included in the description of the variety.

19 March 2019



## AFP 1/1668 MAXWELL

#### **CHARACTERS IN DETAIL**

#### Ear

Colour Length Density Shape-side profile Awns or scurs - presence Awns or scurs - distribution Awns or scurs - length Apical rachis segment - convex face hairiness Anthers - anthocyanin colouration

#### Lower glume

External surface Extent of internal hairs Beak length Beak curvature Shoulder width Shoulder shape

#### Lower lemma

Beak curvature

#### Grain

Colour Colouration with phenol

#### Straw

Length Wall thickness @20cms below ear

#### Glaucosity

Flag leaf - sheath Flag leaf- blade (lower side) Culm - neck Ear

#### Plant growth characters

Coleoptile - anthocyanin colouration Plant - growth habit Time of ear emergence Flag leaf - anthocyanin of auricles white medium to long medium parallel sided awns present whole length very long weak absent

smooth medium (group 2) very long moderate to strongly curved narrow strongly elevated with 2nd pt. present

moderately to strongly curved

red medium

short to medium very thick or filled

medium weak to medium medium very weak to weak

medium semi-erect to intermediate very early



## AFP 1/2929 MAYFLOWER

#### **CHARACTERS IN DETAIL**

#### Ear

Colour Length Density Shape-side profile Awns or scurs - presence Awns or scurs - distribution Awns or scurs - length Apical rachis segment - convex face hairiness Anthers - anthocyanin colouration

#### Lower glume

External surface Extent of internal hairs Beak length Beak curvature Shoulder width Shoulder shape

Lower lemma

Beak curvature

#### Grain

Colour Colouration with phenol

#### Straw

Length Wall thickness @20cms below ear

#### Glaucosity

Flag leaf - sheath Flag leaf- blade (lower side) Culm - neck Ear

#### Plant growth characters

Coleoptile - anthocyanin colouration Plant - growth habit Time of ear emergence Flag leaf - anthocyanin of auricles

- white short to medium dense tapering scurs present upper 1/2 medium to long weak to medium absent
- smooth strong to whole surface short to medium moderate to strongly curved narrow to medium straight to elevated

moderately curved

red medium to dark

very short to short absent or very thin

strong to very strong weak to medium strong medium

strong to very strong intermediate medium to late absent or very weak



# AFP 1/2797

#### **CHARACTERS IN DETAIL**

#### Ear

Colour Length Density Shape-side profile Awns or scurs - presence Awns or scurs - distribution Awns or scurs - length Apical rachis segment - convex face hairiness Anthers - anthocyanin colouration

#### Lower glume

External surface Extent of internal hairs Beak length Beak curvature Shoulder width Shoulder shape

#### Lower lemma

Beak curvature

#### Grain

Colour Colouration with phenol

#### Straw

Length Wall thickness @20cms below ear

#### Glaucosity

Flag leaf - sheath Flag leaf - blade (lower side) Culm - neck Ear

#### Plant growth characters

Coleoptile - anthocyanin colouration Plant - growth habit Time of ear emergence Flag leaf - anthocyanin of auricles

- white medium to long medium to dense parallel sided scurs present upper 1/2 long to very long weak to medium absent
- slightly rough weak to medium (group 1+) long moderate to strongly curved medium straight to elevated

#### strongly curved

red dark

short to medium absent or very thin

very strong very strong strong to very strong strong

weak intermed. to semi-prostrate late to very late absent or very weak



## AFP 1/2464 MONROE

#### **CHARACTERS IN DETAIL**

#### Ear

Colour Length Density Shape-side profile Awns or scurs - presence Awns or scurs - distribution Awns or scurs - length Apical rachis segment - convex face hairiness Anthers - anthocyanin colouration

#### Lower glume

External surface Extent of internal hairs Beak length Beak curvature Shoulder width Shoulder shape

#### Lower lemma

Beak curvature

#### Grain

Colour Colouration with phenol

#### Straw

Length Wall thickness @20cms below ear

#### Glaucosity

Flag leaf - sheath Flag leaf- blade (lower side) Culm - neck Ear

#### Plant growth characters

Coleoptile - anthocyanin colouration Plant - growth habit Time of ear emergence Flag leaf - anthocyanin of auricles

- white short to medium medium to dense parallel sided scurs present upper 1/4 long medium
- smooth medium (group 2) medium slightly curved narrow elevated

#### slightly curved

red dark to very dark

very short absent or very thin

medium to strong medium medium to strong

absent to weak intermediate late



## AFP 1/2022 MONTEREY

#### **CHARACTERS IN DETAIL**

Ear Colour Length Density Shape-side profile Awns or scurs - presence Awns or scurs - distribution Awns or scurs - length: Apical rachis segment - convex face hairiness Anthers - anthocyanin colouration

#### Lower glume

External surface Extent of internal hairs Beak length Beak curvature Shoulder width Shoulder shape

#### Lower lemma

Beak curvature

#### Grain Colour

Colouration with phenol

#### Straw

Length Wall thickness @20cms below ear

#### Glaucosity

Flag leaf - sheath Flag leaf- blade (lower side) Culm - neck Ear

#### Plant growth characters

Coleoptile - anthocyanin colouration Plant - growth habit Time of ear emergence Flag leaf - anthocyanin of auricles white short to medium medium to dense parallel sided scurs present upper <sup>3</sup>/<sub>4</sub> long to very long weak

smooth medium - Group 2 medium slight to moderately curved medium elevated

#### moderately to strongly curved

red dark

short to medium thin

strong medium strong medium to strong

weak semi-erect to intermediate medium



## Variety Name: MORTIMER

Crop: Winter Wheat

Breeder's Reference: SC 2405	AFP No:	
Breeder: Secobra	Translate	d from:
Origin:	Date:	15 May 2018
Code: MORT		
Coleoptile-anthocyanin colouration:		or very weak
*Plant - growth habit:	Semi pro	
*Time ear emergence:	Medium	
Flag leaf - Anthocyanin colouration of auricles:		
Frequency of plants with recurved flag leaves:	Very lov	v ot low
*Flag leaf - Glaucosity of sheath:	Strong	
Flag leaf - Glaucosity of leaf blade:	Strong to	o very strong
Anthers - anthocyanin colouration:		
Glaucosity of neck:	Strong	
Hairiness of uppermost node:		
*Plant - height:	Short	
*Straw - wall thickness @ 20cms below ear:		or very thin
*Ear - Glaucosity:	Medium	to strong
Ear - Supernumerary spikelets - frequency:		
*Ear - Colour:	White	
*Ear - Shape (side profile):	Parallel	
Ear - Length:	Long	
*Ear - Density:	Lax to m	nedium
*Awns or scurs - presence:	Present	
Awns or scurs - distibution:		
*Scurs at tip of ear - length:		
*Awns at tip of ear - length:	Short to	medium
Lower glume - Beak length:	Short	
Lower glume - Beak shape (curvature):	Straight	to slightly curved
Lower glume - Beak tip:		
Lower glume - Shoulder width:	Narrow	to medium
Lower glume - Shoulder type:		
Lower glume - External surface roughness:		
Lower glume - Extent of internal hairs:	Very we	ak to weak
Lower glume - Internal imprint:		
Lower lemma - Beak shape:		
Lower lemma - Beak length-:		
Lower lemma - Beak swelling:		
Apical rachis segement - convex face hairiness:		medium
*Grain - colour:	Red	
Grain - Shape:		
Grain - Brush hair length in dorsal view:		
Grain - Colouration with phenol:	Medium	
*Seasonal type:	Winter	
Extra characters:		

\* = Characteristics which should always be included in the description of the variety.

16 May 2018



## AFP 1/2345 MOSAIC

#### **CHARACTERS IN DETAIL**

#### Ear

Colour Length Density Shape-side profile Awns or scurs - presence Awns or scurs - distribution Awns or scurs - length Apical rachis segment - convex face hairiness Anthers - anthocyanin colouration

#### Lower glume

External surface Extent of internal hairs Beak length Beak curvature Shoulder width Shoulder shape

#### Lower lemma

Beak curvature

#### Grain

Colour Colouration with phenol

#### Straw

Length Wall thickness @20cms below ear

#### Glaucosity

Flag leaf - sheath Flag leaf- blade (lower side) Culm - neck Ear

#### Plant growth characters

Coleoptile - anthocyanin colouration Plant - growth habit Time of ear emergence Flag leaf - anthocyanin of auricles

- white medium tapering scurs present upper 3/4 medium to long weak to medium
- smooth strong (3) medium moderately curved narrow elevated

#### moderately curved

red medium to dark

short absent or very thin

medium to strong medium to strong medium to strong medium

medium to strong semi-erect to intermediate late to very late



### Variety Name: Moschus

Breeder's Reference: STRU 114017 AFP No: Breeder: Dr HermannStrube Translated from: German Date: 19 November 2018 **Origin:** Code: MOSC **Coleoptile-anthocyanin colouration:** Strong to very strong \*Plant - growth habit: Intermediate \*Time ear emergence: Medium to late Flag leaf - Anthocyanin colouration of auricles: Frequency of plants with recurved flag leaves: Low to medium \*Flag leaf - Glaucosity of sheath: Strong to very strong Flag leaf - Glaucosity of leaf blade: Strong to very strong Anthers - anthocyanin colouration: **Glaucosity of neck:** Strong to very strong Hairiness of uppermost node: \*Plant - height: Medium \*Straw - wall thickness @ 20cms below ear: Absent or very thin \*Ear - Glaucosity: Strong Ear - Supernumerary spikelets - frequency: \*Ear - Colour: \*Ear - Shape (side profile): Tapering Ear - Length: Medium to long \*Ear - Density: Lax to medium \*Awns or scurs - presence: Scurs present Awns or scurs - distibution: \*Scurs at tip of ear - length: Very short to short \*Awns at tip of ear - length: Lower glume - Beak length: Short Lower glume - Beak shape (curvature): Slightly to moderately curved Lower glume - Beak tip: Lower glume - Shoulder width: Narrow to medium Lower glume - Shoulder type: Straight Lower glume - External surface roughness: Lower glume - Extent of internal hairs: Weak Lower glume - Internal imprint: Lower lemma - Beak shape: Lower lemma - Beak length-: Lower lemma - Beak swelling: Apical rachis segement - convex face hairiness: Medium to strong \*Grain - colour: Red Grain - Shape: Grain - Brush hair length in dorsal view: Grain - Colouration with phenol: Medium \*Seasonal type: Winter **Extra characters:** 

\* = Characteristics which should always be included in the description of the variety.

19 March 2019



## AFP 1/2385 MOULTON

#### **CHARACTERS IN DETAIL**

#### Ear

Colour Length Density Shape-side profile Awns or scurs - presence Awns or scurs - distribution Awns or scurs - length Apical rachis segment - convex face hairiness Anthers - anthocyanin colouration

#### Lower glume

External surface Extent of internal hairs Beak length Beak curvature Shoulder width Shoulder shape

#### Lower lemma

Beak curvature

#### Grain

Colour Colouration with phenol

#### Straw

Length Wall thickness @20cms below ear

#### Glaucosity

Flag leaf - sheath Flag leaf- blade (lower side) Culm - neck Ear

#### Plant growth characters

Coleoptile - anthocyanin colouration Plant - growth habit Time of ear emergence Flag leaf - anthocyanin of auricles white long medium tapering scurs present upper 1/4 medium strong

slightly rough medium (group 2) short to medium strongly curved medium elevated

moderately to strongly curved

red dark to very dark

short absent or very thin

strong strong strong strong

weak intermediate late to very late



## AFP 1/2716 **MV FREDERICIA**

#### **CHARACTERS IN DETAIL**

#### Ear

Colour Length Density Shape-side profile Awns or scurs - presence Awns or scurs - distribution Awns or scurs - length Apical rachis segment - convex face hairiness Anthers - anthocyanin colouration

#### Lower glume

External surface Extent of internal hairs Beak length Beak curvature Shoulder width Shoulder shape

#### Lower lemma

Beak curvature

#### Grain

Colour Colouration with phenol

#### Straw

Length Wall thickness @20cms below ear

#### Glaucosity

Flag leaf - sheath Flag leaf- blade (lower side) Culm - neck Ear

#### Plant growth characters

Coleoptile - anthocyanin colouration Plant - growth habit Time of ear emergence Flag leaf - anthocyanin of auricles white medium tapering awns present whole length very long medium to strong

smooth medium to strong (group 2+) long to very long moderate to strongly curved narrow elevated

moderately to strongly curved

red dark to very dark

medium absent or very thin

strong strong strong medium to strong

weak semi-erect to intermediate medium to late



## AFP 1/2062 MYRIAD

#### **CHARACTERS IN DETAIL**

#### Ear

Colour Length Density Shape-side profile Awns or scurs - presence Awns or scurs - distribution Awns or scurs - length: Apical rachis segment - convex face hairiness Anthers - anthocyanin colouration

#### Lower glume

External surface Extent of internal hairs Beak length Beak curvature Shoulder width Shoulder shape

#### Lower lemma

Beak curvature

#### Grain

Colour Colouration with phenol

#### Straw

Length Wall thickness @20cms below ear

#### Glaucosity

Flag leaf - sheath Flag leaf- blade (lower side) Culm - neck Ear

#### Plant growth characters

Coleoptile - anthocyanin colouration Plant - growth habit Time of ear emergence Flag leaf - anthocyanin of auricles white medium to long medium parallel sided scurs present upper <sup>3</sup>/<sub>4</sub> long to very long weak to medium

> smooth medium - Group 2 medium strongly curved medium elevated

strongly curved

red very dark

short to medium thin

strong strong medium to strong

medium semi-erect to intermediate medium to late



## AFP 1/2468 MYSTIC CS

#### **CHARACTERS IN DETAIL**

#### Ear

Colour Length Density Shape-side profile Awns or scurs - presence Awns or scurs - distribution Awns or scurs - length Apical rachis segment - convex face hairiness Anthers - anthocyanin colouration

#### Lower glume

External surface Extent of internal hairs Beak length Beak curvature Shoulder width Shoulder shape

#### Lower lemma

Beak curvature

#### Grain

Colour Colouration with phenol

#### Straw

Length Wall thickness @20cms below ear

#### Glaucosity

Flag leaf - sheath Flag leaf- blade (lower side) Culm - neck Ear

#### Plant growth characters

Coleoptile - anthocyanin colouration Plant - growth habit Time of ear emergence Flag leaf - anthocyanin of auricles

- white medium to dense parallel sided scurs present upper 1/2 long very weak to weak absent
- smooth medium (group 2) medium slight to moderately curved very narrow to narrow elevated

#### slightly curved

red very dark

short absent or very thin

medium medium medium

absent to weak intermediate medium to late



## AFP 1/1192 NELSON

#### **CHARACTERS IN DETAIL**

Ear Colour Length Density Shape-side profile Awns or scurs - presence Awns or scurs - distribution Awns or scurs - length: Apical rachis segment - convex face hairiness Anthers - anthocyanin colouration

#### Lower glume

External surface Extent of internal hairs Beak length Beak curvature Shoulder width Shoulder shape

## Lower lemma

Beak curvature

#### Grain

Colour Colouration with phenol

#### Straw

Length Wall thickness @20cms below ear

#### Glaucosity

Flag leaf - sheath Flag leaf- blade (lower side) Culm - neck Ear

#### Plant growth characters

Coleoptile - anthocyanin colouration Plant - growth habit Time of ear emergence Flag leaf - anthocyanin of auricles white medium lax tapering scurs present upper ½ medium weak absent

smooth weak to medium - Group 1+ short to medium slightly curved narrow to medium straight

#### slightly curved

red medium

short thin

#### strong

strong strong to very strong

strong semi-prostrate late absent or very weak



## AFP 1/1658 OAKLEY

## **CHARACTERS IN DETAIL**

#### Ear

Colour Length Density Shape-side profile Awns or scurs - presence Awns or scurs - distribution Awns or scurs - length: Apical rachis segment - convex face hairiness Anthers - anthocyanin colouration

#### Lower glume

External surface Extent of internal hairs Beak length Beak curvature Shoulder width Shoulder shape

## Lower lemma

Beak curvature

#### Grain

Colour Colouration with phenol

#### Straw

Length Wall thickness @20cms below ear

#### Glaucosity

Flag leaf - sheath Flag leaf - blade (lower side) Culm - neck Ear

#### Plant growth characters

Coleoptile - anthocyanin colouration Plant - growth habit Time of ear emergence Flag leaf - anthocyanin of auricles white medium parallel sided scurs present upper <sup>3</sup>/<sub>4</sub> medium to long weak absent

smooth medium to strong - Group 2+ medium to long moderate to strongly curved medium elevated

#### moderately curved

red very dark

medium thin

strong medium strong strong

medium to strong intermediate medium



## OLIVIN

### **CHARACTERS IN DETAIL**

## Ear

Ear	
Colour:	white
Length:	medium
Density:	medium
Shape (side profile)	parallel sided
Awns or scurs - presence:	scurs present
Awns or scurs - distribution:	
Awns or scurs - length:	short
Apical rachis segment - convex face hairiness:	medium to strong
Anthers - anthocyanin Lower Glume External surface roughness:	
External surface roughness.	madium group 2
	medium - group 2
Beak length:	very short to short
Beak shape (curvature):	strongly curved
Shoulder	narrow to medium
Shoulder	slightly sloping to straight
Lower Lemma	
Beak shape:	strongly curved to geniculate
Grain	
Colour	red
Colouration with phenol: Straw	medium to dark
Length:	medium to long
Wall thickness @ 20cms below ear: Glaucosity	thin
Flag leaf - sheath:	strong
Flag leaf - blade (lower side):	medium
Culm neck:	medium
Ear - Glaucosity:	medium to strong
Plant growth characters	
Coleoptile-anthocyanin Plant - growth habit: Time ear emergence:	strong to very strong intermediate to semi-prostrate late
Flag leaf - Anthocyanin colouration of auricles:	absent or very weak



## AFP 1/2276 OLYMPUS

#### **CHARACTERS IN DETAIL**

#### Ear

Colour Length Density Shape-side profile Awns or scurs - presence Awns or scurs - distribution Awns or scurs - length Apical rachis segment - convex face hairiness Anthers - anthocyanin colouration

#### Lower glume

External surface Extent of internal hairs Beak length Beak curvature Shoulder width Shoulder shape

#### Lower lemma

Beak curvature

#### Grain

Colour Colouration with phenol

#### Straw

Length Wall thickness @20cms below ear

#### Glaucosity

Flag leaf - sheath Flag leaf- blade (lower side) Culm - neck Ear

#### Plant growth characters

Coleoptile - anthocyanin colouration Plant - growth habit Time of ear emergence Flag leaf - anthocyanin of auricles white medium to long medium parallel sided scurs present upper 3/4 long to very long strong

smooth medium (2) medium moderately curved narrow elevated

moderately curved

red dark

short to medium absent or very thin

medium to strong medium medium medium

absent to weak semi-erect to intermediate late to very late



Breeder's Reference: PBIS 99/70	AFP No:	
Breeder: Erhardt Eger	Translated from: German	
Origin:	<b>Date:</b> 23 November 2001	
Code: OPUS		
Coleoptile-anthocyanin colouration:	absent or very weak	
*Plant - growth habit:	intermediate to semi-prost	rate
*Time ear emergence:	medium to late	
Flag leaf - Anthocyanin colouration of auricles:	absent or very weak	
Frequency of plants with recurved flag leaves:	very low to low	
*Flag leaf - Glaucosity of sheath:	strong	
Flag leaf - Glaucosity of leaf blade:	medium to strong	
Anthers - anthocyanin colouration:		
Glaucosity of neck:	strong	
Hairiness of uppermost node:		
*Plant - height:	medium	
*Straw - wall thickness @ 20cms below ear:	very thin	
*Ear - Glaucosity:	medium	
Ear - Supernumerary spikelets - frequency:		
*Ear - Colour:	white	
*Ear - Shape (side profile):	tapering	
Ear - Length:	medium	
*Ear - Density:	medium	
*Awns or scurs - presence:	scurs present	
Awns or scurs - distibution:		
*Scurs at tip of ear - length:	short	
*Awns at tip of ear - length:		
Lower glume - Beak length:		
Lower glume - Beak shape (curvature):		
Lower glume - Beak tip:		
Lower glume - Shoulder width:		
Lower glume - Shoulder type:		
Lower glume - External surface roughness:		
Lower glume - Extent of internal hairs:		
Lower glume - Internal imprint:		
Lower lemma - Beak shape:		
Lower lemma - Beak length-:		
Lower lemma - Beak swelling:		
Apical rachis segement - convex face hairiness:		
*Grain - colour: Crein Shana:		
Grain - Shape: Crein - Bruch hair length in dersel view:		
Grain - Brush hair length in dorsal view:		
Grain - Colouration with phenol:	winter	
*Seasonal type: Extra characters:	winter	
EXITA CHAFACUERS:		
* = Characteristics which should always be included in the	e description of the variety.	06 May 2020



## AFP 1/1714 **ORATOR**

#### **CHARACTERS IN DETAIL**

#### Ear

Colour Length Density Shape-side profile Awns or scurs - presence Awns or scurs - distribution Awns or scurs - length Apical rachis segment - convex face hairiness Anthers - anthocyanin colouration

#### Lower glume

External surface Extent of internal hairs Beak length Beak curvature Shoulder width Shoulder shape

#### Lower lemma

Beak curvature

#### Grain

Colour Colouration with phenol

#### Straw

Length Wall thickness @20cms below ear

#### Glaucosity

Flag leaf - sheath Flag leaf- blade (lower side) Culm - neck Ear

#### Plant growth characters

Coleoptile - anthocyanin colouration Plant - growth habit Time of ear emergence Flag leaf - anthocyanin of auricles white medium to long medium tapering scurs present upper 1/4 medium medium absent

smooth weak to medium (1+) medium to long slight to moderately curved narrow straight to elevated

moderately to strongly curved

red dark

very short to short absent or very thin

strong weak to medium medium to strong weak to medium

medium semi-prostrate medium to late



AFP 1/1933 **ORBIT** 

#### **CHARACTERS IN DETAIL**

#### Ear

Colour Length Density Shape-side profile Awns or scurs - presence Awns or scurs - distribution Awns or scurs - length Apical rachis segment - convex face hairiness Anthers - anthocyanin colouration

#### Lower glume

External surface Extent of internal hairs Beak length Beak curvature Shoulder width Shoulder shape

#### Lower lemma

Beak curvature

#### Grain

Colour Colouration with phenol

#### Straw

Length Wall thickness @20cms below ear

#### Glaucosity

Flag leaf - sheath Flag leaf- blade (lower side) Culm - neck Ear

#### Plant growth characters

Coleoptile - anthocyanin colouration Plant - growth habit Time of ear emergence Flag leaf - anthocyanin of auricles

- white long medium parallel sided scurs present upper 1/4 short to medium absent or very weak absent
- smooth medium (2) medium moderately curved medium elevated

#### moderately curved

red dark to very dark

short absent or very thin

strong strong strong to very strong

strong semi-erect to intermediate medium to late



## AFP 1/2536 OSMIUM

#### **CHARACTERS IN DETAIL**

#### Ear

Colour Length Density Shape-side profile Awns or scurs - presence Awns or scurs - distribution Awns or scurs - length Apical rachis segment - convex face hairiness Anthers - anthocyanin colouration

#### Lower glume

External surface Extent of internal hairs Beak length Beak curvature Shoulder width Shoulder shape

#### Lower lemma

Beak curvature

#### Grain

Colour Colouration with phenol

#### Straw

Length Wall thickness @20cms below ear

#### Glaucosity

Flag leaf - sheath Flag leaf- blade (lower side) Culm - neck Ear

#### Plant growth characters

Coleoptile - anthocyanin colouration Plant - growth habit Time of ear emergence Flag leaf - anthocyanin of auricles

- white short medium parallel sided scurs present upper 1/2 long to very long weak absent
- rough weak (group 1) short v.slightly curved medium straight to elevated

slightly curved

red medium to dark

short absent or very thin

medium to strong strong medium to strong medium

weak to medium semi-erect to intermediate medium



## AFP 1/2157 PANACEA

#### **CHARACTERS IN DETAIL**

Ear Colour Length Density Shape-side profile Awns or scurs - presence Awns or scurs - distribution Awns or scurs - length: Apical rachis segment - convex face hairiness Anthers - anthocyanin colouration

#### Lower glume

External surface Extent of internal hairs Beak length Beak curvature Shoulder width Shoulder shape

#### Lower lemma Beak curvature

Deak curvature

#### Grain Colour Colouration with phenol

#### Straw

Length Wall thickness @20cms below ear

#### Glaucosity

Flag leaf - sheath Flag leaf- blade (lower side) Culm - neck Ear

#### Plant growth characters

Coleoptile - anthocyanin colouration Plant - growth habit Time of ear emergence Flag leaf - anthocyanin of auricles white medium to long medium parallel sided scurs present upper <sup>3</sup>/<sub>4</sub> long medium absent

smooth medium - Group 2 medium slight to moderately curved narrow elevated

#### moderately curved

red very dark

short to medium thin

medium to strong medium to strong medium medium

weak intermed. to semi-prostrate late



## AFP 1/1801 PANORAMA

#### **CHARACTERS IN DETAIL**

Ear Colour Length Density Shape-side profile Awns or scurs - presence Awns or scurs - distribution Awns or scurs - length: Apical rachis segment - convex face hairiness Anthers - anthocyanin colouration

#### Lower glume

External surface Extent of internal hairs Beak length Beak curvature Shoulder width Shoulder shape

### Lower lemma

Beak curvature

#### **Grain** Colour Colouration with phenol

#### Straw

Length Wall thickness @20cms below ear

#### Glaucosity

Flag leaf - sheath Flag leaf- blade (lower side) Culm - neck Ear

#### Plant growth characters

Coleoptile - anthocyanin colouration Plant - growth habit Time of ear emergence Flag leaf - anthocyanin of auricles

- white short to medium lax to medium tapering scurs present upper <sup>1</sup>/<sub>4</sub> short to medium weak to medium absent
- smooth strong - Group 3 short to medium slightly curved narrow to medium elevated

moderately curved

red very dark

medium thin

medium to strong weak to medium medium weak to medium

strong semi-erect to intermediate late



## AFP 1/2158 PHILOSOPHER

#### **CHARACTERS IN DETAIL**

Ear Colour Length Density Shape-side profile Awns or scurs - presence Awns or scurs - distribution Awns or scurs - length: Apical rachis segment - convex face hairiness Anthers - anthocyanin colouration

#### Lower glume

External surface Extent of internal hairs Beak length Beak curvature Shoulder width Shoulder shape

#### Lower lemma

Beak curvature

#### Grain

Colour Colouration with phenol

#### Straw

Length Wall thickness @20cms below ear

#### Glaucosity

Flag leaf - sheath Flag leaf- blade (lower side) Culm - neck Ear

#### Plant growth characters

Coleoptile - anthocyanin colouration Plant - growth habit Time of ear emergence Flag leaf - anthocyanin of auricles white medium medium to dense parallel sided scurs present upper <sup>3</sup>/<sub>4</sub> long weak absent

smooth weak to medium - Group 1+ medium slight to moderately curved narrow straight to elevated

strongly curved

red very dark

short thin

medium to strong medium medium medium

medium intermed. to semi-prostrate medium to late



## **PIRENEO**

#### **CHARACTERS IN DETAIL**

Ear	
Colour:	white
Length:	medium
Density:	medium to dense
Shape (side profile)	tapering
Awns or scurs - presence:	awns present
Awns or scurs - distribution:	
Awns or scurs - length:	long
Apical rachis segment - convex face hairiness:	medium
Anthers - anthocyanin	
Lower Glume	
External surface roughness:	
Extent of internal hairs:	medium - group 2
Beak length:	long to very long
Beak shape (curvature):	slightly curved
Shoulder	narrow
Shoulder	straight
Lower Lemma	
Beak shape:	
Grain	
Colour	red
Colouration with phenol:	medium
Straw	
Length:	medium
Wall thickness @ 20cms below ear:	thin
Glaucosity	
Flag leaf - sheath:	weak
Flag leaf - blade (lower side):	very weak to weak
Culm neck:	weak to medium
Ear - Glaucosity:	weak
Plant growth characters	
Coleoptile-anthocyanin	
Plant - growth habit:	intermediate
Time ear emergence:	early to late
Flag leaf - Anthocyanin colouration of auricles:	



## Variety Name: PONTICUS

Crop: Winter Wheat

Breeder's Reference: STRU 114010	AFP No:
Breeder: Dr Hermann Strube	Translated from: German
Origin:	<b>Date:</b> 14 November 2017
Code: PONT	
Coleoptile-anthocyanin colouration:	Strong
*Plant - growth habit:	Intermediate to semi-prostrate
*Time ear emergence:	Medium to late
Flag leaf - Anthocyanin colouration of auricles:	
Frequency of plants with recurved flag leaves:	Very low to low
*Flag leaf - Glaucosity of sheath:	Very strong
Flag leaf - Glaucosity of leaf blade:	Very strong
Anthers - anthocyanin colouration:	
Glaucosity of neck:	Very strong
Hairiness of uppermost node:	
*Plant - height:	Strong to medium
*Straw - wall thickness @ 20cms below ear:	Absent or very thin
*Ear - Glaucosity:	Strong
Ear - Supernumerary spikelets - frequency:	
*Ear - Colour:	White
*Ear - Shape (side profile):	Tapering
Ear - Length:	Medium to long
*Ear - Density:	Lax
*Awns or scurs - presence:	Scurs present
Awns or scurs - distibution:	
*Scurs at tip of ear - length:	Very short to short
*Awns at tip of ear - length:	
Lower glume - Beak length:	Very short to short
Lower glume - Beak shape (curvature):	
Lower glume - Beak tip:	
Lower glume - Shoulder width:	Narrow to medium
Lower glume - Shoulder type:	Slightly sloping
Lower glume - External surface roughness:	
Lower glume - Extent of internal hairs:	Weak
Lower glume - Internal imprint:	
Lower lemma - Beak shape:	
Lower lemma - Beak length-:	
Lower lemma - Beak swelling:	
Apical rachis segement - convex face hairiness:	Medium
*Grain - colour:	Red
Grain - Shape:	
Grain - Brush hair length in dorsal view:	
Grain - Colouration with phenol:	Medium
*Seasonal type:	Winter
Extra characters:	

\* = Characteristics which should always be included in the description of the variety.

28 March 2018



Variety Name:**PRAKTIK** 

Crop:

Breeder's Reference:	<b>AFP No:</b> 1/
Breeder: RAGT	Translated from:
Origin: GERMANY	<b>Date:</b> 22 October 2012
Code: PRAK	
Coleoptile-anthocyanin colouration:	ABSENT OR VERY WEAK
*Plant - growth habit:	INTERMEDIATE TO SEMI-PROSTRATE
*Time ear emergence:	MEDIUM TO LATE
Flag leaf - Anthocyanin colouration of auricles:	
Frequency of plants with recurved flag leaves:	ABSENT OR VERY LOW
*Flag leaf - Glaucosity of sheath:	MEDIUM
Flag leaf - Glaucosity of leaf blade:	MEDIUM
Anthers - anthocyanin colouration:	
Glaucosity of neck:	MEDIUM TO STRONG
Hairiness of uppermost node:	
*Plant - height:	SHORT
*Straw - wall thickness @ 20cms below ear:	very thin
*Ear - Glaucosity:	MEDIUM
Ear - Supernumerary spikelets - frequency:	
*Ear - Colour:	WHITE
*Ear - Shape (side profile):	TAPERING
Ear - Length:	SHORT TO MEDIUM
*Ear - Density:	MEDIUM
*Awns or scurs - presence:	SCURS PRESENT
Awns or scurs - distibution:	
*Scurs at tip of ear - length:	VERY SHORT TO SHORT
*Awns at tip of ear - length:	
Lower glume - Beak length:	VERY SHORT TO SHORT
Lower glume - Beak shape (curvature):	STRAIGHT
Lower glume - Beak tip:	SLIGHTLY CURVED
Lower glume - Shoulder width:	NARROW TO MEDIUM
Lower glume - Shoulder type:	
Lower glume - External surface roughness:	
Lower glume - Extent of internal hairs:	MEDIUM
Lower glume - Internal imprint:	
Lower lemma - Beak shape:	
Lower lemma - Beak length-:	
Lower lemma - Beak swelling:	
Apical rachis segement - convex face hairiness:	MEDIUM
*Grain - colour:	RED
Grain - Shape:	
Grain - Brush hair length in dorsal view:	DADK
Grain - Colouration with phenol:	DARK WINTED TYDE
*Seasonal type: Extra characters:	WINTER TYPE STRAW:PILTH IN CROSS SECTION -
Extra characters:	VERY THIN

\* = Characteristics which should always be included in the description of the variety.

30 March 2015



### AFP 1/2033



### **CHARACTERS IN DETAIL**

#### Ear

Colour Length Density Shape-side profile Awns or scurs - presence Awns or scurs - distribution Awns or scurs - length: Apical rachis segment - convex face hairiness Anthers - anthocyanin colouration

#### Lower glume

External surface Extent of internal hairs Beak length Beak curvature Shoulder width Shoulder shape

#### Lower lemma Beak curvature

Deak cui vatui

#### Grain

Colour Colouration with phenol

#### Straw

Length Wall thickness @20cms below ear

#### Glaucosity

Flag leaf - sheath Flag leaf- blade (lower side) Culm - neck Ear

#### Plant growth characters

Coleoptile - anthocyanin colouration Plant - growth habit Time of ear emergence Flag leaf - anthocyanin of auricles white short to medium medium to dense parallel sided scurs present upper <sup>1</sup>/<sub>4</sub> medium absent or very weak

smooth medium to strong - Group 2+ medium slightly curved narrow elevated

#### slightly to moderately curved

red dark

short to medium medium

strong strong medium to strong

weak to medium semi-erect medium



## **RA3W 08**

#### CHARACTERS IN DETAIL

Ear Colour: Length: Density: Shape (side profile) Awns or scurs - presence: Awns or scurs - distribution: Awns or scurs - length: Apical rachis segment - convex face hairiness: Anthers - anthocyanin Lower Glume External surface roughness: Extent of internal hairs: Beak length: Beak shape (curvature): Shoulder Shoulder Lower Lemma Beak shape: Grain Colour Colouration with phenol: Straw Length: Wall thickness @ 20cms below ear: Glaucosity Flag leaf - sheath: Flag leaf - blade (lower side): Culm neck: Ear - Glaucosity: Plant growth characters Coleoptile-anthocyanin Plant - growth habit:

Flag leaf - Anthocyanin colouration of auricles:

white short to medium medium to dense tapering scurs present medium to long weak to medium medium medium - group 2 medium moderately curved broad elevated moderately curved to strongly curved red medium to dark short to medium thin strong to very strong medium to strong weak medium medium intermediate medium



Time ear emergence:

## AFP 1/2328 RAMSAY

#### **CHARACTERS IN DETAIL**

#### Ear

Colour Length Density Shape-side profile Awns or scurs - presence Awns or scurs - distribution Awns or scurs - length Apical rachis segment - convex face hairiness Anthers - anthocyanin colouration

#### Lower glume

External surface Extent of internal hairs Beak length Beak curvature Shoulder width Shoulder shape

#### Lower lemma

Beak curvature

#### Grain

Colour Colouration with phenol

#### Straw

Length Wall thickness @20cms below ear

#### Glaucosity

Flag leaf - sheath Flag leaf- blade (lower side) Culm - neck Ear

#### Plant growth characters

Coleoptile - anthocyanin colouration Plant - growth habit Time of ear emergence Flag leaf - anthocyanin of auricles

- white short to medium medium to dense parallel sided scurs present upper 1/2 medium to long weak to medium
- smooth weak to medium (1+) short slightly curved narrow to medium elevated

moderately to strongly curved

red dark to very dark

very short to short absent or very thin

strong medium to strong medium to strong medium to strong

weak to medium semi-erect to intermediate late



## RAPSODIA

#### **CHARACTERS IN DETAIL**

Ear Colour: Length: Density: Shape (side profile) Awns or scurs - presence: Awns or scurs - distribution: Awns or scurs - length: Apical rachis segment - convex face hairiness: Anthers - anthocyanin Lower Glume External surface roughness: Extent of internal hairs: Beak length: Beak shape (curvature): Shoulder Shoulder Lower Lemma Beak shape: Grain Colour Colouration with phenol: Straw Length: Wall thickness @ 20cms below ear: Glaucosity Flag leaf - sheath: Flag leaf - blade (lower side): Culm neck: Ear - Glaucosity: Plant growth characters

Coleoptile-anthocyanin Plant - growth habit: Time ear emergence: Flag leaf - Anthocyanin colouration of auricles:

white short to medium medium tapering scurs present short weak to medium smooth medium to strong - group 2 to 3 short moderately curved medium straight slightly curved red medium short very thin to thin strong to very strong medium to strong medium to strong medium to strong

strong semi-prostrate to prostrate medium absent or very weak



## AFP 1/1994 RAZZANO

### **CHARACTERS IN DETAIL**

#### Ear

Colour Length Density Shape-side profile Awns or scurs - presence Awns or scurs - distribution Awns or scurs - length: Apical rachis segment - convex face hairiness Anthers - anthocyanin colouration

#### Lower glume

External surface Extent of internal hairs Beak length Beak curvature Shoulder width Shoulder shape

## Lower lemma

Beak curvature

#### Grain

Colour Colouration with phenol

#### Straw

Length Wall thickness @20cms below ear

#### Glaucosity

Flag leaf - sheath Flag leaf- blade (lower side) Culm - neck Ear

#### Plant growth characters

Coleoptile - anthocyanin colouration Plant - growth habit Time of ear emergence Flag leaf - anthocyanin of auricles white medium to long medium to dense parallel sided scurs present

very short weak to medium

medium to strong - Group 2+ short v.slightly curved narrow straight to elevated

red medium to dark

short thin

strong medium to strong medium to strong

strong intermed. to semi-prostrate medium to late



# AFP 1/2229 **REFLECTION**

# **CHARACTERS IN DETAIL**

# Ear

Colour Length Density Shape-side profile Awns or scurs - presence Awns or scurs - distribution Awns or scurs - length Apical rachis segment - convex face hairiness Anthers - anthocyanin colouration

### Lower glume

External surface Extent of internal hairs Beak length Beak curvature Shoulder width Shoulder shape

### Lower lemma

Beak curvature

### Grain

Colour Colouration with phenol

### Straw

Length Wall thickness @20cms below ear

### Glaucosity

Flag leaf - sheath Flag leaf- blade (lower side) Culm - neck Ear

# Plant growth characters

Coleoptile - anthocyanin colouration Plant - growth habit Time of ear emergence Flag leaf - anthocyanin of auricles

- white short to medium medium parallel sided scurs present upper 3/4 medium absent to weak absent
- smooth strong medium moderately curved narrow to medium elevated

moderately curved

red medium

very short to short absent or very thin

strong medium to strong medium to strong medium to strong

absent to weak intermediate medium to late



# AFP 1/1988 **RELAY**

# **CHARACTERS IN DETAIL**

Ear
Colour
Length
Density
Shape-side profile
Awns or scurs - presence
Awns or scurs - distribution
Awns or scurs - length:
Apical rachis segment - convex face hairiness
Anthers - anthocyanin colouration

### Lower glume

External surface Extent of internal hairs Beak length Beak curvature Shoulder width Shoulder shape

# Lower lemma

Beak curvature

### Grain

Colour Colouration with phenol

## Straw

Length Wall thickness @20cms below ear

### Glaucosity

Flag leaf - sheath Flag leaf- blade (lower side) Culm - neck Ear

### Plant growth characters

Coleoptile - anthocyanin colouration Plant - growth habit Time of ear emergence Flag leaf - anthocyanin of auricles white short to medium medium to dense parallel sided scurs present upper <sup>1</sup>/<sub>2</sub> long strong

smooth medium - Group 2 medium slightly curved narrow elevated

slightly curved

red dark

short thin

strong to very strong strong to very strong strong

strong semi-erect to intermediate medium to late



# AFP 1/2059 REVELATION

# **CHARACTERS IN DETAIL**

Ear Colour Length Density Shape-side profile Awns or scurs - presence Awns or scurs - distribution Awns or scurs - length: Apical rachis segment - convex face hairiness Anthers - anthocyanin colouration

### Lower glume

External surface Extent of internal hairs Beak length Beak curvature Shoulder width Shoulder shape

### Lower lemma Beak curvature

### Grain Colour

Colouration with phenol

# Straw

Length Wall thickness @20cms below ear

# Glaucosity

Flag leaf - sheath Flag leaf- blade (lower side) Culm - neck Ear

# Plant growth characters

Coleoptile - anthocyanin colouration Plant - growth habit Time of ear emergence Flag leaf - anthocyanin of auricles

- white medium medium tapering scurs present upper 1/4 long medium to strong
- slightly rough medium - Group 2 medium moderately curved medium elevated

moderately curved

red very dark

short to medium thin

strong to very strong strong strong medium to strong

weak semi-erect to intermediate medium to late



# AFP 1/2266 RGT ADVENTURE

# **CHARACTERS IN DETAIL**

# Ear

Colour Length Density Shape-side profile Awns or scurs - presence Awns or scurs - distribution Awns or scurs - length Apical rachis segment - convex face hairiness Anthers - anthocyanin colouration

### Lower glume

External surface Extent of internal hairs Beak length Beak curvature Shoulder width Shoulder shape

# Lower lemma

Beak curvature

## Grain

Colour Colouration with phenol

## Straw

Length Wall thickness @20cms below ear

### Glaucosity

Flag leaf - sheath Flag leaf- blade (lower side) Culm - neck Ear

## Plant growth characters

Coleoptile - anthocyanin colouration Plant - growth habit Time of ear emergence Flag leaf - anthocyanin of auricles

- white short to medium medium parallel sided scurs present upper 1/2 medium to long strong absent
- smooth medium (2) short to medium moderately curved medium elevated

strongly curved

red medium

very short to short absent or very thin

strong medium to strong medium to strong strong

weak to medium semi-erect to intermediate late



# AFP 1/2842 **RGT ANELLE**

## **CHARACTERS IN DETAIL**

# Ear

Colour Length Density Shape-side profile Awns or scurs - presence Awns or scurs - distribution Awns or scurs - length Apical rachis segment - convex face hairiness Anthers - anthocyanin colouration

### Lower glume

External surface Extent of internal hairs Beak length Beak curvature Shoulder width Shoulder shape

## Lower lemma

Beak curvature

### Grain

Colour Colouration with phenol

### Straw

Length Wall thickness @20cms below ear

### Glaucosity

Flag leaf - sheath Flag leaf - blade (lower side) Culm - neck Ear

### Plant growth characters

Coleoptile - anthocyanin colouration Plant - growth habit Time of ear emergence Flag leaf - anthocyanin of auricles

- coloured short to medium dense parallel sided scurs present upper 1/4 very short to short medium to strong absent
- smooth strong to whole surface medium moderately curved narrow elevated

### strongly curved

red dark

short absent or very thin

strong to very strong medium to strong strong to very strong absent or very weak

medium to strong intermediate medium to late absent or very weak



# AFP 1/2919 RGT BAIRSTOW

## **CHARACTERS IN DETAIL**

# Ear

Colour Length Density Shape-side profile Awns or scurs - presence Awns or scurs - distribution Awns or scurs - length Apical rachis segment - convex face hairiness Anthers - anthocyanin colouration

### Lower glume

External surface Extent of internal hairs Beak length Beak curvature Shoulder width Shoulder shape

## Lower lemma

Beak curvature

### Grain

Colour Colouration with phenol

### Straw

Length Wall thickness @20cms below ear

### Glaucosity

Flag leaf - sheath Flag leaf- blade (lower side) Culm - neck Ear

### Plant growth characters

Coleoptile - anthocyanin colouration Plant - growth habit Time of ear emergence Flag leaf - anthocyanin of auricles white short to medium medium parallel sided scurs present upper 1/4 medium to long very strong absent

slightly rough medium to strong (group 2+) medium to long moderate to strongly curved medium straight to elevated

strongly curved to geniculate

red dark to very dark

short absent or very thin

strong to very strong strong to very strong strong to very strong medium

very weak to weak intermediate medium to late absent or very weak



# AFP 1/2699 RGT BLOSSOM

# **CHARACTERS IN DETAIL**

## Ear

Colour Length Density Shape-side profile Awns or scurs - presence Awns or scurs - distribution Awns or scurs - length Apical rachis segment - convex face hairiness Anthers - anthocyanin colouration

## Lower glume

External surface Extent of internal hairs Beak length Beak curvature Shoulder width Shoulder shape

### Lower lemma

Beak curvature

### Grain

Colour Colouration with phenol

# Straw

Length Wall thickness @20cms below ear

### Glaucosity

Flag leaf - sheath Flag leaf- blade (lower side) Culm - neck Ear

### Plant growth characters

Coleoptile - anthocyanin colouration Plant - growth habit Time of ear emergence Flag leaf - anthocyanin of auricles white medium to long medium tapering scurs present upper 1/2 medium to long weak to medium

smooth medium to strong (group 2+) short to medium moderately curved narrow to medium elevated

moderately curved

red medium

short to medium absent or very thin

strong to very strong medium to strong medium to strong medium to strong

medium to strong intermediate late



# AFP 1/2591 **RGT BOWEN**

## **CHARACTERS IN DETAIL**

# Ear

Colour Length Density Shape-side profile Awns or scurs - presence Awns or scurs - distribution Awns or scurs - length Apical rachis segment - convex face hairiness Anthers - anthocyanin colouration

### Lower glume

External surface Extent of internal hairs Beak length Beak curvature Shoulder width Shoulder shape

### Lower lemma

Beak curvature

### Grain

Colour Colouration with phenol

### Straw

Length Wall thickness @20cms below ear

### Glaucosity

Flag leaf - sheath Flag leaf- blade (lower side) Culm - neck Ear

# Plant growth characters

Coleoptile - anthocyanin colouration Plant - growth habit Time of ear emergence Flag leaf - anthocyanin of auricles white short to medium medium parallel sided scurs present upper 1/4 long weak

smooth medium (group 2) short to medium slight to moderately curved medium elevated

slightly to moderately curved

red very dark

short absent or very thin

strong medium to strong medium to strong medium to strong

strong intermediate late



# AFP 1/2913 **RGT COOK**

## **CHARACTERS IN DETAIL**

# Ear

Colour Length Density Shape-side profile Awns or scurs - presence Awns or scurs - distribution Awns or scurs - length Apical rachis segment - convex face hairiness Anthers - anthocyanin colouration

### Lower glume

External surface Extent of internal hairs Beak length Beak curvature Shoulder width Shoulder shape

### Lower lemma

Beak curvature

## Grain

Colour Colouration with phenol

### Straw

Length Wall thickness @20cms below ear

### Glaucosity

Flag leaf - sheath Flag leaf - blade (lower side) Culm - neck Ear

### Plant growth characters

Coleoptile - anthocyanin colouration Plant - growth habit Time of ear emergence Flag leaf - anthocyanin of auricles white medium to long medium to dense parallel sided awns present whole length very long strong to very strong absent

entire external surface rough strong to whole surface long to very long strongly curved very narrow to narrow elevated

### strongly curved

red dark

very short to short absent or very thin

strong to very strong strong to very strong strong to very strong strong

medium to strong intermediate medium to late absent or very weak



# AFP 1/2188 RGT CONVERSION

# **CHARACTERS IN DETAIL**

# Ear

Colour Length Density Shape-side profile Awns or scurs - presence Awns or scurs - distribution Awns or scurs - length Apical rachis segment - convex face hairiness Anthers - anthocyanin colouration

## Lower glume

External surface Extent of internal hairs Beak length Beak curvature Shoulder width Shoulder shape

# Lower lemma

Beak curvature

# Grain

Colour Colouration with phenol

# Straw

Length Wall thickness @20cms below ear

### Glaucosity

Flag leaf - sheath Flag leaf- blade (lower side) Culm - neck Ear

## Plant growth characters

Coleoptile - anthocyanin colouration Plant - growth habit Time of ear emergence Flag leaf - anthocyanin of auricles white medium medium parallel sided scurs present upper 1/2 long to very long weak absent

smooth medium long strongly curved narrow elevated

strongly curved

red dark

short absent or very thin

medium to strong medium medium weak to medium

absent to weak intermediate late



# AFP 1/2845 **RGT DRAX**

# **CHARACTERS IN DETAIL**

## Ear

Colour Length Density Shape-side profile Awns or scurs - presence Awns or scurs - distribution Awns or scurs - length Apical rachis segment - convex face hairiness Anthers - anthocyanin colouration

## Lower glume

External surface Extent of internal hairs Beak length Beak curvature Shoulder width Shoulder shape

### Lower lemma

Beak curvature

### Grain

Colour Colouration with phenol

# Straw

Length Wall thickness @20cms below ear

### Glaucosity

Flag leaf - sheath Flag leaf- blade (lower side) Culm - neck Ear

### Plant growth characters

Coleoptile - anthocyanin colouration Plant - growth habit Time of ear emergence Flag leaf - anthocyanin of auricles white medium dense parallel sided scurs present upper 1/4 medium to long absent or very weak absent

smooth medium (group 2) medium slightly curved narrow to medium straight to elevated

moderately curved

red medium to dark

very short to short medium

strong to very strong strong to very strong strong to very strong

weak to medium intermed. to semi-prostrate late absent or very weak



# AFP 1/2911 RGT FLINTOFF

## **CHARACTERS IN DETAIL**

# Ear

Colour Length Density Shape-side profile Awns or scurs - presence Awns or scurs - distribution Awns or scurs - length Apical rachis segment - convex face hairiness Anthers - anthocyanin colouration

### Lower glume

External surface Extent of internal hairs Beak length Beak curvature Shoulder width Shoulder shape

## Lower lemma

Beak curvature

## Grain

Colour Colouration with phenol

### Straw

Length Wall thickness @20cms below ear

### Glaucosity

Flag leaf - sheath Flag leaf- blade (lower side) Culm - neck Ear

### Plant growth characters

Coleoptile - anthocyanin colouration Plant - growth habit Time of ear emergence Flag leaf - anthocyanin of auricles white short to medium medium to dense parallel sided awns present whole length very long medium to strong absent

entire external surface rough whole internal surface covered very long moderate to strongly curved very narrow to narrow elevated

### strongly curved

red dark

short absent or very thin

strong to very strong strong to very strong strong

medium intermediate medium to late absent or very weak



# AFP 1/2850 RGT GALACTUS

# **CHARACTERS IN DETAIL**

# Ear

Colour Length Density Shape-side profile Awns or scurs - presence Awns or scurs - distribution Awns or scurs - length Apical rachis segment - convex face hairiness Anthers - anthocyanin colouration

### Lower glume

External surface Extent of internal hairs Beak length Beak curvature Shoulder width Shoulder shape

### Lower lemma

Beak curvature

### Grain

Colour Colouration with phenol

# Straw

Length Wall thickness @20cms below ear

### Glaucosity

Flag leaf - sheath Flag leaf- blade (lower side) Culm - neck Ear

### Plant growth characters

Coleoptile - anthocyanin colouration Plant - growth habit Time of ear emergence Flag leaf - anthocyanin of auricles white medium medium to dense parallel sided scurs present upper 1/4 medium to long medium to strong absent

smooth strong to whole surface medium moderately curved narrow to medium straight to elevated

moderately to strongly curved

red very dark

short absent or very thin

strong to very strong strong strong strong

weak intermed. to semi-prostrate late to very late absent or very weak



# Variety Name: RGT GRADIENT

Crop: WW

Breeder's Reference: RW41394	AFP No:		
Breeder: R2n sas	Translated from: Danish		
<b>Origin:</b> Trident + Gravitas	Date:	22 March 2016	
Code: RGTG			
Coleoptile-anthocyanin colouration:	Very weak to weak		
*Plant - growth habit:	Prostrate		
*Time ear emergence:	Medium		
Flag leaf - Anthocyanin colouration of auricles:			
Frequency of plants with recurved flag leaves:	Low to medium		
*Flag leaf - Glaucosity of sheath:	Strong		
Flag leaf - Glaucosity of leaf blade:	Medium to strong		
Anthers - anthocyanin colouration:		5	
Glaucosity of neck:	Strong		
Hairiness of uppermost node:			
*Plant - height:	Short to medium		
*Straw - wall thickness @ 20cms below ear:	Absent or Very thin		
*Ear - Glaucosity:	Medium to strong		
Ear - Supernumerary spikelets - frequency:	meana	in to buoing	
*Ear - Colour:	White		
*Ear - Shape (side profile):	Tapering		
Ear - Length:	Short to medium		
*Ear - Density:	Medium		
*Awns or scurs - presence:	Present		
Awns or scurs - distibution:	riesent		
*Scurs at tip of ear - length:	Long		
	Long		
*Awns at tip of ear - length:	Madim		
Lower glume - Beak length:		Medium to long Slightly curved	
Lower glume - Beak shape (curvature):	Singinity curved		
Lower glume - Beak tip:			
Lower glume - Shoulder width:		Medium	
Lower glume - Shoulder type:	Elevated		
Lower glume - External surface roughness:			
Lower glume - Extent of internal hairs:	Medium		
Lower glume - Internal imprint:			
Lower lemma - Beak shape:	Modera	Moderately curved	
Lower lemma - Beak length-:			
Lower lemma - Beak swelling:			
Apical rachis segement - convex face hairiness:		Weak to medium	
*Grain - colour:	Red		
Grain - Shape:			
Grain - Brush hair length in dorsal view:			
Grain - Colouration with phenol:	Dark		
*Seasonal type:	Winter		
Extra characters:			

\* = Characteristics which should always be included in the description of the variety.





# AFP 1/2517 RGT GRAVITY

## **CHARACTERS IN DETAIL**

# Ear

Colour Length Density Shape-side profile Awns or scurs - presence Awns or scurs - distribution Awns or scurs - length Apical rachis segment - convex face hairiness Anthers - anthocyanin colouration

### Lower glume

External surface Extent of internal hairs Beak length Beak curvature Shoulder width Shoulder shape

### Lower lemma

Beak curvature

### Grain

Colour Colouration with phenol

### Straw

Length Wall thickness @20cms below ear

### Glaucosity

Flag leaf - sheath Flag leaf- blade (lower side) Culm - neck Ear

# Plant growth characters

Coleoptile - anthocyanin colouration Plant - growth habit Time of ear emergence Flag leaf - anthocyanin of auricles

- white short to medium medium tapering scurs present upper 1/2 long weak to medium absent
- smooth medium (group 2) medium slight to moderately curved medium elevated

### moderately curved

red dark

short to medium absent or very thin

medium medium to strong medium to strong

weak intermed. to semi-prostrate medium to late



# AFP 1/2265 RGT ILLUSTRIOUS

## **CHARACTERS IN DETAIL**

# Ear

Colour Length Density Shape-side profile Awns or scurs - presence Awns or scurs - distribution Awns or scurs - length Apical rachis segment - convex face hairiness Anthers - anthocyanin colouration

### Lower glume

External surface Extent of internal hairs Beak length Beak curvature Shoulder width Shoulder shape

### Lower lemma

Beak curvature

### Grain

Colour Colouration with phenol

### Straw

Length Wall thickness @20cms below ear

### Glaucosity

Flag leaf - sheath Flag leaf- blade (lower side) Culm - neck Ear

# Plant growth characters

Coleoptile - anthocyanin colouration Plant - growth habit Time of ear emergence Flag leaf - anthocyanin of auricles

- white medium parallel sided scurs present upper 1/2 medium strong absent
- rough medium to strong (2+) medium slight to moderately curved narrow to medium elevated

moderately to strongly curved

red dark

very short to short absent or very thin

strong medium to strong medium to strong medium

medium intermed. to semi-prostrate late to very late



# AFP 1/2368 RGT KNIGHTSBRIDGE

## **CHARACTERS IN DETAIL**

# Ear

Colour Length Density Shape-side profile Awns or scurs - presence Awns or scurs - distribution Awns or scurs - length Apical rachis segment - convex face hairiness Anthers - anthocyanin colouration

## Lower glume

External surface Extent of internal hairs Beak length Beak curvature Shoulder width Shoulder shape

### Lower lemma

Beak curvature

### Grain

Colour Colouration with phenol

### Straw

Length Wall thickness @20cms below ear

# Glaucosity

Flag leaf - sheath Flag leaf- blade (lower side) Culm - neck Ear

# Plant growth characters

Coleoptile - anthocyanin colouration Plant - growth habit Time of ear emergence Flag leaf - anthocyanin of auricles white medium parallel sided scurs present upper 1/4 medium to long weak to medium

smooth medium (group 2) medium moderately curved medium elevated

moderately to strongly curved

red dark

very short to short absent or very thin

medium to strong weak medium medium

medium intermediate very late



# AFP 1/2708

# **RGT KOI**

# **CHARACTERS IN DETAIL**

## Ear

Colour Length Density Shape-side profile Awns or scurs - presence Awns or scurs - distribution Awns or scurs - length Apical rachis segment - convex face hairiness Anthers - anthocyanin colouration

## Lower glume

External surface Extent of internal hairs Beak length Beak curvature Shoulder width Shoulder shape

### Lower lemma

Beak curvature

### Grain

Colour Colouration with phenol

# Straw

Length Wall thickness @20cms below ear

### Glaucosity

Flag leaf - sheath Flag leaf- blade (lower side) Culm - neck Ear

### Plant growth characters

Coleoptile - anthocyanin colouration Plant - growth habit Time of ear emergence Flag leaf - anthocyanin of auricles white medium to long medium parallel sided scurs present upper 1/4 medium to long strong absent

slightly rough medium to strong (group 2+) medium strongly curved narrow slightly sloping

moderately curved

red dark

short to medium absent or very thin

strong to very strong strong to very strong strong medium

weak intermed. to semi-prostrate late to very late absent or very weak



# AFP 1/2704 RGT LANTERN

## **CHARACTERS IN DETAIL**

# Ear

Colour Length Density Shape-side profile Awns or scurs - presence Awns or scurs - distribution Awns or scurs - length Apical rachis segment - convex face hairiness Anthers - anthocyanin colouration

### Lower glume

External surface Extent of internal hairs Beak length Beak curvature Shoulder width Shoulder shape

### Lower lemma

Beak curvature

### Grain

Colour Colouration with phenol

### Straw

Length Wall thickness @20cms below ear

### Glaucosity

Flag leaf - sheath Flag leaf- blade (lower side) Culm - neck Ear

# Plant growth characters

Coleoptile - anthocyanin colouration Plant - growth habit Time of ear emergence Flag leaf - anthocyanin of auricles white medium medium to dense tapering scurs present upper 1/2 long to very long medium

smooth weak to medium (group 1+) medium slight to moderately curved narrow elevated

slightly to moderately curved

red dark

short absent or very thin

strong strong strong strong

medium intermed. to semi-prostrate late to very late



# AFP 1/2271 RGT MARLBOROUGH

## **CHARACTERS IN DETAIL**

# Ear

Colour Length Density Shape-side profile Awns or scurs - presence Awns or scurs - distribution Awns or scurs - length Apical rachis segment - convex face hairiness Anthers - anthocyanin colouration

## Lower glume

External surface Extent of internal hairs Beak length Beak curvature Shoulder width Shoulder shape

### Lower lemma

Beak curvature

### Grain

Colour Colouration with phenol

### Straw

Length Wall thickness @20cms below ear

# Glaucosity

Flag leaf - sheath Flag leaf- blade (lower side) Culm - neck Ear

### Plant growth characters

Coleoptile - anthocyanin colouration Plant - growth habit Time of ear emergence Flag leaf - anthocyanin of auricles white medium to long medium to dense parallel sided scurs present upper 1/2 long medium

smooth weak to medium (1+) medium to long moderately curved narrow to medium straight to elevated

moderately to strongly curved

red medium

short absent or very thin

medium to strong medium to strong medium to strong medium to strong

medium intermediate late to very late



# AFP 1/2371 RGT PADDINGTON

## **CHARACTERS IN DETAIL**

# Ear

Colour Length Density Shape-side profile Awns or scurs - presence Awns or scurs - distribution Awns or scurs - length Apical rachis segment - convex face hairiness Anthers - anthocyanin colouration

### Lower glume

External surface Extent of internal hairs Beak length Beak curvature Shoulder width Shoulder shape

### Lower lemma

Beak curvature

### Grain

Colour Colouration with phenol

### Straw

Length Wall thickness @20cms below ear

### Glaucosity

Flag leaf - sheath Flag leaf- blade (lower side) Culm - neck Ear

### Plant growth characters

Coleoptile - anthocyanin colouration Plant - growth habit Time of ear emergence Flag leaf - anthocyanin of auricles white medium parallel sided scurs present upper 1/4 medium to long medium

smooth medium to strong (group 2+) medium moderately curved narrow to medium elevated

slightly to moderately curved

red very dark

very short absent or very thin

medium to strong weak to medium medium medium

weak semi-erect to intermediate very late



# AFP 1/2269 RGT PEMBROKE

## **CHARACTERS IN DETAIL**

# Ear

Colour Length Density Shape-side profile Awns or scurs - presence Awns or scurs - distribution Awns or scurs - length Apical rachis segment - convex face hairiness Anthers - anthocyanin colouration

### Lower glume

External surface Extent of internal hairs Beak length Beak curvature Shoulder width Shoulder shape

### Lower lemma

Beak curvature

### Grain

Colour Colouration with phenol

### Straw

Length Wall thickness @20cms below ear

### Glaucosity

Flag leaf - sheath Flag leaf- blade (lower side) Culm - neck Ear

## Plant growth characters

Coleoptile - anthocyanin colouration Plant - growth habit Time of ear emergence Flag leaf - anthocyanin of auricles white short to medium medium to dense parallel sided scurs present upper 1/4 long very weak to weak

smooth medium (group 2) medium moderately curved medium elevated

slightly to moderately curved

red dark to very dark

very short absent or very thin

medium to strong medium to strong medium to strong

weak to medium intermediate late to very late



# AFP 1/2849 RGT QUICKSILVER

# **CHARACTERS IN DETAIL**

## Ear

Colour Length Density Shape-side profile Awns or scurs - presence Awns or scurs - distribution Awns or scurs - length Apical rachis segment - convex face hairiness Anthers - anthocyanin colouration

## Lower glume

External surface Extent of internal hairs Beak length Beak curvature Shoulder width Shoulder shape

### Lower lemma

Beak curvature

### Grain

Colour Colouration with phenol

Straw Length Wall thickness @20cms below ear

### Glaucosity

Flag leaf - sheath Flag leaf- blade (lower side) Culm - neck Ear

### Plant growth characters

Coleoptile - anthocyanin colouration Plant - growth habit Time of ear emergence Flag leaf - anthocyanin of auricles white medium to long medium parallel sided scurs present upper 1/2 long medium to strong absent

smooth medium (group 2) medium to long moderate to strongly curved medium elevated

moderately to strongly curved

red medium to dark

short absent or very thin

strong to very strong strong to very strong medium to strong

weak intermed. to semi-prostrate late to very late absent or very weak



# AFP 1/2920 RGT RASHID

## **CHARACTERS IN DETAIL**

# Ear

Colour Length Density Shape-side profile Awns or scurs - presence Awns or scurs - distribution Awns or scurs - length Apical rachis segment - convex face hairiness Anthers - anthocyanin colouration

### Lower glume

External surface Extent of internal hairs Beak length Beak curvature Shoulder width Shoulder shape

### Lower lemma

Beak curvature

### Grain

Colour Colouration with phenol

### Straw

Length Wall thickness @20cms below ear

### Glaucosity

Flag leaf - sheath Flag leaf - blade (lower side) Culm - neck Ear

### Plant growth characters

Coleoptile - anthocyanin colouration Plant - growth habit Time of ear emergence Flag leaf - anthocyanin of auricles

- white medium parallel sided scurs present upper 1/2 long medium absent
- smooth medium (group 2) medium moderate to strongly curved medium elevated

### strongly curved

red very dark

very short to short absent or very thin

strong medium medium to strong medium

weak to medium intermediate very late absent or very weak



# AFP 1/2264 RGT SACRAMENTO

## **CHARACTERS IN DETAIL**

# Ear

Colour Length Density Shape-side profile Awns or scurs - presence Awns or scurs - distribution Awns or scurs - length Apical rachis segment - convex face hairiness Anthers - anthocyanin colouration

### Lower glume

External surface Extent of internal hairs Beak length Beak curvature Shoulder width Shoulder shape

### Lower lemma

Beak curvature

## Grain

Colour Colouration with phenol

### Straw

Length Wall thickness @20cms below ear

### Glaucosity

Flag leaf - sheath Flag leaf- blade (lower side) Culm - neck Ear

# Plant growth characters

Coleoptile - anthocyanin colouration Plant - growth habit Time of ear emergence Flag leaf - anthocyanin of auricles white short medium tapering awns present whole length very long medium absent

smooth medium (2) long to very long slightly curved very narrow to narrow slightly sloping

slightly curved

red light

short to medium absent or very thin

strong medium to strong strong strong

strong semi-erect medium to late



# AFP 1/2702

# **RGT SAKI**

# **CHARACTERS IN DETAIL**

## Ear

Colour Length Density Shape-side profile Awns or scurs - presence Awns or scurs - distribution Awns or scurs - length Apical rachis segment - convex face hairiness Anthers - anthocyanin colouration

## Lower glume

External surface Extent of internal hairs Beak length Beak curvature Shoulder width Shoulder shape

### Lower lemma

Beak curvature

### Grain

Colour Colouration with phenol

# Straw

Length Wall thickness @20cms below ear

### Glaucosity

Flag leaf - sheath Flag leaf- blade (lower side) Culm - neck Ear

### Plant growth characters

Coleoptile - anthocyanin colouration Plant - growth habit Time of ear emergence Flag leaf - anthocyanin of auricles white medium parallel sided scurs present upper 1/4 long weak to medium absent

smooth medium to strong (group 2+) long strongly curved narrow to medium straight to elevated

geniculate

red dark to very dark

very short to short absent or very thin

strong to very strong strong to very strong strong to very strong medium to strong

weak intermed. to semi-prostrate late to very late absent or very weak



# AFP 1/2851 RGT SILVERSURFER

## **CHARACTERS IN DETAIL**

# Ear

Colour Length Density Shape-side profile Awns or scurs - presence Awns or scurs - distribution Awns or scurs - length Apical rachis segment - convex face hairiness Anthers - anthocyanin colouration

## Lower glume

External surface Extent of internal hairs Beak length Beak curvature Shoulder width Shoulder shape

# Lower lemma

Beak curvature

## Grain

Colour Colouration with phenol

### Straw

Length Wall thickness @20cms below ear

### Glaucosity

Flag leaf - sheath Flag leaf- blade (lower side) Culm - neck Ear

### Plant growth characters

Coleoptile - anthocyanin colouration Plant - growth habit Time of ear emergence Flag leaf - anthocyanin of auricles

- white medium medium to dense parallel sided scurs present upper 1/4 long to very long medium to strong absent
- smooth medium (group 2) long moderately curved narrow to medium straight to elevated

strongly curved

red dark to very dark

short absent or very thin

strong to very strong strong medium

weak to medium intermed. to semi-prostrate late to very late absent or very weak



# AFP 1/2918 RGT STOKES

# **CHARACTERS IN DETAIL**

# Ear

Colour Length Density Shape-side profile Awns or scurs - presence Awns or scurs - distribution Awns or scurs - length Apical rachis segment - convex face hairiness Anthers - anthocyanin colouration

### Lower glume

External surface Extent of internal hairs Beak length Beak curvature Shoulder width Shoulder shape

## Lower lemma

Beak curvature

### Grain

Colour Colouration with phenol

### Straw

Length Wall thickness @20cms below ear

### Glaucosity

Flag leaf - sheath Flag leaf - blade (lower side) Culm - neck Ear

### Plant growth characters

Coleoptile - anthocyanin colouration Plant - growth habit Time of ear emergence Flag leaf - anthocyanin of auricles white medium to long lax to medium tapering scurs present upper 1/4 medium to long

absent

smooth medium (group 2) medium moderate to strongly curved narrow to medium elevated

### strongly curved

red dark

very short to short absent or very thin

very strong very strong strong to very strong strong

weak to medium intermediate late to very late absent or very weak



# AFP 1/2843

# **RGT VENOM**

# **CHARACTERS IN DETAIL**

## Ear

Colour Length Density Shape-side profile Awns or scurs - presence Awns or scurs - distribution Awns or scurs - length Apical rachis segment - convex face hairiness Anthers - anthocyanin colouration

## Lower glume

External surface Extent of internal hairs Beak length Beak curvature Shoulder width Shoulder shape

### Lower lemma

Beak curvature

### Grain

Colour Colouration with phenol

Straw Length Wall thickness @20cms below ear

### Glaucosity

Flag leaf - sheath Flag leaf- blade (lower side) Culm - neck Ear

### Plant growth characters

Coleoptile - anthocyanin colouration Plant - growth habit Time of ear emergence Flag leaf - anthocyanin of auricles white long lax to medium tapering scurs present upper 1/4 medium to long medium absent

smooth strong (group 3) medium slight to moderately curved narrow elevated

moderately curved

red dark to very dark

short absent or very thin

strong to very strong strong strong strong

medium intermed. to semi-prostrate late to very late absent or very weak



# AFP 1/2703 RGT WASABI

## **CHARACTERS IN DETAIL**

# Ear

Colour Length Density Shape-side profile Awns or scurs - presence Awns or scurs - distribution Awns or scurs - length Apical rachis segment - convex face hairiness Anthers - anthocyanin colouration

### Lower glume

External surface Extent of internal hairs Beak length Beak curvature Shoulder width Shoulder shape

Lower lemma

Beak curvature

### Grain

Colour Colouration with phenol

### Straw

Length Wall thickness @20cms below ear

### Glaucosity

Flag leaf - sheath Flag leaf- blade (lower side) Culm - neck Ear

### Plant growth characters

Coleoptile - anthocyanin colouration Plant - growth habit Time of ear emergence Flag leaf - anthocyanin of auricles

- white short to medium dense parallel sided scurs present upper 1/4 medium medium to strong absent
- slightly rough medium (group 2) medium moderately curved narrow straight to elevated

moderately curved

red medium to dark

short absent or very thin

strong to very strong strong to very strong strong to very strong medium

weak intermed. to semi-prostrate late to very late absent or very weak



# AFP 1/2846 RGT WOLVERINE

## **CHARACTERS IN DETAIL**

# Ear

Colour Length Density Shape-side profile Awns or scurs - presence Awns or scurs - distribution Awns or scurs - length Apical rachis segment - convex face hairiness Anthers - anthocyanin colouration

### Lower glume

External surface Extent of internal hairs Beak length Beak curvature Shoulder width Shoulder shape

### Lower lemma

Beak curvature

### Grain

Colour Colouration with phenol

### Straw

Length Wall thickness @20cms below ear

### Glaucosity

Flag leaf - sheath Flag leaf- blade (lower side) Culm - neck Ear

### Plant growth characters

Coleoptile - anthocyanin colouration Plant - growth habit Time of ear emergence Flag leaf - anthocyanin of auricles

- white medium parallel sided scurs present upper 1/4 short strong absent
- smooth strong (group 3) short slightly curved medium elevated

moderately curved

red dark to very dark

short absent or very thin

very strong very strong wery strong medium

medium to strong intermed. to semi-prostrate late to very late absent or very weak



# AFP 1/2774 SARTORIAL

## **CHARACTERS IN DETAIL**

# Ear

Colour Length Density Shape-side profile Awns or scurs - presence Awns or scurs - distribution Awns or scurs - length Apical rachis segment - convex face hairiness Anthers - anthocyanin colouration

### Lower glume

External surface Extent of internal hairs Beak length Beak curvature Shoulder width Shoulder shape

### Lower lemma

Beak curvature

### Grain

Colour Colouration with phenol

### Straw

Length Wall thickness @20cms below ear

### Glaucosity

Flag leaf - sheath Flag leaf- blade (lower side) Culm - neck Ear

# Plant growth characters

Coleoptile - anthocyanin colouration Plant - growth habit Time of ear emergence Flag leaf - anthocyanin of auricles white short to medium medium to dense parallel sided scurs present upper 1/4 long strong

smooth weak (group 1) medium to long moderately curved narrow elevated

strongly curved to geniculate

red medium

short to medium absent or very thin

strong strong strong strong

weak to medium intermediate late



# AFP 1/2191 RGT SCRUMMAGE

# **CHARACTERS IN DETAIL**

#### Ear

Colour Length Density Shape-side profile Awns or scurs - presence Awns or scurs - distribution Awns or scurs - length Apical rachis segment - convex face hairiness Anthers - anthocyanin colouration

### Lower glume

External surface Extent of internal hairs Beak length Beak curvature Shoulder width Shoulder shape

Lower lemma Beak curvature

### Grain

Colour Colouration with phenol

Straw Length Wall thickness @20cms below ear

### Glaucosity

Flag leaf - sheath Flag leaf- blade (lower side) Culm - neck Ear

## Plant growth characters

Coleoptile - anthocyanin colouration Plant - growth habit Time of ear emergence Flag leaf - anthocyanin of auricles white medium to long medium tapering scurs present upper 1/2 medium weak absent

smooth medium (2) medium moderately curved narrow to medium elevated

moderately curved

red medium to dark

very short to short absent or very thin

strong medium to strong medium to strong medium to strong

absent to weak intermediate late



# AFP 1/2268 RGT SORCERER

# **CHARACTERS IN DETAIL**

# Ear

Colour Length Density Shape-side profile Awns or scurs - presence Awns or scurs - distribution Awns or scurs - length Apical rachis segment - convex face hairiness Anthers - anthocyanin colouration

## Lower glume

External surface Extent of internal hairs Beak length Beak curvature Shoulder width Shoulder shape

### Lower lemma

Beak curvature

### Grain

Colour Colouration with phenol

Straw Length Wall thickness @20cms below ear

### Glaucosity

Flag leaf - sheath Flag leaf- blade (lower side) Culm - neck Ear

### Plant growth characters

Coleoptile - anthocyanin colouration Plant - growth habit Time of ear emergence Flag leaf - anthocyanin of auricles white short to medium medium tapering awns present

n/a weak to medium

smooth medium (group 2) long moderate to strongly curved narrow straight to elevated

slightly to moderately curved

red dark

very short to short absent or very thin

medium medium medium

weak semi-erect to intermediate very late



# AFP 1/2367 RGT WESTMINSTER

## **CHARACTERS IN DETAIL**

# Ear

Colour Length Density Shape-side profile Awns or scurs - presence Awns or scurs - distribution Awns or scurs - length Apical rachis segment - convex face hairiness Anthers - anthocyanin colouration

## Lower glume

External surface Extent of internal hairs Beak length Beak curvature Shoulder width Shoulder shape

### Lower lemma

Beak curvature

### Grain

Colour Colouration with phenol

### Straw

Length Wall thickness @20cms below ear

### Glaucosity

Flag leaf - sheath Flag leaf- blade (lower side) Culm - neck Ear

# Plant growth characters

Coleoptile - anthocyanin colouration Plant - growth habit Time of ear emergence Flag leaf - anthocyanin of auricles white medium medium to dense parallel sided scurs present

medium to long medium

rough medium (group 2) medium moderately curved narrow to medium elevated

## moderately curved

red dark to very dark

very short absent or very thin

medium to strong weak to medium medium medium

weak to medium intermediate very late



### WINTER WHEAT

## AFP 1/2519

# **RGT UNIVERSE**

# **CHARACTERS IN DETAIL**

Ear Colour Length Density Shape-side profile Awns or scurs - presence Awns or scurs - distribution Awns or scurs - length Apical rachis segment - convex face hairiness Anthers - anthocyanin colouration

### Lower glume

External surface Extent of internal hairs Beak length Beak curvature Shoulder width Shoulder shape

## Lower lemma

Beak curvature

### Grain

Colour Colouration with phenol

### Straw

Length Wall thickness @20cms below ear

## Glaucosity

Flag leaf - sheath Flag leaf- blade (lower side) Culm - neck Ear

### Plant growth characters

Coleoptile - anthocyanin colouration Plant - growth habit Time of ear emergence Flag leaf - anthocyanin of auricles



white medium medium to dense parallel sided scurs present upper 1/4 long medium to strong absent

slightly rough medium (group 2) medium to long moderate to strongly curved medium straight to elevated

strongly curved

red medium to dark

short absent or very thin

strong strong strong strong

weak intermediate medium to late AFP 1/628 **RIBAND** 

## **CHARACTERS IN DETAIL**

## Ear

Colour Length Density Shape-side profile Awns or scurs - presence Awns or scurs - distribution Awns or scurs - length Apical rachis segment - convex face hairiness Anthers - anthocyanin colouration

### Lower glume

External surface Extent of internal hairs Beak length Beak curvature Shoulder width Shoulder shape

#### Lower lemma

Beak curvature

### Grain

Colour Colouration with phenol

#### Straw

Length Wall thickness @20cms below ear

#### Glaucosity

Flag leaf - sheath Flag leaf- blade (lower side) Culm - neck Ear

# Plant growth characters

Coleoptile - anthocyanin colouration Plant - growth habit Time of ear emergence Flag leaf - anthocyanin of auricles

- white medium medium to dense parallel sided scurs present upper 1/4 long to very long weak absent
- smooth weak (1) medium slight to moderately curved medium elevated

# moderately curved

red medium

medium absent or very thin

medium weak medium weak to medium

absent or very weak prostrate medium absent or very weak



# AFP 1/2377 **ROADSTER**

## **CHARACTERS IN DETAIL**

# Ear

Colour Length Density Shape-side profile Awns or scurs - presence Awns or scurs - distribution Awns or scurs - length Apical rachis segment - convex face hairiness Anthers - anthocyanin colouration

### Lower glume

External surface Extent of internal hairs Beak length Beak curvature Shoulder width Shoulder shape

#### Lower lemma

Beak curvature

### Grain

Colour Colouration with phenol

#### Straw

Length Wall thickness @20cms below ear

#### Glaucosity

Flag leaf - sheath Flag leaf- blade (lower side) Culm - neck Ear

# Plant growth characters

Coleoptile - anthocyanin colouration Plant - growth habit Time of ear emergence Flag leaf - anthocyanin of auricles white medium medium tapering awns present

n/a weak

smooth medium (group 2) long to very long moderately curved very narrow to narrow straight

slightly to moderately curved

red light

very short to short absent or very thin

medium to strong medium medium to strong

absent to weak semi-erect to intermediate late



# AFP 1/1330 **ROBIGUS**

# **CHARACTERS IN DETAIL**

Ear Colour Length Density Shape-side profile Awns or scurs - presence Awns or scurs - distribution Awns or scurs - length: Apical rachis segment - convex face hairiness Anthers - anthocyanin colouration

### Lower glume

External surface Extent of internal hairs Beak length Beak curvature Shoulder width Shoulder shape

#### Lower lemma Beak curvature

# Grain

Colour Colouration with phenol

# Straw

Length Wall thickness @20cms below ear

# Glaucosity

Flag leaf - sheath Flag leaf- blade (lower side) Culm - neck Ear

# Plant growth characters

Coleoptile - anthocyanin colouration Plant - growth habit Time of ear emergence Flag leaf - anthocyanin of auricles

white medium medium tapering scurs present upper 1/4 long to very long weak absent

smooth medium - Group 2 short to medium slight to moderately curved narrow to medium elevated

### moderately curved

red very dark

short to medium thin

strong

medium to strong strong

medium intermediate medium weak



# AFP 1/2818 ROWLING

## **CHARACTERS IN DETAIL**

# Ear

Colour Length Density Shape-side profile Awns or scurs - presence Awns or scurs - distribution Awns or scurs - length Apical rachis segment - convex face hairiness Anthers - anthocyanin colouration

### Lower glume

External surface Extent of internal hairs Beak length Beak curvature Shoulder width Shoulder shape

### Lower lemma

Beak curvature

### Grain

Colour Colouration with phenol

#### Straw

Length Wall thickness @20cms below ear

### Glaucosity

Flag leaf - sheath Flag leaf- blade (lower side) Culm - neck Ear

#### Plant growth characters

Coleoptile - anthocyanin colouration Plant - growth habit Time of ear emergence Flag leaf - anthocyanin of auricles

- white medium parallel sided scurs present upper 1/4 medium weak to medium absent
- smooth medium (group 2) short to medium slightly curved narrow to medium elevated

moderately curved

red very dark

very short to short absent or very thin

strong to very strong strong to very strong medium

weak intermed. to semi-prostrate medium to late absent or very weak



# AFP 1/2211 ROYSTON

## **CHARACTERS IN DETAIL**

# Ear

Colour Length Density Shape-side profile Awns or scurs - presence Awns or scurs - distribution Awns or scurs - length Apical rachis segment - convex face hairiness Anthers - anthocyanin colouration

### Lower glume

External surface Extent of internal hairs Beak length Beak curvature Shoulder width Shoulder shape

### Lower lemma

Beak curvature

### Grain

Colour Colouration with phenol

#### Straw

Length Wall thickness @20cms below ear

#### Glaucosity

Flag leaf - sheath Flag leaf- blade (lower side) Culm - neck Ear

### Plant growth characters

Coleoptile - anthocyanin colouration Plant - growth habit Time of ear emergence Flag leaf - anthocyanin of auricles

- white medium tapering scurs present upper 1/4 medium weak absent
- smooth weak to medium (1+) short to medium strongly curved medium elevated

geniculate

red medium

short to medium absent or very thin

medium to strong weak to medium weak to medium medium

absent or very weak intermediate late



AFP 1/2249 **RUSKIN** 

## **CHARACTERS IN DETAIL**

## Ear

Colour Length Density Shape-side profile Awns or scurs - presence Awns or scurs - distribution Awns or scurs - length Apical rachis segment - convex face hairiness Anthers - anthocyanin colouration

### Lower glume

External surface Extent of internal hairs Beak length Beak curvature Shoulder width Shoulder shape

### Lower lemma

Beak curvature

### Grain

Colour Colouration with phenol

#### Straw

Length Wall thickness @20cms below ear

#### Glaucosity

Flag leaf - sheath Flag leaf- blade (lower side) Culm - neck Ear

# Plant growth characters

Coleoptile - anthocyanin colouration Plant - growth habit Time of ear emergence Flag leaf - anthocyanin of auricles

- white medium medium to dense tapering scurs present upper 1/4 long absent to weak absent
- smooth weak to medium short to medium moderately curved narrow elevated

strongly curved

red medium to dark

very short to short absent or very thin

strong medium medium to strong medium to strong

absent to weak semi-erect to intermediate late



# AFP 1/1649 SAHARA

# **CHARACTERS IN DETAIL**

# Ear

Colour Length Density Shape-side profile Awns or scurs - presence Awns or scurs - distribution Awns or scurs - length: Apical rachis segment - convex face hairiness Anthers - anthocyanin colouration

### Lower glume

External surface Extent of internal hairs Beak length Beak curvature Shoulder width Shoulder shape

# Lower lemma

Beak curvature

# Grain

Colour Colouration with phenol

### Straw

Length Wall thickness @20cms below ear

### Glaucosity

Flag leaf - sheath Flag leaf- blade (lower side) Culm - neck Ear

### Plant growth characters

Coleoptile - anthocyanin colouration Plant - growth habit Time of ear emergence Flag leaf - anthocyanin of auricles white medium lax to medium parallel sided scurs present upper <sup>1</sup>/<sub>2</sub> short to medium weak to medium absent

smooth weak to medium - Group 1+ medium moderate to strongly curved narrow to medium elevated

### moderately curved

red medium

medium to long thin

medium weak weak weak to medium

weak intermed. to semi-prostrate late to very late



# AFP 1/2406 SAVELLO

## **CHARACTERS IN DETAIL**

# Ear

Colour Length Density Shape-side profile Awns or scurs - presence Awns or scurs - distribution Awns or scurs - length Apical rachis segment - convex face hairiness Anthers - anthocyanin colouration

### Lower glume

External surface Extent of internal hairs Beak length Beak curvature Shoulder width Shoulder shape

### Lower lemma

Beak curvature

### Grain

Colour Colouration with phenol

#### Straw

Length Wall thickness @20cms below ear

### Glaucosity

Flag leaf - sheath Flag leaf- blade (lower side) Culm - neck Ear

# Plant growth characters

Coleoptile - anthocyanin colouration Plant - growth habit Time of ear emergence Flag leaf - anthocyanin of auricles

- white medium medium to dense parallel sided scurs present upper 1/4 long to very long weak to medium
- smooth strong (group 3) medium moderately curved narrow elevated

#### strongly curved

red dark to very dark

short absent or very thin

medium to strong medium medium medium

absent or very weak semi-erect to intermediate very late



# AFP 1/1787 **SCOUT**

# **CHARACTERS IN DETAIL**

Ear Colour Length Density Shape-side profile Awns or scurs - presence Awns or scurs - distribution Awns or scurs - length: Apical rachis segment - convex face hairiness Anthers - anthocyanin colouration

### Lower glume

External surface Extent of internal hairs Beak length Beak curvature Shoulder width Shoulder shape

#### Lower lemma Beak curvature

Dour our futu

### Grain Colour Colouration with phenol

# Straw

Length Wall thickness @20cms below ear

# Glaucosity

Flag leaf - sheath Flag leaf- blade (lower side) Culm - neck Ear

### Plant growth characters

Coleoptile - anthocyanin colouration Plant - growth habit Time of ear emergence Flag leaf - anthocyanin of auricles white medium tapering scurs present upper <sup>1</sup>/<sub>4</sub> medium weak absent

smooth medium - Group 2 medium slight to moderately curved narrow to medium elevated

### straight to slightly curved

red dark to very dark

short to medium thin

medium to strong medium medium weak to medium

medium semi-erect to intermediate late



# AFP 1/2068 SCRIBE

# **CHARACTERS IN DETAIL**

Ear Colour Length Density Shape-side profile Awns or scurs - presence Awns or scurs - distribution Awns or scurs - length: Apical rachis segment - convex face hairiness Anthers - anthocyanin colouration

### Lower glume

External surface Extent of internal hairs Beak length Beak curvature Shoulder width Shoulder shape

## Lower lemma

Beak curvature

### Grain

Colour Colouration with phenol

# Straw

Length Wall thickness @20cms below ear

### Glaucosity

Flag leaf - sheath Flag leaf- blade (lower side) Culm - neck Ear

### Plant growth characters

Coleoptile - anthocyanin colouration Plant - growth habit Time of ear emergence Flag leaf - anthocyanin of auricles white short to medium dense parallel sided scurs present upper <sup>1</sup>/<sub>4</sub> medium strong

slightly rough weak to medium - Group 1+ medium slightly curved narrow elevated

### moderately to strongly curved

red very dark

short thin

strong strong strong medium

absent or very weak intermediate medium



# AFP 1/2404 SHABRAS

# **CHARACTERS IN DETAIL**

# Ear

Colour Length Density Shape-side profile Awns or scurs - presence Awns or scurs - distribution Awns or scurs - length Apical rachis segment - convex face hairiness Anthers - anthocyanin colouration

### Lower glume

External surface Extent of internal hairs Beak length Beak curvature Shoulder width Shoulder shape

### Lower lemma

Beak curvature

# Grain

Colour Colouration with phenol

#### Straw

Length Wall thickness @20cms below ear

#### Glaucosity

Flag leaf - sheath Flag leaf- blade (lower side) Culm - neck Ear

### Plant growth characters

Coleoptile - anthocyanin colouration Plant - growth habit Time of ear emergence Flag leaf - anthocyanin of auricles

- white short to medium medium to dense parallel sided scurs present upper 1/2 very long weak to medium
- smooth strong (group 3) medium moderately curved narrow to medium strongly elevated with 2nd pt. present

#### moderately to strongly curved

red dark to very dark

very short to short absent or very thin

strong medium to strong strong

absent or very weak semi-erect to intermediate late to very late



# AFP 1/1650 SHEPHERD

## **CHARACTERS IN DETAIL**

# Ear

Colour Length Density Shape-side profile Awns or scurs - presence Awns or scurs - distribution Awns or scurs - length Apical rachis segment - convex face hairiness Anthers - anthocyanin colouration

### Lower glume

External surface Extent of internal hairs Beak length Beak curvature Shoulder width Shoulder shape

#### Lower lemma

Beak curvature

### Grain

Colour Colouration with phenol

#### Straw

Length Wall thickness @20cms below ear

### Glaucosity

Flag leaf - sheath Flag leaf- blade (lower side) Culm - neck Ear

# Plant growth characters

Coleoptile - anthocyanin colouration Plant - growth habit Time of ear emergence Flag leaf - anthocyanin of auricles white medium to long medium parallel sided scurs present upper 1/4 medium to long medium absent

slightly rough medium (2) medium moderate to strongly curved narrow to medium elevated

slightly to moderately curved

red dark

medium absent or very thin

strong to very strong strong medium to strong

strong intermediate medium to late



# AFP 1/2295 SHERLOCK

## **CHARACTERS IN DETAIL**

# Ear

Colour Length Density Shape-side profile Awns or scurs - presence Awns or scurs - distribution Awns or scurs - length Apical rachis segment - convex face hairiness Anthers - anthocyanin colouration

### Lower glume

External surface Extent of internal hairs Beak length Beak curvature Shoulder width Shoulder shape

### Lower lemma

Beak curvature

### Grain

Colour Colouration with phenol

#### Straw

Length Wall thickness @20cms below ear

### Glaucosity

Flag leaf - sheath Flag leaf- blade (lower side) Culm - neck Ear

# Plant growth characters

Coleoptile - anthocyanin colouration Plant - growth habit Time of ear emergence Flag leaf - anthocyanin of auricles

- white short to medium medium tapering awns present whole length very long very weak to weak
- smooth medium (2) long to very long moderate to strongly curved narrow elevated

### slightly curved

red medium

short absent or very thin

strong medium to strong medium to strong medium to strong

weak semi-erect to intermediate late



# AFP 1/1951 **SHIRE**

## **CHARACTERS IN DETAIL**

## Ear

Colour Length Density Shape-side profile Awns or scurs - presence Awns or scurs - distribution Awns or scurs - length Apical rachis segment - convex face hairiness Anthers - anthocyanin colouration

### Lower glume

External surface Extent of internal hairs Beak length Beak curvature Shoulder width Shoulder shape

#### Lower lemma

Beak curvature

### Grain

Colour Colouration with phenol

#### Straw

Length Wall thickness @20cms below ear

#### Glaucosity

Flag leaf - sheath Flag leaf- blade (lower side) Culm - neck Ear

# Plant growth characters

Coleoptile - anthocyanin colouration Plant - growth habit Time of ear emergence Flag leaf - anthocyanin of auricles white medium medium to dense parallel sided scurs present upper 1/4 long medium absent

smooth weak to medium (1+) medium slightly curved narrow elevated

slightly to moderately curved

red very dark

short absent or very thin

strong strong medium to strong

strong semi-erect to intermediate medium to late



# AFP 1/2138 SKYFALL

# **CHARACTERS IN DETAIL**

Ear Colour Length Density Shape-side profile Awns or scurs - presence Awns or scurs - distribution Awns or scurs - length: Apical rachis segment - convex face hairiness Anthers - anthocyanin colouration

### Lower glume

External surface Extent of internal hairs Beak length Beak curvature Shoulder width Shoulder shape

# Lower lemma

Beak curvature

# Grain

Colour Colouration with phenol

# Straw

Length Wall thickness @20cms below ear

# Glaucosity

Flag leaf - sheath Flag leaf- blade (lower side) Culm - neck Ear

# Plant growth characters

Coleoptile - anthocyanin colouration Plant - growth habit Time of ear emergence Flag leaf - anthocyanin of auricles white medium parallel sided awns present whole length very long medium absent

smooth strong - Group 3 long to very long v.slightly curved very narrow to narrow elev. to elev with 2nd point

### straight

red dark to very dark

short to medium thin

strong medium to strong medium to strong strong

medium intermed. to semi-prostrate medium



# AFP 1/1415 SMUGGLER

## **CHARACTERS IN DETAIL**

# Ear

Colour Length Density Shape-side profile Awns or scurs - presence Awns or scurs - distribution Awns or scurs - length Apical rachis segment - convex face hairiness Anthers - anthocyanin colouration

### Lower glume

External surface Extent of internal hairs Beak length Beak curvature Shoulder width Shoulder shape

### Lower lemma

Beak curvature

### Grain

Colour Colouration with phenol

#### Straw

Length Wall thickness @20cms below ear

### Glaucosity

Flag leaf - sheath Flag leaf- blade (lower side) Culm - neck Ear

### Plant growth characters

Coleoptile - anthocyanin colouration Plant - growth habit Time of ear emergence Flag leaf - anthocyanin of auricles white medium tapering scurs present upper 1/4 medium absent

entire external surface rough weak to medium (group 1+) medium moderately curved medium elevated

slightly to moderately curved

red light to medium

medium absent or very thin

#### medium

medium to strong medium

very strong intermediate early absent or very weak



# AFP 1/834 SOISSONS

# **CHARACTERS IN DETAIL**

Ear	
Colour	white
Length	medium
Density	medium
Shape-side profile	tapering
Awns or scurs - presence	awns present
Awns or scurs - distribution	whole length
Awns or scurs - length:	long
Apical rachis segment - convex face hairiness	absent to weak
Anthers - anthocyanin colouration	absent
Lower glume	
External surface	slightly rough
Extent of internal hairs	weak - Group 1
Beak length	
Beak curvature	
Shoulder width	narrow
Shoulder shape	slightly sloping
Lower lemma	
Beak curvature	straight
Grain	
Colour	red
Colouration with phenol	
Straw	
Length	
Wall thickness @20cms below ear	thin
Glaucosity	
Flag leaf - sheath	absent or very weak
Flag leaf- blade (lower side)	weak
Culm - neck	absent or very weak
Ear	absent or very weak
Plant growth characters	
Coleoptile - anthocyanin colouration	absent or very weak
Plant - growth habit	intermediate
Time of ear emergence	very early to early
Flag leaf - anthocyanin of auricles	absent or very weak



# AFP 1/2132 SOLACE

# **CHARACTERS IN DETAIL**

Ear Colour Length Density Shape-side profile Awns or scurs - presence Awns or scurs - distribution Awns or scurs - length: Apical rachis segment - convex face hairiness Anthers - anthocyanin colouration

### Lower glume

External surface Extent of internal hairs Beak length Beak curvature Shoulder width Shoulder shape

# Lower lemma

Beak curvature

### Grain

Colour Colouration with phenol

## Straw

Length Wall thickness @20cms below ear

### Glaucosity

Flag leaf - sheath Flag leaf- blade (lower side) Culm - neck Ear

### Plant growth characters

Coleoptile - anthocyanin colouration Plant - growth habit Time of ear emergence Flag leaf - anthocyanin of auricles white short to medium medium parallel sided scurs present upper <sup>1</sup>/<sub>2</sub> long medium absent

smooth medium - Group 2 medium moderate to strongly curved medium elevated

### moderately curved

red very dark

short thin

strong medium to strong medium to strong medium to strong

medium intermed. to semi-prostrate medium to late



# AFP 1/1225 SOLSTICE

# **CHARACTERS IN DETAIL**

Ear Colour Length Density Shape-side profile Awns or scurs - presence Awns or scurs - distribution Awns or scurs - length: Apical rachis segment - convex face hairiness Anthers - anthocyanin colouration

### Lower glume

External surface Extent of internal hairs Beak length Beak curvature Shoulder width Shoulder shape

### Lower lemma Beak curvature

# Grain Colour

Colouration with phenol

# Straw

Length Wall thickness @20cms below ear

# Glaucosity

Flag leaf - sheath Flag leaf- blade (lower side) Culm - neck Ear

# Plant growth characters

Coleoptile - anthocyanin colouration Plant - growth habit Time of ear emergence Flag leaf - anthocyanin of auricles white medium lax to medium tapering scurs present upper <sup>1</sup>/<sub>2</sub> medium to long weak to medium absent

smooth weak to medium - Group 1+ medium moderately curved medium straight

moderately curved

red medium

very short to short thin

strong to very strong

strong to very strong strong

medium intermediate late very weak



# AFP 1/2178 SOLTEK

# **CHARACTERS IN DETAIL**

## Ear

Colour Length Density Shape-side profile Awns or scurs - presence Awns or scurs - distribution Awns or scurs - length Apical rachis segment - convex face hairiness Anthers - anthocyanin colouration

### Lower glume

External surface Extent of internal hairs Beak length Beak curvature Shoulder width Shoulder shape

### Lower lemma

Beak curvature

### Grain

Colour Colouration with phenol

### Straw

Length Wall thickness @20cms below ear

#### Glaucosity

Flag leaf - sheath Flag leaf- blade (lower side) Culm - neck Ear

## Plant growth characters

Coleoptile - anthocyanin colouration Plant - growth habit Time of ear emergence Flag leaf - anthocyanin of auricles

- white medium dense tapering scurs present upper 1/4 short to medium strong to very strong absent
- smooth medium (2) medium moderately curved narrow to medium elevated

#### moderately to strongly curved

red dark

medium absent or very thin

strong medium medium medium to strong

medium semi-erect to intermediate late to very late



Variety Name: SORRIAL

**Breeder's Reference:** 

Breeder: CAUSSADE SEMENCES SA

**Origin:** FRANCE

Code: SORRI

**Coleoptile-anthocyanin colouration:** \*Plant - growth habit: \*Time ear emergence: Flag leaf - Anthocyanin colouration of auricles: Frequency of plants with recurved flag leaves: \*Flag leaf - Glaucosity of sheath: Flag leaf - Glaucosity of leaf blade: Anthers - anthocyanin colouration: **Glaucosity of neck:** Hairiness of uppermost node: \*Plant - height: \*Straw - wall thickness @ 20cms below ear: \*Ear - Glaucosity: Ear - Supernumerary spikelets - frequency: \*Ear - Colour: \*Ear - Shape (side profile): Ear - Length: \*Ear - Density: \*Awns or scurs - presence: Awns or scurs - distibution: \*Scurs at tip of ear - length: \*Awns at tip of ear - length: Lower glume - Beak length: Lower glume - Beak shape (curvature): Lower glume - Beak tip: Lower glume - Shoulder width: Lower glume - Shoulder type: Lower glume - External surface roughness: Lower glume - Extent of internal hairs: Lower glume - Internal imprint: Lower lemma - Beak shape: Lower lemma - Beak length-: Lower lemma - Beak swelling: Apical rachis segement - convex face hairiness: \*Grain - colour: Grain - Shape: Grain - Brush hair length in dorsal view: Grain - Colouration with phenol: \*Seasonal type: **Extra characters:** 

AFP No:

Translated from:

**Date:** 03 June 2013

MEDIUM INTERMEDIATE TO SEMI-PROSTRATE EARLY TO MEDIUM VERY LOW TO LOW VERY STRONG STRONG TO VERY STRONG STRONG TO VERY STRONG SHORT VERY THIN STRONG TO VERY STRONG WHITE PARALLEL SIDED MEDIUM TO LONG DENSE SCURS PRESENT VERY SHORT TO SHORT MEDIUM TO BROAD STRAIGHT WEAK SLIGHTLY CURVED SHORT WEAK TO MEDIUM RED

MEDIUM WINTER

\* = Characteristics which should always be included in the description of the variety.

30 March 2015



# AFP 1/2800 SPEARHEAD

# **CHARACTERS IN DETAIL**

## Ear

Colour Length Density Shape-side profile Awns or scurs - presence Awns or scurs - distribution Awns or scurs - length Apical rachis segment - convex face hairiness Anthers - anthocyanin colouration

### Lower glume

External surface Extent of internal hairs Beak length Beak curvature Shoulder width Shoulder shape

### Lower lemma

Beak curvature

### Grain

Colour Colouration with phenol

Straw Length

Wall thickness @20cms below ear

### Glaucosity

Flag leaf - sheath Flag leaf- blade (lower side) Culm - neck Ear

### Plant growth characters

Coleoptile - anthocyanin colouration Plant - growth habit Time of ear emergence Flag leaf - anthocyanin of auricles white medium to long medium parallel sided scurs present upper 1/4 medium to long medium to strong absent

smooth strong to whole surface short to medium moderately curved narrow elevated

strongly curved

red medium

short absent or very thin

very strong very strong very strong strong

medium intermed. to semi-prostrate late absent or very weak



AFP 1/2756 **SPOCK** 

### **CHARACTERS IN DETAIL**

# Ear

Colour Length Density Shape-side profile Awns or scurs - presence Awns or scurs - distribution Awns or scurs - length Apical rachis segment - convex face hairiness Anthers - anthocyanin colouration

### Lower glume

External surface Extent of internal hairs Beak length Beak curvature Shoulder width Shoulder shape

#### Lower lemma

Beak curvature

### Grain

Colour Colouration with phenol

#### Straw

Length Wall thickness @20cms below ear

#### Glaucosity

Flag leaf - sheath Flag leaf- blade (lower side) Culm - neck Ear

### Plant growth characters

Coleoptile - anthocyanin colouration Plant - growth habit Time of ear emergence Flag leaf - anthocyanin of auricles

- white medium parallel sided scurs present upper 1/4 medium to long strong to very strong
- smooth medium (group 2) medium to long moderate to strongly curved narrow to medium elevated

#### strongly curved

red medium

short absent or very thin

strong to very strong strong to very strong strong to very strong

medium to strong intermediate late to very late



AFP 1/2300 SPYDER

### **CHARACTERS IN DETAIL**

## Ear

Colour Length Density Shape-side profile Awns or scurs - presence Awns or scurs - distribution Awns or scurs - length Apical rachis segment - convex face hairiness Anthers - anthocyanin colouration

### Lower glume

External surface Extent of internal hairs Beak length Beak curvature Shoulder width Shoulder shape

### Lower lemma

Beak curvature

### Grain

Colour Colouration with phenol

#### Straw

Length Wall thickness @20cms below ear

#### Glaucosity

Flag leaf - sheath Flag leaf- blade (lower side) Culm - neck Ear

# Plant growth characters

Coleoptile - anthocyanin colouration Plant - growth habit Time of ear emergence Flag leaf - anthocyanin of auricles

- white medium to long lax to medium parallel sided scurs present upper 1/2 medium to long weak
- smooth medium (2) medium moderately curved narrow to medium elevated

moderately curved

red medium

short to medium absent or very thin

strong medium to strong medium to strong strong

absent to weak semi-erect to intermediate late to very late



# AFP 1/1941 **STIGG**

# **CHARACTERS IN DETAIL**

Ear Colour Length Density Shape-side profile Awns or scurs - presence Awns or scurs - distribution Awns or scurs - length: Apical rachis segment - convex face hairiness Anthers - anthocyanin colouration

### Lower glume

External surface Extent of internal hairs Beak length Beak curvature Shoulder width Shoulder shape

# Lower lemma

Beak curvature

# Grain

Colour Colouration with phenol

# Straw

Length Wall thickness @20cms below ear

# Glaucosity

Flag leaf - sheath Flag leaf- blade (lower side) Culm - neck Ear

### Plant growth characters

Coleoptile - anthocyanin colouration Plant - growth habit Time of ear emergence Flag leaf - anthocyanin of auricles white short to medium very dense parallel sided scurs present upper <sup>1</sup>/<sub>4</sub> short to medium weak absent

slightly rough weak to medium - Group 1+ medium moderately curved narrow to medium straight to elevated

strongly curved

red medium to dark

short thin

strong to very strong strong absent or very weak

weak semi-erect to intermediate late



# AFP 1/2447 STRATOSPHERE

# **CHARACTERS IN DETAIL**

## Ear

Colour Length Density Shape-side profile Awns or scurs - presence Awns or scurs - distribution Awns or scurs - length Apical rachis segment - convex face hairiness Anthers - anthocyanin colouration

### Lower glume

External surface Extent of internal hairs Beak length Beak curvature Shoulder width Shoulder shape

# Lower lemma

Beak curvature

### Grain

Colour Colouration with phenol

### Straw

Length Wall thickness @20cms below ear

### Glaucosity

Flag leaf - sheath Flag leaf- blade (lower side) Culm - neck Ear

## Plant growth characters

Coleoptile - anthocyanin colouration Plant - growth habit Time of ear emergence Flag leaf - anthocyanin of auricles

- white short to medium dense parallel sided scurs present upper 1/4 medium medium
- slightly rough medium (group 2) medium moderately curved narrow to medium elevated

strongly curved

red dark to very dark

very short to short absent or very thin

medium weak medium weak to medium

weak to medium semi-erect to intermediate late to very late



# AFP 1/2823 SWALLOW

# **CHARACTERS IN DETAIL**

# Ear

Colour Length Density Shape-side profile Awns or scurs - presence Awns or scurs - distribution Awns or scurs - length Apical rachis segment - convex face hairiness Anthers - anthocyanin colouration

### Lower glume

External surface Extent of internal hairs Beak length Beak curvature Shoulder width Shoulder shape

### Lower lemma

Beak curvature

#### Grain

Colour Colouration with phenol

# Straw

Length Wall thickness @20cms below ear

### Glaucosity

Flag leaf - sheath Flag leaf- blade (lower side) Culm - neck Ear

#### Plant growth characters

Coleoptile - anthocyanin colouration Plant - growth habit Time of ear emergence Flag leaf - anthocyanin of auricles white medium parallel sided scurs present upper 1/2 long to very long weak to medium absent

slightly rough medium to strong (group 2+) long moderately curved narrow straight to elevated

moderately to strongly curved

red medium

very short absent or very thin

strong to very strong strong to very strong medium to strong

very weak to weak intermed. to semi-prostrate late absent or very weak



AFP 1/2001

2

# **SY EPSON**

#### **CHARACTERS IN DETAIL** Far

Lar	
Colour:	white
Length:	long
Density:	lax to medium
Shape (side profile)	parallel sided
Awns or scurs - presence:	scurs present
Awns or scurs - distribution:	
Awns or scurs - length:	long
Apical rachis segment - convex face hairiness:	very weak
Anthers - anthocyanin	
Lower Glume	
External surface roughness:	
Extent of internal hairs:	weak to medium - group 1 to 2
Beak length:	short to medium
Beak shape (curvature):	slightly to moderately curved
Shoulder	narrow to medium
Shoulder	slightly sloping or straight
Lower Lemma	
Beak shape:	
Grain	
Colour	red
Colouration with phenol:	medium
Straw	
Length:	
Wall thickness @ 20cms below ear:	very thin
Glaucosity	
Flag leaf - sheath:	medium to strong
Flag leaf - blade (lower side):	medium
Culm neck:	medium to strong
Ear - Glaucosity:	medium to strong
Plant growth characters	
Coleoptile-anthocyanin	absent to very weak
Plant - growth habit:	semi-prostrate
Time ear emergence:	medium to late
Flag leaf - Anthocyanin colouration of auricles:	



# AFP 1/2659 SY GRIFFIN

## **CHARACTERS IN DETAIL**

# Ear

Colour Length Density Shape-side profile Awns or scurs - presence Awns or scurs - distribution Awns or scurs - length Apical rachis segment - convex face hairiness Anthers - anthocyanin colouration

### Lower glume

External surface Extent of internal hairs Beak length Beak curvature Shoulder width Shoulder shape

### Lower lemma

Beak curvature

### Grain

Colour Colouration with phenol

#### Straw

Length Wall thickness @20cms below ear

### Glaucosity

Flag leaf - sheath Flag leaf- blade (lower side) Culm - neck Ear

# Plant growth characters

Coleoptile - anthocyanin colouration Plant - growth habit Time of ear emergence Flag leaf - anthocyanin of auricles white medium to long medium to dense parallel sided scurs present

medium to long medium to strong

slightly rough medium (group 2) medium moderately curved narrow elevated

moderately curved

red medium to dark

short absent or very thin

medium to strong medium to strong medium to strong medium to strong

absent or very weak intermediate late to very late



# AFP 1/2745 SY INSITOR

## **CHARACTERS IN DETAIL**

## Ear

Colour Length Density Shape-side profile Awns or scurs - presence Awns or scurs - distribution Awns or scurs - length Apical rachis segment - convex face hairiness Anthers - anthocyanin colouration

### Lower glume

External surface Extent of internal hairs Beak length Beak curvature Shoulder width Shoulder shape

## Lower lemma

Beak curvature

### Grain

Colour Colouration with phenol

#### Straw

Length Wall thickness @20cms below ear

### Glaucosity

Flag leaf - sheath Flag leaf- blade (lower side) Culm - neck Ear

#### Plant growth characters

Coleoptile - anthocyanin colouration Plant - growth habit Time of ear emergence Flag leaf - anthocyanin of auricles

- white medium lax to medium parallel sided scurs present upper 1/2 long to very long medium to strong absent
- smooth strong to whole surface medium moderate to strongly curved narrow to medium straight to elevated

strongly curved to geniculate

red dark to very dark

medium absent or very thin

strong to very strong strong to very strong strong medium to strong

very weak to weak intermed. to semi-prostrate late absent or very weak



# AFP 1/2654 **SY LOKI**

## **CHARACTERS IN DETAIL**

# Ear

Colour Length Density Shape-side profile Awns or scurs - presence Awns or scurs - distribution Awns or scurs - length Apical rachis segment - convex face hairiness Anthers - anthocyanin colouration

### Lower glume

External surface Extent of internal hairs Beak length Beak curvature Shoulder width Shoulder shape

### Lower lemma

Beak curvature

### Grain

Colour Colouration with phenol

#### Straw

Length Wall thickness @20cms below ear

### Glaucosity

Flag leaf - sheath Flag leaf- blade (lower side) Culm - neck Ear

## Plant growth characters

Coleoptile - anthocyanin colouration Plant - growth habit Time of ear emergence Flag leaf - anthocyanin of auricles

- white medium to long lax to medium tapering scurs present upper 1/2 long to very long medium to strong
- smooth weak to medium (group 1+) short to medium slight to moderately curved narrow to medium straight to elevated

moderately to strongly curved

red dark

short absent or very thin

medium to strong strong medium to strong

absent to weak intermediate medium to late



# AFP 1/2656 SY MEDEA

## **CHARACTERS IN DETAIL**

# Ear

Colour Length Density Shape-side profile Awns or scurs - presence Awns or scurs - distribution Awns or scurs - length Apical rachis segment - convex face hairiness Anthers - anthocyanin colouration

### Lower glume

External surface Extent of internal hairs Beak length Beak curvature Shoulder width Shoulder shape

#### Lower lemma

Beak curvature

### Grain

Colour Colouration with phenol

#### Straw

Length Wall thickness @20cms below ear

### Glaucosity

Flag leaf - sheath Flag leaf- blade (lower side) Culm - neck Ear

# Plant growth characters

Coleoptile - anthocyanin colouration Plant - growth habit Time of ear emergence Flag leaf - anthocyanin of auricles white medium to long lax to medium tapering scurs present upper 1/4 medium strong

smooth strong to whole surface very short to short slightly curved medium to broad elevated

red dark to very dark

short to medium absent or very thin

absent or very weak absent or very weak absent or very weak absent or very weak

weak intermediate medium



# AFP 1/2711 THEODORE

## **CHARACTERS IN DETAIL**

# Ear

Colour Length Density Shape-side profile Awns or scurs - presence Awns or scurs - distribution Awns or scurs - length Apical rachis segment - convex face hairiness Anthers - anthocyanin colouration

### Lower glume

External surface Extent of internal hairs Beak length Beak curvature Shoulder width Shoulder shape

### Lower lemma

Beak curvature

### Grain

Colour Colouration with phenol

#### Straw

Length Wall thickness @20cms below ear

#### Glaucosity

Flag leaf - sheath Flag leaf- blade (lower side) Culm - neck Ear

### Plant growth characters

Coleoptile - anthocyanin colouration Plant - growth habit Time of ear emergence Flag leaf - anthocyanin of auricles white medium dense parallel sided scurs present upper 1/4 medium to long very weak to weak

smooth weak to medium (group 1+) medium strongly curved narrow elevated

#### geniculate

red medium to dark

very short to short medium

strong strong absent or very weak

weak intermediate medium to late



# AFP 1/1806 TIMARU

# **CHARACTERS IN DETAIL**

Ear Colour Length Density Shape-side profile Awns or scurs - presence Awns or scurs - distribution Awns or scurs - length: Apical rachis segment - convex face hairiness Anthers - anthocyanin colouration

### Lower glume

External surface Extent of internal hairs Beak length Beak curvature Shoulder width Shoulder shape

# Lower lemma

Beak curvature

#### Grain Colour

Colouration with phenol

# Straw

Length Wall thickness @20cms below ear

# Glaucosity

Flag leaf - sheath Flag leaf- blade (lower side) Culm - neck Ear

### Plant growth characters

Coleoptile - anthocyanin colouration Plant - growth habit Time of ear emergence Flag leaf - anthocyanin of auricles white long dense parallel sided scurs present tip only very short medium to strong absent

rough weak to medium - Group 1+ medium strongly curved narrow to medium elevated

strongly curved

red light to medium

medium thin

strong medium to strong medium to strong medium to strong

medium semi-erect to intermediate late



AFP 1/2712 **TOBY** 

# **CHARACTERS IN DETAIL**

### Ear

Colour Length Density Shape-side profile Awns or scurs - presence Awns or scurs - distribution Awns or scurs - length Apical rachis segment - convex face hairiness Anthers - anthocyanin colouration

### Lower glume

External surface Extent of internal hairs Beak length Beak curvature Shoulder width Shoulder shape

# Lower lemma

Beak curvature

## Grain

Colour Colouration with phenol

#### Straw

Length Wall thickness @20cms below ear

### Glaucosity

Flag leaf - sheath Flag leaf- blade (lower side) Culm - neck Ear

#### **Plant growth characters**

Coleoptile - anthocyanin colouration Plant - growth habit Time of ear emergence Flag leaf - anthocyanin of auricles

- white short dense to very dense parallel sided scurs present upper 1/4 medium medium to strong absent
- smooth medium to strong (group 2+) medium slight to moderately curved narrow to medium straight to elevated

moderately curved

red medium

short medium

strong to very strong strong to very strong strong to very strong absent or very weak

very weak to weak intermed. to semi-prostrate late to very late absent or very weak



# AFP 1/1986 TORCH

# **CHARACTERS IN DETAIL**

Ear Colour Length Density Shape-side profile Awns or scurs - presence Awns or scurs - distribution Awns or scurs - length: Apical rachis segment - convex face hairiness Anthers - anthocyanin colouration

### Lower glume

External surface Extent of internal hairs Beak length Beak curvature Shoulder width Shoulder shape

# Lower lemma

Beak curvature

### Grain

Colour Colouration with phenol

## Straw

Length Wall thickness @20cms below ear

### Glaucosity

Flag leaf - sheath Flag leaf- blade (lower side) Culm - neck Ear

### Plant growth characters

Coleoptile - anthocyanin colouration Plant - growth habit Time of ear emergence Flag leaf - anthocyanin of auricles

- white short to medium medium to dense parallel sided scurs present upper <sup>1</sup>/<sub>4</sub> medium absent or very weak
- smooth medium - Group 2 medium slightly curved narrow elevated

slightly curved

red dark

short to medium medium

strong strong strong strong

absent to weak semi-erect to intermediate medium



## AFP 1/2044 TORPHINS

## **CHARACTERS IN DETAIL**

Ear Colour Length Density Shape-side profile Awns or scurs - presence Awns or scurs - distribution Awns or scurs - length: Apical rachis segment - convex face hairiness Anthers - anthocyanin colouration

#### Lower glume

External surface Extent of internal hairs Beak length Beak curvature Shoulder width Shoulder shape

## Lower lemma

Beak curvature

## Grain

Colour Colouration with phenol

## Straw

Length Wall thickness @20cms below ear

#### Glaucosity

Flag leaf - sheath Flag leaf- blade (lower side) Culm - neck Ear

#### Plant growth characters

Coleoptile - anthocyanin colouration Plant - growth habit Time of ear emergence Flag leaf - anthocyanin of auricles

- white short to medium dense parallel sided scurs present upper <sup>1</sup>/<sub>4</sub> long to very long medium
- rough weak to medium - Group 1+ medium moderate to strongly curved narrow to medium elevated

strongly curved

red dark

short to medium thin

strong to very strong strong strong strong

medium to strong intermediate medium to late



## AFP 1/2931 TREASURE

### **CHARACTERS IN DETAIL**

## Ear

Colour Length Density Shape-side profile Awns or scurs - presence Awns or scurs - distribution Awns or scurs - length Apical rachis segment - convex face hairiness Anthers - anthocyanin colouration

#### Lower glume

External surface Extent of internal hairs Beak length Beak curvature Shoulder width Shoulder shape

#### Lower lemma

Beak curvature

#### Grain

Colour Colouration with phenol

#### Straw

Length Wall thickness @20cms below ear

#### Glaucosity

Flag leaf - sheath Flag leaf- blade (lower side) Culm - neck Ear

#### Plant growth characters

Coleoptile - anthocyanin colouration Plant - growth habit Time of ear emergence Flag leaf - anthocyanin of auricles

- white short to medium medium to dense parallel sided scurs present upper 1/2 long medium absent
- smooth medium (group 2) medium to long strongly curved narrow to medium elevated

strongly curved to geniculate

red very dark

very short absent or very thin

very strong strong to very strong very strong medium to strong

medium intermediate late absent or very weak



## AFP 1/1954 **TUXEDO**

## **CHARACTERS IN DETAIL**

#### Ear

Colour Length Density Shape-side profile Awns or scurs - presence Awns or scurs - distribution Awns or scurs - length: Apical rachis segment - convex face hairiness Anthers - anthocyanin colouration

## Lower glume

External surface Extent of internal hairs Beak length Beak curvature Shoulder width Shoulder shape

Lower lemma Beak curvature

#### Grain

Colour Colouration with phenol

#### Straw

Length Wall thickness @20cms below ear

#### Glaucosity

Flag leaf - sheath Flag leaf- blade (lower side) Culm - neck Ear

#### Plant growth characters

Coleoptile - anthocyanin colouration Plant - growth habit Time of ear emergence Flag leaf - anthocyanin of auricles white medium medium to dense parallel sided scurs present upper <sup>1</sup>/<sub>4</sub> medium to long weak to medium absent

smooth medium - Group 2 medium slightly curved narrow to medium elevated

moderately curved

red dark

short to medium thin

strong medium to strong medium to strong

strong semi-erect to intermediate medium to late



## AFP 1/2125 TWISTER

## **CHARACTERS IN DETAIL**

Ear Colour Length Density Shape-side profile Awns or scurs - presence Awns or scurs - distribution Awns or scurs - length: Apical rachis segment - convex face hairiness Anthers - anthocyanin colouration

#### Lower glume

External surface Extent of internal hairs Beak length Beak curvature Shoulder width Shoulder shape

## Lower lemma

Beak curvature

## Grain

Colour Colouration with phenol

### Straw

Length Wall thickness @20cms below ear

#### Glaucosity

Flag leaf - sheath Flag leaf- blade (lower side) Culm - neck Ear

#### Plant growth characters

Coleoptile - anthocyanin colouration Plant - growth habit Time of ear emergence Flag leaf - anthocyanin of auricles white short to medium lax to medium parallel sided scurs present upper ½ long to very long weak absent

slightly rough medium - Group 2 medium to long moderate to strongly curved narrow to medium elevated

#### moderately to strongly curved

red very dark

medium thin

strong medium medium medium

weak intermed. to semi-prostrate medium



## AFP 1/2206 UNIVERSAL

## **CHARACTERS IN DETAIL**

## Ear

Colour Length Density Shape-side profile Awns or scurs - presence Awns or scurs - distribution Awns or scurs - length Apical rachis segment - convex face hairiness Anthers - anthocyanin colouration

#### Lower glume

External surface Extent of internal hairs Beak length Beak curvature Shoulder width Shoulder shape

#### Lower lemma

Beak curvature

### Grain

Colour Colouration with phenol

#### Straw

Length Wall thickness @20cms below ear

#### Glaucosity

Flag leaf - sheath Flag leaf- blade (lower side) Culm - neck Ear

#### Plant growth characters

Coleoptile - anthocyanin colouration Plant - growth habit Time of ear emergence Flag leaf - anthocyanin of auricles white medium to long lax to medium parallel sided scurs present upper 1/2 long weak to medium absent

smooth medium (2) medium to long strongly curved medium straight to elevated

strongly curved

red dark

short to medium absent or very thin

medium to strong medium to strong medium to strong medium to strong

absent to weak intermediate late



## AFP 1/1704 VELOCITY

### **CHARACTERS IN DETAIL**

## Ear

Colour Length Density Shape-side profile Awns or scurs - presence Awns or scurs - distribution Awns or scurs - length Apical rachis segment - convex face hairiness Anthers - anthocyanin colouration

#### Lower glume

External surface Extent of internal hairs Beak length Beak curvature Shoulder width Shoulder shape

#### Lower lemma

Beak curvature

#### Grain

Colour Colouration with phenol

#### Straw

Length Wall thickness @20cms below ear

#### Glaucosity

Flag leaf - sheath Flag leaf- blade (lower side) Culm - neck Ear

## Plant growth characters

Coleoptile - anthocyanin colouration Plant - growth habit Time of ear emergence Flag leaf - anthocyanin of auricles white medium parallel sided scurs present tip only short to medium medium absent

smooth medium (group 2) medium to long strongly curved to geniculate medium to broad strongly elevated with 2nd pt. present

#### geniculate

red dark

short to medium absent or very thin

strong weak to medium medium medium

weak intermediate early to medium



AFP 1/2544 **VERSO** 

### **CHARACTERS IN DETAIL**

## Ear

Colour Length Density Shape-side profile Awns or scurs - presence Awns or scurs - distribution Awns or scurs - length Apical rachis segment - convex face hairiness Anthers - anthocyanin colouration

#### Lower glume

External surface Extent of internal hairs Beak length Beak curvature Shoulder width Shoulder shape

#### Lower lemma

Beak curvature

#### Grain

Colour Colouration with phenol

#### Straw

Length Wall thickness @20cms below ear

#### Glaucosity

Flag leaf - sheath Flag leaf- blade (lower side) Culm - neck Ear

#### Plant growth characters

Coleoptile - anthocyanin colouration Plant - growth habit Time of ear emergence Flag leaf - anthocyanin of auricles white medium tapering scurs present upper 3/4 long weak to medium absent

smooth medium (group 2) medium v.slightly curved narrow elevated

#### straight to slightly curved

red dark

short absent or very thin

strong medium to strong strong strong to very strong

weak intermediate medium to late



## AFP 1/1812 VISCOUNT

## **CHARACTERS IN DETAIL**

Ear Colour Length Density Shape-side profile Awns or scurs - presence Awns or scurs - distribution Awns or scurs - length: Apical rachis segment - convex face hairiness Anthers - anthocyanin colouration

#### Lower glume

External surface Extent of internal hairs Beak length Beak curvature Shoulder width Shoulder shape

# Lower lemma

Beak curvature

## Grain

Colour Colouration with phenol

## Straw

Length Wall thickness @20cms below ear

## Glaucosity

Flag leaf - sheath Flag leaf- blade (lower side) Culm - neck Ear

## Plant growth characters

Coleoptile - anthocyanin colouration Plant - growth habit Time of ear emergence Flag leaf - anthocyanin of auricles white medium dense parallel sided scurs present upper <sup>1</sup>/<sub>4</sub> medium to long weak absent

slightly rough weak to medium - Group 1+ medium moderately curved medium elevated

moderately curved

red dark

very short to short thin

strong medium medium to strong medium

strong semi-erect to intermediate late



## Variety Name: Vulkan

Code: VULK

Crop: Winter Wheat

Breeder's Reference:	AFP No:	
Breeder: Poljoprivredni Intitut Osijek	Translated	<b>l from:</b> Croatian
Origin:	Date:	11 March 2014

**Coleoptile-anthocyanin colouration:** \*Plant - growth habit: \*Time ear emergence: Flag leaf - Anthocyanin colouration of auricles: Frequency of plants with recurved flag leaves: \*Flag leaf - Glaucosity of sheath: Flag leaf - Glaucosity of leaf blade: Anthers - anthocyanin colouration: **Glaucosity of neck:** Hairiness of uppermost node: \*Plant - height: \*Straw - wall thickness @ 20cms below ear: \*Ear - Glaucosity: Ear - Supernumerary spikelets - frequency: \*Ear - Colour: \*Ear - Shape (side profile): Ear - Length: \*Ear - Density: \*Awns or scurs - presence: Awns or scurs - distibution: \*Scurs at tip of ear - length: \*Awns at tip of ear - length: Lower glume - Beak length: Lower glume - Beak shape (curvature): Lower glume - Beak tip: Lower glume - Shoulder width: Lower glume - Shoulder type: Lower glume - External surface roughness: Lower glume - Extent of internal hairs: Lower glume - Internal imprint: Lower lemma - Beak shape: Lower lemma - Beak length-: Lower lemma - Beak swelling: Apical rachis segement - convex face hairiness: \*Grain - colour: Grain - Shape: Grain - Brush hair length in dorsal view: **Grain - Colouration with phenol:** \*Seasonal type: **Extra characters:** 

Semi erect to intermediate Very early to early Low Medium Very weak to weak Weak to medium Medium Very thick or filled White Parallel sided Very short Medium Present Medium Medium Long to very long Slightly curved Absent or very narrow Sloping Medium Medium Red Winter



AFP 1/1865 WARRIOR

### **CHARACTERS IN DETAIL**

### Ear

Colour Length Density Shape-side profile Awns or scurs - presence Awns or scurs - distribution Awns or scurs - length Apical rachis segment - convex face hairiness Anthers - anthocyanin colouration

#### Lower glume

External surface Extent of internal hairs Beak length Beak curvature Shoulder width Shoulder shape

#### Lower lemma

Beak curvature

#### Grain

Colour Colouration with phenol

#### Straw

Length Wall thickness @20cms below ear

#### Glaucosity

Flag leaf - sheath Flag leaf- blade (lower side) Culm - neck Ear

## Plant growth characters

Coleoptile - anthocyanin colouration Plant - growth habit Time of ear emergence Flag leaf - anthocyanin of auricles white short medium to dense parallel sided scurs present upper 1/4 medium to long weak to medium absent

slightly rough weak to medium - Group 1+ medium slightly curved narrow to medium elevated

#### moderately curved

red very dark

short to medium n/a

strong strong medium medium to strong

medium to strong semi-erect medium to late



## AFP 1/2029 **WEAVER**

## **CHARACTERS IN DETAIL**

Ear Colour Length Density Shape-side profile Awns or scurs - presence Awns or scurs - distribution Awns or scurs - length: Apical rachis segment - convex face hairiness Anthers - anthocyanin colouration

#### Lower glume

External surface Extent of internal hairs Beak length Beak curvature Shoulder width Shoulder shape

#### Lower lemma Beak curvature

## Grain

Colour Colouration with phenol

## Straw

Length Wall thickness @20cms below ear

## Glaucosity

Flag leaf - sheath Flag leaf- blade (lower side) Culm - neck Ear

#### Plant growth characters

Coleoptile - anthocyanin colouration Plant - growth habit Time of ear emergence Flag leaf - anthocyanin of auricles

white medium to long medium to dense parallel sided scurs present upper 1/4 long strong

slightly rough medium - Group 2 medium strongly curved narrow elevated

strongly curved

red very dark

short to medium thin

strong strong strong medium to strong

absent to weak intermediate medium



## AFP 1/2126 WELCOME

### **CHARACTERS IN DETAIL**

## Ear

Colour Length Density Shape-side profile Awns or scurs - presence Awns or scurs - distribution Awns or scurs - length Apical rachis segment - convex face hairiness Anthers - anthocyanin colouration

### Lower glume

External surface Extent of internal hairs Beak length Beak curvature Shoulder width Shoulder shape

#### Lower lemma

Beak curvature

#### Grain

Colour Colouration with phenol

#### Straw

Length Wall thickness @20cms below ear

#### Glaucosity

Flag leaf - sheath Flag leaf- blade (lower side) Culm - neck Ear

## Plant growth characters

Coleoptile - anthocyanin colouration Plant - growth habit Time of ear emergence Flag leaf - anthocyanin of auricles

- white short to medium medium to dense parallel sided awns present whole length very long absent or very weak absent
- smooth medium (2) very long moderately curved narrow elev. to elev with 2nd point

#### straight

red very dark

medium absent or very thin

medium to strong medium medium to strong

weak to medium intermed. to semi-prostrate medium to late



## AFP 1/1449 WELFORD

## **CHARACTERS IN DETAIL**

Ear		
	Colour	
	Length	
	Density	
	Shape-side profile	
	Awns or scurs - presence	
	Awns or scurs - distribution	
	Awns or scurs - length	
	Apical rachis segment - convex face hairiness	
	Anthers - anthocyanin colouration	

#### Lower glume

External surface Extent of internal hairs Beak length Beak curvature Shoulder width Shoulder shape

# Lower lemma

Beak curvature

## Grain

Colour Colouration with phenol

## Straw

Length Wall thickness @20cms below ear

## Glaucosity

Flag leaf - sheath Flag leaf- blade (lower side) Culm - neck Ear

#### Plant growth characters

Coleoptile - anthocyanin colouration Plant - growth habit Time of ear emergence Flag leaf - anthocyanin of auricles white medium parallel sided scurs present upper 1/2 medium medium to strong absent

slightly rough medium - Group 2 medium moderately curved narrow straight to elevated

moderately curved

red dark

short thin

#### strong

strong weak to medium

medium intermed. to semi-prostrate medium absent or very weak



## AFP 1/1281 XI19

## **CHARACTERS IN DETAIL**

## Ear

Colour Length Density Shape-side profile Awns or scurs - presence Awns or scurs - length: Awns or scurs - distribution Apical rachis segment - convex face hairiness Anthers - anthocyanin colouration

#### Lower glume

External surface Extent of internal hairs Beak length Beak curvature Shoulder width Shoulder shape

# Lower lemma

Beak curvature

## Grain

Colour Colouration with phenol

#### Straw

Length Wall thickness @20cms below ear

#### Glaucosity

Flag leaf - sheath Flag leaf - blade (lower side) Culm - neck Ear

#### Plant growth characters

Coleoptile - anthocyanin colouration Plant - growth habit Time of ear emergence Flag leaf - anthocyanin of auricles white medium to long medium tapering scurs present short tip only medium absent

smooth strong - Group 3 medium moderately curved narrow straight

#### moderately to strongly curved

red dark

medium thin

#### strong

strong strong to very strong

absent or very weak intermed. to semi-prostrate late very weak



## AFP 1/1545 ZEBEDEE

## **CHARACTERS IN DETAIL**

Ear Colour Length Density Shape-side profile Awns or scurs - presence Awns or scurs - distribution Awns or scurs - length: Apical rachis segment - convex face hairiness Anthers - anthocyanin colouration

#### Lower glume

External surface Extent of internal hairs Beak length Beak curvature Shoulder width Shoulder shape

#### Lower lemma Beak curvature

## Grain

Colour Colouration with phenol

## Straw

Length Wall thickness @20cms below ear

## Glaucosity

Flag leaf - sheath Flag leaf- blade (lower side) Culm - neck Ear

### Plant growth characters

Coleoptile - anthocyanin colouration Plant - growth habit Time of ear emergence Flag leaf - anthocyanin of auricles

white medium to long lax to medium parallel sided scurs present upper 1/4 short to medium weak absent

smooth medium - Group 2 medium slight to moderately curved narrow to medium straight

### slightly to moderately curved

red light to medium

medium thin

## medium to strong

medium to strong strong

medium intermediate medium to late absent or very weak



## AFP 1/2155 **ZULU**

## **CHARACTERS IN DETAIL**

Ear
Colour
Length
Density
Shape-side profile
Awns or scurs - presence
Awns or scurs - distribution
Awns or scurs - length:
Apical rachis segment - convex face hairiness
Anthers - anthocyanin colouration

#### Lower glume

External surface Extent of internal hairs Beak length Beak curvature Shoulder width Shoulder shape

## Lower lemma

Beak curvature

### Grain

Colour Colouration with phenol

## Straw

Length Wall thickness @20cms below ear

#### Glaucosity

Flag leaf - sheath Flag leaf- blade (lower side) Culm - neck Ear

### Plant growth characters

Coleoptile - anthocyanin colouration Plant - growth habit Time of ear emergence Flag leaf - anthocyanin of auricles

- white medium parallel sided scurs present upper <sup>3</sup>/<sub>4</sub> long medium absent
- smooth strong - Group 3 medium slightly curved narrow elevated

### slightly curved

red dark

medium thin

medium weak to medium medium medium

weak to medium intermed. to semi-prostrate medium to late

