










Baits for Pest Control

Niab Agronomist Day 2025

Michelle Fountain and the Pest and Pathogen Ecology Team

SWD bait

- Probandz: An Insect Bait Adjuvant for Fruit Flies YouTube
- 5%: 1L ProBandz® per 20L spray
- low water volume:
 - 40L spray volume/hectare for soft fruit;
 - 80L spray volume/hectare for tree fruit
- insecticide <50% of full recommended label rate /ha
- direct spray in band, covering 4-8% of crop canopy
- away from fruit
- reduces the use of insecticides, labour, water and fuel



	Bait Spray	Full rate spray
Nozzle Type	Lechler nozzle type IDK 120-015	Orange Albuz hollow cone
Droplet Size	340 micron	154-225 microns
Spray cover	20 cm band	Entire canopy
Water volume	40 L/ha	500L/ha





Other considerations

- Seymour tabletop sprayer fitted with additional spray nozzles (1 per tabletop row)
- low volume cone jet to deliver 50 litres/ha at 1.5 bar pressure
- additional pressure regulator was fitted
- spray solution was supplied from an auxiliary valve already fitted to the sprayer
- forward speed is circa 5 km/hr





Cyantraniliprole



• Hallmark





- Legal requirements
- Export
- Rotation of product resistance





Earwig trapping on tabletop strawberry



• https://russellipm.com/new-brochure-earwig-solutions-for-tabletop-strawberry-growers/

Prevent




Monitor



Release – apple/pear orchards

- scale insects
- psyllids
- codling moth
- leaf curling midge
- WAA





world-class experience, skills and resources

Ant baits for rosy apple aphid





Sugar feeding of the common black ant, *Lasius niger* (L.), as a possible indirect method for reducing aphid populations on apple by disturbing ant-aphid mutualism

Csaba Nagy ^{a b} ○ ☑ , Jerry V. Cross ^b, Viktor Markó ^a
















Cheshire Wildlife Trust













Baits for Pest Control

Niab Agronomist Day 2025

Michelle Fountain and the Pest and Pathogen Ecology Team